

MATERIAL SAFETY DATA SHEET

Diversitech Corporation
2530 Lantrac Court
Decatur, GA 30035
Phone # (770) 593-0900

Emergency Phone: 800-535-5053
Date Prepared: 08/23/06
Supercedes: 09/24/03
Protection:

Health.....2
Flammability....3
Reactivity.....0

HMIS Rating
4=Severe
3=Serious
2=Moderate
1=Slight
0=Minimal

This Product is a Mixture.

Product Identity.....**WAGNER COIL GUARD (Aerosol) - C-20, C-20BL**
Formula.....Trade Secret
Chemical name of Family.....Solvent Based Acrylic Blend
DOT Shipping Name: Consumer Commodity, ORM-D
DOT Hazard Class: ORM-D

SECTION 2 – COMPOSITION/INFORMATION OF INGREDIENTS

CHEMICAL NAME	CAS Number	% WT	ACGIH TLV
Ethyl Benzene	100-41-4	5%	100
Toluene	108-88-3	15%	50
Xylene	13330-20-7	25%	100
Acetone	67-64-1	20%	750
Propane	74-98-6	15%	1000
Isobutane	75-28-5	10%	800

SECTION 3 – HAZARDS IDENTIFICATION

***** EMERGENCY OVERVIEW: ***** Clear Liquid, with Solvent odor. Flammable liquid and vapor. Harmful if absorbed through skin. May cause skin and eye irritation. May cause respiratory tract irritation. Vapor harmful; may affect the brain or nervous system causing dizziness, headache or nausea.

EFFECTS OF OVEREXPOSURE – EYE CONTACT: May cause eye irritation.

EFFECTS OF OVEREXPOSURE – SKIN CONTACT: May be absorbed through the skin in harmful amounts. May cause skin irritation. May cause dermatitis.

EFFECTS OF OVEREXPOSURE – INHALATION: Possible irritation of the respiratory system can occur causing a variety of symptoms such as dryness of the throat, tightness of the chest, and shortness of breath. May cause central nervous system depression characterized by the following progressive steps: Headache, dizziness, staggering gait, confusion, unconsciousness or coma.

EFFECTS OF OVEREXPOSURE – INGESTION: Harmful if swallowed. Ingestion is not expected route of entry in industrial or commercial uses.

EFFECTS OF OVEREXPOSURE – CRONIC HAZARDS: May cause liver or kidney damage. Repeated or prolonged solvent overexposure may result in permanent central nervous system damage. May affect the gastrointestinal system. May affect the flood and blood-forming organs. Chronic skin contact may cause dermatitis.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT SKIN ABSORPTION INHALATION INGESTION
EYE CONTACT

