



TRCHM00325

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Name Nu-Calgon Wholesaler, Inc.	Phone Number (314) 469-7000 / (800) 554-5499	CHEMTREC (800) 424-9300
Street Address 2008 Altom Court	City St. Louis	State MO
Postal Code 63146-4151	Last Update 1/31/13	
Product Name Aerosol Electrical Contact Cleaner	Product Number 4082	Product Use Electrical Cleaner
EPA Registration N/A		

SECTION 2 – HAZARD IDENTIFICATION

Emergency Overview: DANGER: Extremely flammable. Ensure adequate ventilation. Harmful or fatal if swallowed. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C). KEEP OUT OF REACH OF CHILDREN

Potential Health Effects

Eyes: May cause slight irritation.

Skin: Substance may cause slight skin irritation. Prolonged skin contact may defat the skin and produce dermatitis.

Ingestion: Ingestion may cause irritation to mucous membranes. Aspiration may cause chemical pneumonitis if aspirated into lungs.

Inhalation: Inhalation of high vapor concentrations may cause nasal & respiratory irritation and symptoms like headache, dizziness, tiredness, nausea, vomiting and possible unconsciousness.

Chronic Exposure: Repeated and prolonged exposure to solvents may cause brain and nervous system damage.

Carcinogenicity: None known

Medical Conditions Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	% By Wt.	CAS Number	TLV	PEL
Heptane	60 - 70	142-82-5	400 ppm	500 ppm
Isohexane	5 - 15	107-83-5	500 ppm	500 ppm
Isopropyl Alcohol	5 - 15	67-63-0	400 ppm	400 ppm
3-Methylpentane	< 5.0	96-14-0	500 ppm	500 ppm
2,3-Dimethylbutane	< 5.0	79-29-8	500 ppm	500 ppm
Neohexane	< 5.0	0 75-83-2	500 ppm	500 ppm
Carbon dioxide	< 5.0	124-38-9	500 ppm	500 ppm

SECTION 4 – FIRST AID MEASURES

Eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist

Skin: Wash off with soap and water. If skin irritation persists, call a physician

Ingestion: DO NOT INDUCE VOMITING. Clean mouth with water and afterwards drink plenty of water. Call a physician or Poison Control Centre immediately.

Inhalation: Move to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth. Obtain medical attention

SECTION 5 – FIREFIGHTING MEASURES

Flash Point: N/A°F

Autoignition Temp: N/A°C/N/A°F

Hazardous Products of Combustion: Carbon oxides

Flammable Limits in Air: N/E

Extinguishing Media: Foamy spray. Dry chemical. Carbon dioxide (CO₂).

Fire and Explosion Hazards: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C)

Special Firefighting Procedures: Water mist may be used to cool closed containers. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill or Leak: Prevent product from entering drains. Should not be released into the environment.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment: Wear personal protective equipment. Do not pierce or burn, even after use. Do not spray on naked flame or any incandescent material.

Storage Requirements: KEEP OUT OF REACH OF CHILDREN. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C).

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Eye Protection: Safety glasses with side-shields

Protective Clothing: Neoprene gloves

Exposure Guidelines: See section 2

Specific Engineering Controls (such as ventilation, enclosed process): Ensure adequate ventilation, especially in confined areas

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Aerosol

Freezing Point: N/E°C/N/E°F

% Volatile by Weight: 96.3%

Color: colourless

Vapor Density [air =1]: Not Established.

Evaporation Rate: Not Established.

Odor: Solvent

Vapor Pressure: N/A

Specific Gravity: 0.70

Boiling Point: N/E°C/N/E°F

Solubility in Water: Insoluble.

pH (concentrate): N/A

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions

Hazardous Polymerization: Hazardous polymerization does not occur

Incompatibilities: Strong oxidizing agents

Reactive Conditions to avoid: Keep away from open flames, hot surfaces and sources of ignition

Decomposition Products: Carbon oxides

SECTION 11 – TOXICOLOGICAL INFORMATION

<u>Hazardous Ingredients</u>	<u>CAS #</u>	<u>EINECS #</u>	<u>LD 50 of Ingredient</u> (Specify Species)	<u>LC50 of Ingredient</u> (Specify Species)
Heptane	142-82-5	N/E	N/E	Inhalation LC50 Rat: 103 g/m ³ /4H
Isohexane	107-83-5	N/E	N/E	N/E
Isopropyl Alcohol	67-63-0	N/E	Oral LD50 Rat: 5045 mg/kg; Dermal LD50 Rabbit: 12800 mg/kg	N/E
3-Methylpentane	96-14-0	N/E	N/E	N/E
2,3-Dimethylbutane	79-29-8	N/E	N/E	N/E
Neohexane	75-83-2	N/E	N/E	N/E
Carbon dioxide	124-38-9	N/E	N/E	N/E

SECTION 12 – ECOLOGICAL INFORMATION

<u>Hazardous Ingredients</u>	<u>Aquatic Toxicity Data</u>
Heptane	24 Hr LC50 goldfish: 4.0 mg/L; 24 Hr LC50 mosquito fish: 4900 mg/L; 96 Hr LC50 cichlid fish: 375.0 mg/L
Isohexane	N/E
Isopropyl Alcohol	96 Hr LC50 fathead minnow (29 days old):94900 mg/L (flow-through);96 Hr LC50 fathead minnow (31 days old):61200 mg/L (flow-through)
3-Methylpentane	N/E
2,3-Dimethylbutane	N/E
Neohexane	N/E

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: Should not be released into the environment. Dispose of in accordance with local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

Special Shipping Information: No Data.

<u>Purview</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT (Land)	Consumer Commodity ORM-D	No Data.	No Data.	No Data.
IMO (Water)	No Data.	No Data.	No Data.	No Data.
ICAO (Air)	Aerosol, Flammable, 2.1	UN1950	N/A	2.1

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: (Workplace Hazardous Material Information System)	B2, D2B
SARA Title III: (Superfund Amendments & Reauthorization Act)	No
OSHA: (Occupational Safety & Health Administration)	See section 2
TSCA: (Toxic Substance Control Act)	Yes
VOC: (volatile Organic Compounds)	96.3%
CPR: (Canadian Controlled Products Regulations)	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations.
EINECS: (European Inventory of Existing Commercial Chemical Substances)	N/E
DSL / NDSL: (Canadian Domestic Substance List)(Non-Domestic Substance List)	Yes
CERCLA: (Comprehensive Response Compensation & Liability Act)	No
IDL: (Canadian Ingredient Disclosure List)	N/E
NFPA (HMIS) Rating: (Hazardous Materials Identification System)	Health=2; Fire=3; Reactivity=0 Personal protective equipment = B

SECTION 16 – OTHER INFORMATION

No Data.

The information contained herein is based on the data available to us and is believed to be correct. However, Nu-Calgon Wholesaler Inc. makes no warranty, expressed, or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Nu-Calgon Wholesaler Inc. assumes no liability for injury from the use of the product described herein.



TRCHM00392

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

<u>Company Name</u> Nu-Calgon Wholesaler, Inc.	<u>Phone Number</u> (314) 469-7000 / (800) 554-5499	<u>CHEMTREC</u> (800) 424-9300		
<u>Street Address</u> 2008 Altom Court	<u>City</u> St. Louis	<u>State</u> MO	<u>Postal Code</u> 63146-4151	<u>Last Update</u> 10/25/12
<u>Product Name</u> Nu-blast, Aerosol	<u>Product Number</u> 4290-75	<u>Product Use</u> Condenser Coil Cleaner		<u>EPA Registration #</u> N/A

SECTION 2– HAZARD IDENTIFICATION

<u>Emergency Overview:</u> Warning. Ensure adequate ventilation. Avoid breathing vapors or mists. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C). Do not pierce or burn, even after use. Do not spray on naked flame or any incandescent material KEEP OUT OF REACH OF CHILDREN
<u>Potential Health Effects</u>
<u>Eyes:</u> Irritating to eyes.
<u>Skin:</u> Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis.
<u>Ingestion:</u> Aspiration may cause pulmonary oedema and pneumonitis. nausea.
<u>Inhalation:</u> Inhalation of high vapour concentrations may cause nasal & respiratory irritation and symptoms like headache, dizziness, tiredness, nausea, vomiting and possible unconsciousness.
<u>Chronic Exposure:</u> Prolonged exposure may cause chronic effects such as. Liver disorders. Kidney disorders. Lung damage. cardiac irregularities. Repeated and prolonged exposure to solvents may cause brain and nervous system damage. May cause disorder and damage to the spleen. In chronic inhalation tests with rats and mice, Trichloroethylene caused an increased incidence of tumours of a type which is routinely observed in these species.
<u>Carcinogenicity:</u> CA Prop 65 carcinogen - Trichloroethylene
<u>Medical Conditions Aggravated by Exposure:</u> May aggravate existing eye, skin, or upper respiratory conditions

SECTION 3– COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Ingredients</u>	<u>% By Wt.</u>	<u>CAS Number</u>	<u>TLV</u>	<u>PEL</u>
Trichloroethylene	90 - 98	79-01-6	50 ppm	50 ppm
Carbon dioxide	< 5	124-38-9	5000 ppm	5000 ppm

SECTION 4 – FIRST AID MEASURES

Eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.

If eye irritation persists, consult a specialist

Skin: Wash off with soap and water. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician

Ingestion: DO NOT INDUCE VOMITING. Aspiration hazard. Clean mouth with water and afterwards drink plenty of water. Immediate medical attention is required

Inhalation: Move to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth. Obtain medical attention

SECTION 5 – FIREFIGHTING MEASURES

Flash Point: No Data. °F

Autoignition Temp: No Data. °C/No Data. °F

Hazardous Products of Combustion: Carbon oxides, Hydrogen chloride (trace amounts), Phosgene (trace amounts) or Chlorine (trace amounts).

Flammable Limits in Air: No Data.

Extinguishing Media: Foamy spray. Dry chemical. Carbon dioxide (CO₂).

Fire and Explosion Hazards: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C).

Special Firefighting Procedures: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill or Leak: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment: Wear personal protective equipment. Do not pierce or burn, even after use. Do not spray on naked flame or any incandescent material.

Storage Requirements: KEEP OUT OF REACH OF CHILDREN. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C).

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Eye Protection: Safety glasses with side-shields.

Protective Clothing: Neoprene gloves

Exposure Guidelines: See Section 2

Specific Engineering Controls (such as ventilation, enclosed process): Ensure adequate ventilation, especially in confined areas

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Aerosol	Freezing Point: No Data. °C/No Data. °F	% Volatile by Weight: 96.5 %
Color: Clear	Vapor Density [air =1]: No Data.	Evaporation Rate: 2.1 (concentrate only) (n-butyl acetate = 1)
Odor: Ethereal	Vapor Pressure: PSIG @ 70°F (Aerosols): 85-100.	Specific Gravity: 1.45
Boiling Point: No Data. °C/No Data. °F	Solubility in Water: Insoluble.	pH (concentrate): No Data.

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable
Hazardous Polymerization: Hazardous polymerization does not occur
Incompatibilities: Reactive metals. Magnesium. Strong oxidizing agents. Product may react with aluminum if immersed in liquid concentrate trichloroethylene for extended periods.
Reactive Conditions to avoid: Heat, flames and sparks. Extremes of temperature and direct sunlight. Do not expose to temperatures above 54°C .
Decomposition Products: Carbon oxides , Hydrogen chloride (trace amounts), Phosgene (trace amounts) or Chlorine (trace amounts)

SECTION 11 – TOXICOLOGICAL INFORMATION

<u>Hazardous Ingredients</u>	<u>CAS #</u>	<u>EINECS #</u>	<u>LD 50 of Ingredient</u> (Specify Species)	<u>LC50 of Ingredient</u> (Specify Species)
Trichloroethylene	79-01-6	N/D	Oral LD50 Rat: 5650 mg/kg; Dermal LD50 Rabbit: >20 g/kg	Inhalation LC50 Mouse: 8450 ppm/4H;
Carbon dioxide	124-38-9	N/D	No Data.	No Data.

SECTION 12 – ECOLOGICAL INFORMATION

<u>Hazardous Ingredients</u>	<u>Aquatic Toxicity Data</u>
Trichloroethylene	96 Hr LC50 fathead minnow: 44.1 mg/L (flow-through)
Carbon dioxide	No Data.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: Should not be released into the environment. Dispose of in accordance with local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

Special Shipping Information: No Data.				
<u>Purview</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT (Land)	Consumer Commodity ORM-D	No Data.	No Data.	No Data.
IMO (Water)	No Data.	No Data.	No Data.	No Data.
ICAO (Air)	Aerosols, Non-Flammable	UN1950	No Data.	2.2

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: (Workplace Hazardous Material Information System)	D1B, D2A, D2B
SARA Title III: (Superfund Amendments & Reauthorization Act)	Yes - Trichloroethylene
OSHA: (Occupational Safety & Health Administration)	See Section 2
TSCA: (Toxic Substance Control Act)	Present
VOC: (volatile Organic Compounds)	96.5 %
CPR: (Canadian Controlled Products Regulations)	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations.
EINECS: (European Inventory of Existing Commercial Chemical Substances)	No Data.
DSL / NDSL: (Canadian Domestic Substance List)(Non-Domestic Substance List)	Present
CERCLA: (Comprehensive Response Compensation & Liability Act)	Trichloroethylene - 100 lb RQ
IDL: (Canadian Ingredient Disclosure List)	No Data.
NFPA (HMIS) Rating: (Hazardous Materials Identification System)	Health=2; Fire=0; Reactivity=0 Personal protective equipment = B

SECTION 16 – OTHER INFORMATION

No Data.

The information contained herein is based on the data available to us and is believed to be correct. However, Nu-Calgon Wholesaler Inc. makes no warranty, expressed, or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Nu-Calgon Wholesaler Inc. assumes no liability for injury from the use of the product described herein.