# SAFETY DATA SHEET



SDS# Pro-Green Total Pages: 6
Date: March 2015

UVGR1

## **Pro-Green**™

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Pro-Green Indoor Coil Cleaner

Catalog Number: Pro-Green

Manufactured by: DiversiTech Corporation

6650 Sugarloaf Parkway Duluth, GA, 30097

Information Phone No.: 1+678.542.3600

EMERGENCY Phone No.: 1 800.255.3924 Chem-Tel (Chemical Emergencies)

SDS DATE REVISED: 03/11/2015 PREPARED BY: V. Leone

### **SECTION 2. HAZARDOUS IDENTIFICATION**

#### **GHS Classification:**

Skin Irritation Category 2 Eye Irritation Category 2A Carcinogen Category 2

Specific Target Organ Toxicity- Single Exposure Category 3 Specific Target Organ Toxicity- Repeat Exposure Category 2

#### Label Elements:



Signal Word Warning!

### Hazard Statement(s)

H305	May be harmful if swallowed and enters airways
H316	Causes mild skin irritatiion.

H320 Causes eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

### Precautionary statement(s)

P102	Keep out of reach of children.
P103	Read label before use.

P202 Do not handle until all safety precautions have been read and understood.

P232 Protect from moisture.
P233 Keep container tightly closed.

P235 Keep cool.

P260 Do not breathe mist or spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P280 Wear rubber, nitrile or neoprene protective gloves and clothing, and safety goggles or

face shield to protect eyes and face.

P285 In case of inadequate ventilation wear respiratory protection.
P308 IF exposed or concerned: Consult medical advice or attention



## SECTION 2. HAZARDOUS INGREDIENTS INFORMATION (cont.)

P309 IF you feel unwell: Consult medical advice or attention

P301 IF SWALLOWED: Immediately drink 3 or 4 glasses of water followed by a large glass of citrus juice. Do not induce vomiting. Call a

physician immediately.

P302 IF ON SKIN: Flush affected area with water for 15 minutes or until skin no longer feels slick. If irritation persists or burns are present,

consult a physician.

P304 IF INHALED: Remove person to fresh air. If unconscious or if breathing does not return to normal within a few minutes, contact a

physician immediately.

P305 IF IN EYES: Flush eyes with running water for at least 15 minutes while lifting lids periodically. Call a physician without delay.

P402 Store in a dry place.

P403 Store in a well-ventilated place.

P501 Dispose of spill clean up and other wastes in accordance with Federal, State, and local regulations. Whatever cannot be saved by

recovery should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. Empty containers of this material, properly rinsed with water, pose no disposal hazard and may be recycled. State and local disposal regulations may differ from

federal disposal regulations.

## HMIS III Ratings

Health	1
Flamability	0
Physical Hazard	0
Personal Protection	В

## **SECTION 3. HAZARDOUS INGREDIENTS INFORMATION**

INGREDIENT	CAS No.	EINECS No.	% or Range	GHS Classification
Water	7732-18-5	231-791-2	60-80	Not classified
Sodium silicate	1344-09-8	215-687-4	<1	H314: Causes severe Category 1B skin burns and eye damage
				H335: May cause Category 3 respiratory irrit.
2-Butoxyethanol	111-76-2	203-905-0	1-5	H302: Harmful if Category 4 swallowed
				H312: Harmful in contact Category 4 with skin
				H315: Causes skin irri. Category 2
				H319: Causes serious Category 2A eye irritation
				H332: Harmful if inhaled Category 4
Tetrasodium EDTA	64-02-8	200-573-9	< 1	H302: Harmful if Category 4 swallowed
				H318: Causes serious Category 1 eye damage



#### **SECTION 4. FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Ingestion: DO NOT INDUCE VOMITING! Give large quantities of water or milk if available. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact: Wash with soap and water. Rinse with copious amounts of fresh, running water. If irritation persists, get medical attention.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

#### 4.2. Signs and Symptoms of Exposure:

Inhalation: Effects from inhalation of mists and vapors vary from mild to moderate irritation of the upper respiratory tract, depending on severity of exposure. Abusive or excessive inhalation of vapors may cause irritation to the upper respiratory tract, dizziness, nausea and other central nervous system effects.

**Ingestion:** Swallowing can cause gastro-intestinal irritation, nausea, vomiting, diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. Minimal toxicity.

Skin Contact: Contact with skin can cause redness, irritation or severe burns and scarring with greater exposures.

Eye Contact: May cause pain and moderate irritation of eyes.

Aggravation of Pre-existing Conditions: Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the product.

#### **SECTION 5. FIREFIGHTING MEASURES**

#### Suitable and Unsuitable Extinguishing Media:

This product is not flammable. Use dry chemical, carbon dioxide, foam or other media suitable for the primary source of the fire.

#### Special Equipment and Precautions for Fire-Fighters:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face-piece operated in the pressure demand or other positive pressure mode. Cool fire-exposed containers with a water spray.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment and Emergency Procedures:** Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate personal protective equipment and clothing during clean-up.

Methods and Material for Containment and Clean-Up: Contain and absorb liquid with clay, vermiculite or other inert substance, sweep up and package in a container suitable for disposal. Wash away residues with water. Dispose of absorbed material in accordance with Federal, local and state regulations.

### **SECTION 7. HANDLING AND STORAGE**

Precautions for Safe Handling: Keep in a tightly closed container. Protect from physical damage. Keep this and all chemicals out of the reach of children. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities: Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatible materials. Observe all warnings and precautions listed for the product. Observe all warnings and precautions listed for the product.



#### **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Airborne Exposure Limits:

2-butoxyethanol:

OSHA Permissible Exposure Limit (PEL): 50ppm (skin) ACGIH Threshold Limit Value (TLV): 20ppm

#### **Appropriate Engineering Controls:**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, <u>Industrial Ventilation</u>, <u>A Manual of Recommended Practices</u>, most recent edition, for details.

Personal Respirators (NIOSH Approved): Not required for normal use in accordance with label directions.

Skin Protection: Use rubber, neoprene or nitrile gloves to minimize skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. A source of running water or other eyewash provisions should be nearby.





Work Hygienic Practices: Use proper industrial hygiene practices to minimize hazardous exposure. Wash hands after handling this material, and before eating, smoking or using.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Clear green liquid Odor: Mild glycol ether Odor Threshold: Not established pH @ 25°C: >11

Melting Point (Pour Point): Not established

Boiling Point : > 220°F Flash Point: None

Evaporation Rate (Water = 1): >1 Flammable Limits: Not applicable

LEL: N/A UEL: N/A

Vapor pressure (mm Hg): Same as water Vapor Density (Air = 1): Same as water

Specific gravity (H2O = 1): 1.020 Solubility in water: Water miscible

Octanol/Water Partition Coefficient: Not available Autoignition Temperature: Not available Decomposition Temperature: Not available

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical Stability: Stable under ordinary conditions of use and storage.

Possibility of Hazardous Reactions: Will not occur.

Conditions to Avoid: Incompatibles.

Incompatible Materials: Avoid contact with strong oxidizing agents, strong alkalis and strong acids

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Hydrogen sulfide, Sulfur Dioxide.



#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Potential Health Effects:

Inhalation: Effects from inhalation of mists and vapors vary from mild to moderate irritation of the upper respiratory tract, depending on severity of exposure. Abusive or excessive inhalation of vapors may cause irritation to the upper respiratory tract, dizziness, nausea and other central nervous system effects.

Ingestion: Swallowing can cause gastro-intestinal irritation, nausea, vomiting, diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. Minimal toxicity.

Skin Contact: Frequent or prolonged contact may cause irritation.

Eye Contact: May cause pain and moderate irritation of eyes.

**Aggravation of Pre-existing Conditions:** Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the product.

Carcinogenic effects: Not classified

Teratogenicity/Reproductive toxicity: Not classified

Mutagenic effects: Not classified

Numerical Measures of Toxicity: Not available

### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity: Sodium hydroxide: Fish: Carp: 180ppm (LC100); 24H;

Aquatic: Not available

Persistence and Degradability: Biodegradable.

**Bioaccumulative Potential:** No bioaccumulation potential based on available literature. **Mobility in Soil:** Final destination of reacted products is water. Readily adsorbed into soil.

Other Adverse Effects: None known

Other: For more information, see "HANDBOOK OF ENVIRONMENTAL FATE AND EXPOSURE DATA."

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Dispose of spill-clean up and other wastes in accordance with Federal, State, and local regulations. Whatever cannot be saved by recovery should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. Empty containers of this material, properly rinsed with water, pose no disposal hazard and may be recycled. State and local disposal regulations may differ from federal disposal regulations.



#### **SECTION 14. TRANSPORTATION INFORMATION**

**US DOT:** Compound, cleaning, liquid (Non-hazardous) **International (Water, I.M.O.)** Not a shipping hazard

DOT Proper Shipping Name: None

UN Number: None
Packing Group: N/A
Limited Quantity: N/A
Marine Pollutant: No

DOT Hazard Class: None

#### **SECTION 15. REGULATORY INFORMATION**

Federal, State & International Regulations U.S. REGULATIONS: U.S. EPA:

Comprehensive Environmental Response Compensation and Liability

Act of 1980 (CERCLA) requires notification of the National Response Center of release quantities of Hazardous Substances is not required for this material.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on threshold planning quantities and release reporting based on reportable quantities in 40 CFR 355 (used for SARA 302, 304, 311, and 312) is not required for quantities below 250 pounds.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This material is not subject to reporting requirements.

Toxic Substances Control Act (TSCA) Status: The ingredients of this product are on the TSCA inventory.

#### State Right to Know

California Proposition 65: Not subject to reporting requirements under Prop 65

Massachusetts: Hazardous substances and extraordinarily hazardous substances must be identified. Pennsylvania: Hazardous substances must be identified.

California SCAQMD Rule 443.1 (VOC's): <2%

SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No Reactivity: No

#### WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. CANADA INVENTORY (DSL/NDSL): All components of this product are listed on the DSL.

### **SECTION 16. OTHER INFORMATION:**

Revision Summary: All Sections: New GHS Format

This information is, to the best of our knowledge and belief, accurate and reliable as of the date completed. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the completeness and suitability of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against patent infringement.