Whirlpool[®] Every day, care.

Google, Google Home and other related marks and logos are trademarks of Google LLC. Amazon, Alexa, Echo and all related logos and motion marks are trademarks of Amazon.com, Inc. or its affiliates. ®/™ © 2018 Whirlpool. All rights reserved. All other trademarks are owned by their respective companies. WPA26415.

Whirlpool Every day, care.



Every meal you cook, every dish you wash, every shirt you cleanthat's caring. And every act of care you give, day in and day out, helps the people you love become people who love. That's why at Whirlpool, we believe that helping you care for the ones you love is the most important thing we can do.



Fre counts

As the #1 selling appliance brand in the U.S.A.,^{*} Whirlpool brand is not only committed to making quality appliances, but to creating environments where every family can thrive. And we continue to stand behind the people in our own backyard and beyond with nationwide initiatives like the Care Counts[™] laundry program.



HELPING STUDENTS THRIVE

Access to clean clothes is one barrier to school attendance and, ultimately, a student's education. To address this complex issue and help reduce excessive absenteeism, Whirlpool brand began installing washers and dryers in select U.S. schools in 2016.

Based on the initial success, Whirlpool brand is now expanding the Care Counts[™] laundry program into additional school districts to bring the power of care to even more students.



The 2016 Care Counts[™] laundry program tracked laundry usage, learning that each participant received nearly **50 loads of clean clothes** during the school year. To date, we've installed washers and dryers in 68 schools across the nation. Attendance improved for 86% of participants designated as high-risk students," and chronic absenteeism dropped by 43%.



86% of participants improved attendance



With 90% of students utilizing the program being more actively engaged in their studies, over 1,200 schools have requested the Care Counts[™] laundry program.


KEEP UP FROM ANYWHERE

with Whirlpool® smart appliances

We're inspired by the day-in, day-out sacrifices every family makes to keep up with each other's needs. That's why we've introduced appliance technology that anticipates what comes next and adapts when things change—just like a busy family.

At Whirlpool brand, our approach to innovation goes beyond a WiFi connection with features that eliminate steps, improve performance and fit family life at every turn.









Screen images simulated. *U.S. only. †Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. ††Select recipes only. Compatible smart appliance required. Appliance must be set to remote enable. Features subject to change. Details and privacy info at whirlpool.com/connect and yummly.com.

REMOTE CONNECTIVITY

Preheat the oven, download the right cycle for a load of dishes or start the dryer right from a mobile device with remote connectivity.[†]

VOICE CONTROL WITH A COMPATIBLE VOICE-ENABLED DEVICE^{*}

WORKS WITI


alexa

Customers can control their appliances no matter what they've got on their hands with simple voice commands using the Google Assistant or an Alexa-enabled device.[†]

YUMMLY[®] GUIDED COOKING^{*}

Make meal prep easier with extra assistance from the Yummly® app which includes prompts that send cooking instructions straight to Whirlpool® smart cooking appliances at the right times.^{††}

AN EVOLUTION IN KITCHEN STYLE



WHIRLPOOL CONTEMPORARY **HANDLE & BARREL KNOBS**

Contemporary handles and barrel knobs achieve clean lines and complement modern tableware and drawer pulls

Models with these features are available in the following colors

Fingerprint-Resistant Stainless Steel, Fingerprint-Resistant Sunset Bronze




WHIRLPOOL HANDLE

Curved handles and approachable bladed knobs maintain design continuity and add sophisticated

Models with these features are available in the following colors


White, Black, Biscuit, Monochromatic Stainless Steel, Fingerprint-Resistant Stainless Steel, Fingerprint-Resistant Black Stainless Steel, Fingerprint-Resistant Metallic Steel



Whirlpool Handle



Bladed Knol





MAKING THINGS EASIER

That's caring and why we designed our laundry appliances with features that give clothes the right kind of care in fewer steps.

13	FRONT LOAD LAUNDRY & SPECIFICATIONS
23	TOP LOAD LAUNDRY & SPECIFICATIONS
37	SPECIALTY LAUNDRY & SPECIFICATIONS
51	DIMENSIONS
53	ACCESSORIES
54	GLOSSARY





SKIP ADDING DETERGENT & FABRIC SOFTENER TO EVERY LOAD

Simply add detergent and fabric softener once to the Load & Go[™] XL Plus dispenser and skip refills for 40 loads.* You'll even get notifications when it's time to refill.**



HELP PREVENT OVERDRYING

Advanced Moisture Sensing uses three sensors to track moisture and temperature, adapting drying times to end the cycle at just the right time.



Keep clothes fresh after the wash cycle has ended with the 12-Hour FanFresh® option. A built-in fan activates after the wash cycle is over, tumbling clothes until you can transfer them to the dryer for up to 12 hours.





CREATE CUSTOMIZED CYCLES IN A FEW TOUCHES

Intuitive Controls guide you to the right cycle combinations or let you customize your own to get the right type of fabric care.

AVAILABLE COLORS





Chrome Shadow (C)



Black Shadov (BK)



WFW560CH

4.3 cu. ft. Washer

- Intuitive Controls
- Sanitize cycle with Oxi
- Quick Wash cycle
- Cold Wash cycle
- Closet-depth fit^{*}



W

W





WFW5620H

4.5 cu. ft. Washer

Intuitive Controls

- Sanitize cycle Quick Wash cycle
- Cold Wash cycle
- Closet-depth fit*
- + Load & Go[™] dispenser + Steam Clean option





WFW6620H

4.5 cu. ft. Washer

- Intuitive Controls
- Sanitize cycle
- Quick Wash cycle
- Cold Wash cycle
- Closet-depth fit^{*}
- Steam Clean option









+ Load & Go[™] XL

dispenser





+ Indicates a step-up feature. *Designed to fit a 33" installation depth.

+ Indicates a step-up feature. *Designed to fit a 33" installation depth.

WFW862CH

4.3 cu. ft. Washer

- Intuitive Controls
- Sanitize cycle
- Quick Wash cycle
- Cold Wash cycle
- Closet-depth fit*
- Steam Clean option
- Load & Go[™] XL dispenser
- + Wash & Dry option + 12-Hour FanFresh® option

WFW8620H

5.0 cu. ft. Washer

- Intuitive Controls
- Sanitize cycle
- Quick Wash cycle
- Cold Wash cycle
- Steam Clean option
- Load & Go[™] XL dispenser
- Wash & Dry option
- 12-Hour FanFresh®
- option

WFW9620H

5.0 cu. ft. Washer

- Intuitive Controls
- Sanitize cycle
- Quick Wash cycle
- Cold Wash cycle
- Steam Clean option
- + Load & Go[™] XL Plus dispenser
- + Remote control with the Whirlpool® app
- + Touchscreen







C

C

Gold type indicates a step-up feature

MODEL	WFW560CH	WFW5620H	WFW6620H
Recommended Dryer	WE/GD560LH	WE/GD5620H	WE/GD6620H
Capacity (cu. ft.)	4.3	4.5	4.5
ENERGY STAR® certified	•	•	•
Intuitive Controls	•	•	•
DESIGN FEATURES			
Closet-depth fit (33" installed depth)	•	•	•
Smooth Wave stainless steel wash basket	•	•	•

VASH SYSTEM			
Dispenser	Single Load Dispenser	Load & Go [™] and Single Load Dispenser	Load & Go [™] XL and Single Load Dispenser
YCLES			
Bulky Items	•	•	٠
Clean Washer with affresh $^{\! \ensuremath{\otimes}}$ Washer Cleaner	٠	•	٠
Cold Wash	٠	•	•
Colors	•	•	٠
Delicates	٠	•	•
Drain & Spin	٠	•	•
Heavy Duty	٠	•	•
Normal	٠	•	•
Quick Wash	•	•	٠
Regular	٠	•	٠
Sanitize	with Oxi	•	٠
Towels	•	•	٠
Wrinkle Control	٠	•	٠
PTIONS			
Control Lock	•	•	•
Extra Rinse	•	•	•
Presoak	٠	•	٠
Steam Clean		•	٠
CCESSORIES (PART NO.)			
Pedestal – 10" high	XHP1000XW	XHP1000XW	XHP1000XW
Pedestal – 12" high	WFP24GW	WFP24GW	WFP24GW
Pedestal - 151/2" high	WFP2715HW	WFP2715HW	WFP2715HW/C
COLORS			
Available colors	W	W	W/C
IMENSIONS			
Max height (A)	385%"	38 5%"	385%"
Width (B)	27"	27"	27"
Depth (C)	31%"	31%6"	31%"
Depth with door open (D)	547%"	547⁄%"	54 ⁷ /s''

DEL	WFW862CH	WFW8620H	WFW9620H
Recommended Dryer	WE/GD8620H	WE/GD8620H	WE/GD9620H
Capacity (cu. ft.)	4.3	5.0	5.0
Intuitive Controls	٠	•	•
ART APPLIANCE FEATURES			
Download & Go [™] option			•
Enhanced troubleshooting			•
Match Washer cycle with Dryer cycle			•
Remote control with the Whirlpool® app			•
Voice control with a compatible			•
voice-enabled device*			
IGN FEATURES			
Closet-depth fit (33" installed depth)	•		
Smooth Wave stainless steel wash basket	•	•	•
Touchscreen			•
SH SYSTEM			
Dispenser	Load & Go [™] XL and Single Load Dispenser	Load & Go [™] XL and Single Load Dispenser	Load & Go [™] XL Plus and Single Load Dispens
LES			
Bulky Items	•	•	•
Clean Washer with affresh® Washer Cleaner	•	•	
Cold Wash	•	•	•
Colors	•	•	•
Delicates	•	•	•
Heavy Duty	•	•	٠
Normal	•	•	•
Quick Wash	٠	•	•
Regular	•	•	•
Sanitize	•	•	•
Towels	•	•	٠
Whites	٠	•	٠
IONS			
12-Hour FanFresh®	•	•	•
Control Lock	•	•	•
Extra Rinse	•	•	٠
Presoak	•	•	٠
Steam Clean	•	•	•
Wash & Dry	•	•	
ESSORIES (PART NO.)			
Pedestal – 10" high		XHP1000XW	XHP1000XW
Pedestal – 12" high		WFP24GW	WFP24GW
Pedestal – 15½" high	WFP2715HC	WFP2715HW/C	WFP2715HW/C/BK
ORS			
Available colors	C	W/C	W/C/BK
ENSIONS	<u> </u>		WY OF DIC
Max height (A)	385⁄/"	385%"	385%"
	27"		27"
Width (B)	21	27"	21
Depth (C)	31%"	33¼"	33¼"

FRONT LOAD WASHER SPECIFICATIONS / 18





WE/GD560LH

7.4 cu. ft. Dryer

- Intuitive Controls
- Wrinkle Shield[™] option
- Advanced Moisture Sensing
- EcoBoost[™] option
- Long vent design
- + Sanitize cycle



W



WE/GD5620H

7.4 cu. ft. Dryer

- Intuitive Controls
- Wrinkle Shield[™] option
- Sanitize cycle
- Advanced Moisture Sensing
- EcoBoost[™] option













100

WE/GD6620H

- Intuitive Controls
- Sanitize cycle
- Advanced Moisture Sensing
- EcoBoost[™] option





- + Steam Refresh cycle
- + Static Reduce option





+ Indicates a step-up feature. *Interior image for reference only. Actual product may vary.

7.4 cu. ft. Dryer





FRONT LOAD DRYERS / 20

WHD862CH

7.4 cu. ft. Dryer

- Flexible installation
- Hybrid heat pump
- drying technology
- Intuitive Controls
- Wrinkle Shield[™] option
- Advanced Moisture Sensing
- + Eco option
- + Speed option
- + Stainless steel dryer drum



WE/GD8620H



7.4 cu. ft. Dryer

- Intuitive Controls
- Advanced Moisture Sensing
- EcoBoost[™] option

+ Wrinkle Shield[™] Plus option with Steam

- + Steam Refresh cycle
- + Static Reduce option
- + Sanitize cycle
- + Stainless steel
- dryer drum
- + Dryer rack

WE/GD9620H



- Intuitive Controls
- Advanced
- Moisture Sensing
- EcoBoost[™] option • Wrinkle Shield[™] Plus
- option with Steam
- Steam Refresh cycle Static Reduce option
- Sanitize cycle
- Stainless steel
- dryer drum • Dryer rack
- + Remote control with the Whirlpool® app
- + Touchscreen



W

C





С

Gold type indicates a step-up feature

l type indicates a step-up feature	WHD560CH	WE/GD560LH	WE/GD5620H	WE/GD6620H	WHD862CH
DEL					
Recommended Washer	WFW560CH	WFW560CH	WFW5620H	WFW6620H	WFW8620H
Capacity (cu. ft.)	7.4	7.4	7.4	7.4	7.4
ENERGY STAR [®] certified	•	•	•	•	•
Intuitive Controls	•	٠	٠	•	٠
Quad baffles	•	•	•	•	•
SIGN FEATURES					
Closet-depth fit (33" installed depth)	•	•	•	•	•
Flexible installation (ventless technology)	•				•
Long vent design		•			
Stainless steel dryer drum					•
YING SYSTEM					
Advanced Moisture Sensing	•	•	•	•	•
Hybrid heat pump drying technology	•				•
CLES					
Bulky Items	•	٠	•	•	•
Colors	•	•	•	•	•
Delicates	•	•	٠	•	٠
Heavy Duty	•	•	•	•	•
Normal	•	•	•	•	•
Quick Dry	•	•	•	•	•
Regular	•	•	•	•	•
Sanitize		•	•	•	
Steam Refresh				•	
Timed Dry	•	•	•	•	•
Towels	•	•	•	•	•
Whites	•	•	•	•	•
Wrinkle Control	•	•	•	•	•
TIONS					
Control Lock	•	•	•	•	
Eco	•				•
EcoBoost™		•	•	•	
	•	-	-	-	
Speed Static Padvas	•				
Static Reduce				•	
Wrinkle Shield™	•	٠	•		•
Wrinkle Shield [™] Plus with Steam				•	
CESSORIES (PART NO.)	VUDIOOSVIIV	VUDICCOVIU	VUDICOOVIU	VUDICOOVIU	VUELOOOV
Pedestal – 10" high	XHP1000XW	XHP1000XW	XHP1000XW	XHP1000XW	XHP1000XW
Pedestal – 12" high	WFP24GW	WFP24GW	WFP24GW	WFP24GW	WFP24GW
Pedestal – 151/2" high	WFP2715HW	WFP2715HW	WFP2715HW	WFP2715HW/C	WFP2715HC
Stack kit	W10869845	W10869845	W10869845	W10869845	W10869845
LORS					
Available colors	W	W	W	W/C	С
IENSIONS					
Max height (A)	38¾"	38¾"	38¾"	38 ¾"	38¾"
Width (B)	27"	27"	27"	27"	27"
Depth (C)	31"	31"	31"	31"	31"

	WE/GD8620H	WE/GD9620H
Recommended Washer	WFW8620H	WEXNOSOCIT
Capacity (cu. ft.)	7.4	7.4
ENERGY STAR® certified	•	•
Intuitive Controls	•	•
Quad baffles	•	•
RT APPLIANCE FEATURES		-
Enhanced troubleshooting		•
Match Washer cycle with Dryer cycle		•
Remote control with the Whirlpool® app		
Voice control with a compatible		
voice-enabled device		•
GN FEATURES		
Closet-depth fit (33" installed depth)	•	•
Stainless steel dryer drum	•	•
Touchscreen		•
NG SYSTEM		
Advanced Moisture Sensing	•	•
ES		
Bulky Items	•	•
Colors	•	•
Delicates	•	•
Heavy Duty	•	•
Normal	•	•
Quick Dry	•	•
Regular	•	•
Sanitize	•	٠
Steam Refresh	•	٠
Timed Dry	•	•
Towels	•	٠
Whites	•	٠
Wrinkle Control	•	•
ONS		
Control Lock	•	•
EcoBoost™	•	•
Static Reduce	•	•
Wrinkle Shield [™] Plus with Steam	•	•
ESSORIES (PART NO.)		
Dryer rack (included)	W10886894	W10886894
Pedestal – 10" high	XHP1000XW	XHP1000XW
Pedestal – 12" high	WFP24GW	WFP24GW
Pedestal – 15½" high	WFP2715HW/C	WFP2715HW/C/BK
Stack kit	W10869845	W10869845
DRS		
Available colors	W/C	W/C/BK
ENSIONS		
Max height (A)	38¾"	38¾"
Width (B)	27"	27"
Depth (C)	31"	31"
Dobul (0)		

FRONT LOAD DRYER SPECIFICATIONS / 22





PREWASH CLOTHES IN THE WASHER

Easily prewash clothes and other items right in the washer with a built-in water faucet that gives you easy access to an instant stream of water to remove loose soils.



HELP PREVENT OVERDRYING

Advanced Moisture Sensing and the AccuDry[™] sensor drying system use sensors to track moisture and temperature levels, adapting drying times to end the cycle at just the right time.

CUSTOMIZED CYCLES FOR ANY MESS

Intuitive Controls guide you to the right cycle combinations or help you create up to 26 cycles of your own to get the right type of fabric care for whatever you're washing.



KEEP CLOTHES READY TO WEAR

Help prevent wrinkles from setting into clean clothes with the Wrinkle Shield[™] option that tumbles loads after the cycle ends, or release wrinkles and reduce odors from dry clothes with the Steam Refresh cycle.

AVAILABLE COLORS





(W)

Chrome Shadow (C)







WTW4950H

3.9 cu. ft. Washer

+ Soil level selection Water level selection

+ Impeller

- Soaking cycles (Whites and Colors)
- Smooth Spiral stainless steel wash basket
- Quick Wash cycle



W

W



WTW4955H

3.8 cu. ft. Washer

- Water level selection
- Soaking cycles (Whites and Colors)
- Smooth Spiral stainless steel wash basket
- Quick Wash cycle
- Soil level selection
- Two-way wash action agitator

WTW5000D

4.3 cu. ft. Washer

- Quick Wash cycle
- Smooth Spiral stainless steel
- wash basket
- + Impeller
- + Adaptive Wash technology
- + Presoak option
- + Deep Water
- Wash cycle

WTW7000D

4.8 cu. ft. Washer

- Quick Wash cycle
- Smooth Spiral stainless steel wash basket
- Impeller
- Adaptive Wash technology
- Presoak option
- Deep Water Wash cycle
- + Intuitive Controls
- + ColorLast[™] cycle
- + Precision dispense



W



	WTW7500G 4.8 cu. ft. Washer		W C
	 Impeller Adaptive Wash technology Presoak option Deep Water Wash option Intuitive Controls 	 Precision dispense Built-in water faucet EasyView[™] frameless glass lid with slow- close technology 	LEARN MORE AT WRITESTANDOL





5.3 cu. ft. Washer

ColorLast[™] cycle

Impeller
Adaptive Wash technology
Presoak option

Deep Water

- Precision dispense
 EasyView[™] frameless glass lid with slowclose technology
- + Deep Clean option

 Active Spray technology

+ Oxi Dispense option

+ Steam Clean option

- Wash cycleIntuitive Controls
- ColorLast[™] cycle



W

-



WTW8500D

5.3 cu. ft. Washer

- Impeller
- Adaptive Wash technology
- Intuitive Controls

ColorLast[™] cycle

- Precision dispense
- EasyView[™] frameless glass lid with slowclose technology





NOTES	/	28

Gold type indicates a step-up feature

IODEL	WTW4616F	WTW4850H	WTW4855H	WTW4950H	WTW4955H
Recommended Dryer	WE/GD4616F	WE/GD4850H	WE/GD4850H	WE/GD4950H	WE/GD4950H
Capacity (cu. ft.)	3.5	3.9	3.8	3.9	3.8
High-efficiency washer	•	•	•	٠	٠
LED status lights	•	•	•	٠	٠
ESIGN FEATURES					
EasyView [™] glass lid					
Wash basket	White porcelain	Smooth Spiral stainless steel	Smooth Spiral stainless steel	Smooth Spiral stainless steel	Smooth Spiral stainless steel
VASH SYSTEM					
Automatic load size sensing technology	•	•	•	•	•
Bleach dispenser	•	•	•	•	٠
Agitator	Dual action		Two-way wash action		Two-way wash action
Fabric softener modifier	Yes/No				
Impeller		•		•	
Max spin speed (RPM)	700	770	770	770	770
Total number of soil levels				4	4
Total number of temperatures	5	5	5	5	5
Total number of water levels	2	2	2	2	2
YCLES					
Bulky Items/Sheets		•	•	•	•
Casual	•				
Casual Heavy & Casual Light	•				
Clean Washer with affresh® Washer Cleaner	•	•	•	•	•
Colors & Colors with Soak		•	•	•	•
Delicates	•	•	•	•	•
Delicate Hand Wash & Delicate Light	•				
Drain & Spin	•	•	•	•	•
Heavy Duty		•	•	•	•
Normal	•	•	•	•	•
Normal Light & Normal Super Heavy	•				
Quick Wash		•	•	•	•
Rinse & Spin	•	•	•	•	•
Whites & Whites with Soak		•	•	•	•
PTIONS					
Extra Rinse	•	•	•	•	•
OLORS					
Available colors	W	W	W	W	W
IMENSIONS					
Max height (A)	42"	44"	44"	44"	44"
Width (B)	271/2"	27½"	271/2"	27½"	271/2"
Depth (C)	27"	27"	27"	27"	27"
Height with lid open (D)	51¼"	52"	52"	52"	52"

	WTW5000D	WTW7000D	WTW7500G	WTW8000D	WTW8500D
Recommended Dryer	WE/GD4985E,	WE/GD7000D	WE/GD7500G	WE/GD8000D	WE/GD8500D
Capacity (cu. ft.)	WE/GD5000D 4.3	4.8	4.8	5.3	5.3
End of cycle signal	0.1	On/Off	On/Off	On/Off	0n/Off
ENERGY STAR [®] certified		•	•	•	•
Estimated time remaining LED display		•	•	•	•
High-efficiency washer	•	•	•	•	•
Intuitive Controls	-	•	•	•	•
Intuitive controls			·	·	·
			•		
Built-in water faucet EasyView [™] frameless glass lid			•		
with slow-close technology			•	•	•
Smooth Spiral stainless steel wash basket	•	•	•	•	•
SYSTEM					
Active Spray technology					•
Adaptive Wash technology	•	•	٠	٠	•
Automatic load size sensing technology	•	•	•	•	•
Direct drive motor		•	•	•	•
Impeller	•	•	•	•	٠
Max spin speed (RPM up to)	660	850	850	850	850
Precision dispense – automatic detergent, bleach & fabric softener dispensers		•	•	•	•
S					
Bedding/Bulky/Sheets	•	•	•	•	•
Casuals	•	•		•	•
Cold Wash	•	•		•	•
Colors			•		
ColorLast™		•	•	•	•
Darks			•		
Deep Water Wash	•	•		•	•
Drain & Spin	•				
Delicates	•	•	•	•	•
	•	•	•	•	
Heavy Duty	•	•	•	•	
Mixed					•
Normal	•	•	•	•	•
Quick Wash	•	•	•	•	•
Rinse & Spin	•	•	•	•	•
Towels			•		
Whites		•	•	•	•
INS					
Deep Clean		•		•	
Deep Water Wash			•		
Extra Rinse	•	•	•	•	•
Oxi Dispense					•
Presoak	•	•	•	•	•
Steam Clean					•
RS					
Available colors	W	W	W / C	W	W/C
VSIONS					
Max height (A)	42¼"	42"	42"	421/4"	421/4"
Width (B)	27½"	271/2"	271/2"	271/2"	271/2"
Depth (C)	28"	28"	28"	28"	28"

TOP LOAD WASHER SPECIFICATIONS

2	n
0	υ



00 00



WE/GD4950H

WE/GD4616F

• AutoDry[™] drying system

• Wrinkle Shield[™] option

WE/GD4850H

7.0 cu. ft. Dryer

AutoDry[™] drying

• Timed Dry cycle

• Wrinkle Shield[™] option

system

• Timed Dry cycle

7.0 cu. ft. Dryer

7.0 cu. ft. Dryer

- AutoDry[™] drying
- system

+ Hamper door

- Wrinkle Shield[™] option
- Hamper door
- Timed Dry cycle









WE/GD4985E

5.9 cu. ft. Dryer

- AutoDry[™] drying + Long vent design
- system • Wrinkle Shield[™] option
- Timed Dry cycle



+ Indicates a step-up feature.

W

W

W

W

+ Indicates a step-up feature.

WE/GD5000D

7.0 cu. ft. Dryer

- Wrinkle Shield[™] option
- Timed Dry cycle
- + AccuDry[™] sensor
- drying system
- + Hamper door
- + Delicates cycle

WE/GD49STB

7.0 cu. ft. Dryer

- Wrinkle Shield[™] option + Steam Refresh cycle
- Timed Dry cycle
- AccuDry[™] sensor drying system
- Hamper door

WE/GD7000D

7.0 cu. ft. Dryer

- Wrinkle Shield[™] option
- AccuDry[™] sensor drying system

- + Intuitive Controls
- + Estimated time remaining LED display
- + Sanitize cycle
- + Adjustable
- end-of-cycle signal

WE/GD7500G

7.4 cu. ft. Dryer

- Wrinkle Shield[™] option
- AccuDry[™] sensor drying system
- Intuitive Controls
- Estimated time remaining LED display
- Sanitize cycle
- Adjustable end-of-cycle signal
- + Hamper door





W

W







WE/GD8500D

8.8 cu. ft. Dryer



- Intuitive Controls Advanced
 - + Static Reduce option
- Moisture Sensing Quad baffles
- EcoBoost[™] option







NOTES	/	34

Gold type indicates a step-up feature

ODEL	WE/GD4616F	WE/GD4850H	WE/GD4950H	WE/GD4985E	WE/GD5000D	WE/GD49STB
Recommended Washer	WTW4616F	WTW4850H, WTW4855H	WTW4950H, WTW4955H	WTW4950H, WTW4955H, WTW5000D	WTW5000D	WTW4950H, WTW4955H, WTW5000D
Capacity (cu. ft.)	7.0	7.0	7.0	5.9	7.0	7.0
End of cycle signal	0n/0ff	On/Off	On/Off	0n/0ff	On/Off	0n/0ff
High-efficiency dryer	•	•	٠	•	•	٠
ESIGN FEATURES						
Drum light		•	•	•	•	•
Drum material	Powder coat	Powder coat	Powder coat	Powder coat	Powder coat	Powder coat
Hamper door		•	٠		•	•
Long vent				•		
Reversible side-swing door	•			•		
RYING SYSTEM						
AccuDry [™] sensor drying system					•	•
AutoDry [™] drying system	•	•	•	•		
Total number of temperatures	3	3	3	4	5	3
(CLES						
Air Dry / Fluff Air	•	•	•	•	•	•
Automatic Dry	•					
Cool Down		•	•	•	•	•
Damp Dry	•	•		•	•	•
Delicates					•	
Energy Preferred	•			•	•	•
Heavy Duty	•	•	•			
Jeans					•	
Less Dry		•	•	•	•	•
More Dry		•	•	•		
Normal		٠	•			
Steam Refresh						•
Timed Dry	•	٠	•	•	•	•
Very Dry			•	•	•	•
PTIONS						
Wrinkle Shield™ (minutes up to)	40	40	40	40	90	90
DLORS						
Available color	W	w	w	W	w	W
MENSIONS						
Max height (A)	43%"	43"	43"	43"	43%"	43 ³ ⁄⁄″"
Width (B)	29"	29"	29"	29"	29"	29"
Depth (C)	28¼"	28¼"	281/4"	26"	28¼"	27¾"
Depth with door open (D)	40¾"	42"	42"	491/4"	41¾"	41½"

	WE/GD7000D	WE/GD7500G	WE/GD8000D	WE/GD8500D
Recommended Washer	WTW7000D	WTW7500G	WTW8000D	WTW8500D
Capacity (cu. ft.)	7.0	7.4	8.8	8.8
Check lint indicator	•	•	•	•
End of cycle signal	Adjustable	Adjustable	Adjustable	Adjustable
ENERGY STAR [®] certified			•	•
Estimated time remaining LED display	•	٠	•	•
High-efficiency dryer	•	٠	•	•
Intuitive Controls	•	٠	•	•
IFEATURES				
Drum light	•	•	•	•
Drum material	Powder coat	Powder coat	Powder coat	Powder coat
Hamper door with window		•		
Quad baffles			•	•
Reversible side-swing door	•		with window	with window
SYSTEM				
AccuDry [™] sensor drying system	•	•		
Advanced Moisture Sensing			•	•
Total number of temperatures	5	5	5	5
Venting options		4-way	4-way	4-way
))				
Bedding/Bulky/Sheets	•	•	•	•
Casual	•	•	•	•
Cottons		•		
Delicates	•	•	•	•
Gentle		-	•	•
Heavy Duty	•	•	•	
Mixed	•	-	•	•
Normal	•	•	•	•
	•	•	•	•
Quick Dry		•		
Sanitize	•	•	•	•
Steam Refresh				•
Timed Dry	•	•	•	٠
Towels	•	•	•	•
IS				
Damp Dry signal	•	•	•	•
EcoBoost™			•	•
Static Reduce				•
Wrinkle Shield [™] (minutes up to)	150	150	150	
le Shield [™] Plus with Steam (minutes up to)				150
S				
Available colors	W	W / C	W	W/C
SIONS				
Max height (A)	40¼"	39 ¹¹ / ₁₆ "	42 ¹³ ⁄16 ¹¹	42 ¹³ ⁄16"
Width (B)	29"	27"	29"	29"
Depth (C)	28¼"	30"	32 ¹³ /16"	321/4"

TOP LOAD DRYER SPECIFICATIONS / 36





WASH AND DRY IN ONE APPLIANCE

Reinvent your laundry routine with a washer and dryer in one appliance. Innovative features on the Smart All-In-One Washer & Dryer help you do laundry in fewer steps.



THOROUGH CLEANING FOR EVERY LOAD

The dual action agitator with fabric softener dispenser provides effective wash action and dispenses detergent at the right time, while select models with an impeller gently give clothes a deep clean.



HELPS PROTECT FABRICS

The Smooth Wave stainless steel wash basket helps prevent fabrics from snagging by gently guiding clothes throughout the cycle.





DESIGNED TO FIT WHERE YOU NEED THEM

Compact washers and dryers are great for homes where room is at a minimum, especially with our most space-saving compact laundry pair design ever. Combination laundry pairs are another option to help save space while still providing plenty of capacity and high-efficiency performance.

AVAILABLE COLORS





White (W)



Cashmere (X)



Gol

Gold type indicates a step-up feature				
MODEL	24-Inch WET4024H	24-Inch WET4124H	27-Inch WE/GT4027H	27-Inch WE/GTLV27H
Combination washer/dryer	•	•	•	•
Circuit amps	30	20	30	30
Maximum vent length	36'	36'	35'	125'
Venting direction	Left, right, rear	Left, right, rear	Rear	Rear
Voltage	240	120	240/120	240/120
WASHER FEATURES				
Washer capacity (cu. ft.)	1.6	1.6	3.5	3.5
Wash basket	Smooth Wave stainless steel	Smooth Wave stainless steel	White porcelain	White porcelain
WASH SYSTEM				
Bleach dispenser	•	•	•	•
Dual action agitator w/fabric softener dispenser			•	•
Impeller	•	•		
Max spin speed (RPM up to)	850	850	690	690
Motor drive type	Belt	Belt	Belt	Belt
WASHER CYCLES		Sort		Sort
Bulky				•
Casual			•	•
Colors			•	•
Delicates	•	•	•	•
Drain & Spin			•	•
Heavy Duty	•	•	•	•
Normal	•	•	•	•
Quick Wash			•	•
Rinse	•	•		
Spin	•	•		
DRYER FEATURES				
Dryer capacity (cu. ft.)	3.4	3.4	5.9	5.9
Drum material	Powder coat	Powder coat	Powder coat	Powder coat
DRYING SYSTEM				
AutoDry [™] drying system	•	•	•	•
Long vent				•
DRYER CYCLES				
Air	•	•	•	•
Delicates	•	•	٠	٠
Normal	٠	0	٠	•
Timed Dry	٠	0	٠	•
DRYER OPTIONS				
Wrinkle Shield™		•		
COLORS				
Available color	W	W	W	W
DIMENSIONS				·
Max height (A)	74¼"	74¼"	75½"	75 ½"
Width (B)	23 7/8"	23%"	271/4"	27"
Depth (C)	26 5%"	26 5%"	327/16"	327/16"
Depth with door open (D)	36 7/16"	36 7⁄16"	47 15/16"	47 1/2"

Dual action agitator with

- fabric softener dispenser Bleach dispenser
- AutoDry[™] drying system
- 4 drying cycles

+ Long vent design

+ Indicates a step-up feature.

W

W

W

W

SPECIALTY LAUNDRY SPECIFICATIONS

1	^
- 4	υ
-	-



MODEL	Compact Top Load Washer WTW2000H
Recommended Dryer	LDR3822P
Capacity (cu. ft.)	1.6
DESIGN FEATURES	
Easy View [™] glass lid	•
Flexible installation	•
Impeller	•
Portable design	•
Wash basket	Stainless steel
WASH SYSTEM	
Additive dispensers	Detergent, bleach, fabric softener
Max spin speed (RPM up to)	850
Motor drive type	Belt
CYCLES	
Clean Washer	•
Delicates	•
Heavy Duty	•
Normal	•
Rinse	•
Spin	•
OPTIONS	
Control Lock	•
Lid lock	•
COLORS	
Available color	W
DIMENSIONS	
Max height (A)	37"
Width (B)	21"
Depth (C)	23"
Height with lid open (D)	46"

SPECIALTY LAUNDRY SPECIFICATIONS / 42



LDR3822P

3.4 cu. ft. Compact Dryer

- Flexible installation
- AccuDry[™] sensor drying technology

w

- End of cycle signal
- Side-swing door

MODEL	Compact Dryer LDR3822P
Recommended Washer	WTW2000H
Capacity (cu. ft.)	3.4
End of cycle signal	•
DESIGN FEATURES	
Drum material	Powder coat
Flexible installation	•
Side-swing door	•
DRYING SYSTEM	
AccuDry [™] sensor drying technology	•
CYCLES	
Air Dry	•
Permanent Press	•
Timed Dry	•
ACCESSORIES (PART NO.)	
Optional casters (sold separately)	279127
COLORS	
Available color	W
DIMENSIONS	
Max height (A)	321/2"
Width (B)	23 ⁷ /e"
Depth (C)	20³⁄⁄"
Depth with door open (D)	37 ³ /16"



WFW3090G

1.9 cu. ft. Compact Washer

- 24" width space-saving design
- Detergent Dosing Aid
- Save Time option
- Colors option
- TumbleFresh[™] option



WFW5090G 2.3 cu. ft. Compact Washer

0

- 24" width space-saving design
- Detergent Dosing Aid
- Save Time option
- Colors option
- TumbleFresh[™] option
- + Chrome door



W

W

urgy

Gold type indicates a step-up feature

Gold type indicates a step-up feature		
MODEL	Compact Washer WFW3090G	Compact Washer WFW5090G
Recommended Dryer	WHD3090G	WHD5090G
Capacity (cu. ft.)	1.9	2.3
ENERGY STAR [®] certified	•	•
Lighted cycle indicators	•	•
Voltage	120	120
DESIGN FEATURES		
Wash basket	Stainless steel	Stainless steel
WASH SYSTEM		
Additive dispensers	Detergent & fabric softener	Detergent & fabric softener
Max spin speed (RPM up to)	1,400	1,400
Motor drive type	Direct drive	Direct drive
CYCLES		
Delicates	•	•
Handwash	•	•
Heavy Duty	•	•
Normal	•	•
Quick Wash	•	•
Rinse & Spin	•	•
Spin	•	•
Synthetics	•	•
Wool	•	•
OPTIONS		
Cold Water PreWash for Stains	•	•
Colors	•	•
Control Lock	•	•
Delay Wash (hours up to)	24	24
Detergent Dosing Aid	•	•
Heavy Soil	•	•
PreWash	•	•
Save Time	•	•
TumbleFresh [™]	•	•
	- -	-
COLORS	W	W
Available color	vv	٧٧
DIMENSIONS	001/"	001///
Max height (A)	33¼"	331⁄4"
Width (B)	24"	24"
Depth (C)	24"	251⁄%"
Depth with door open (D)	41 ⁵ ⁄⁄e"	42 ¹⁵ ⁄ ₁₆ "



WHD3090G

• End of cycle signal Ventless condensation drying technology

4.3 cu. ft. Compact Electric Dryer

- 24" width spacesaving design
- Wrinkle Shield[™] option



urgy

W



	.00
7	OF
	-

WHD5090G

4.3 cu. ft. Compact Electric Dryer

• 24" width space-+ Air Care Lifters saving design + Sound Pack

 End of cycle signal + Chrome door Ventless condensation

drying technology

Wrinkle Shield[™] option

Refresh cycle



W

Gold type indicates a step-up feature

fold type indicates a step-up feature		
MODEL	Compact Dryer WHD3090G	Compact Dryer WHD5090G
Recommended Washer	WFW3090G	WFW5090G
Capacity (cu. ft.)	4.3	4.3
End of cycle signal	•	•
ENERGY STAR® certified	•	٠
Voltage	240/208	240/208
DESIGN FEATURES		
Drum material	Stainless steel	Stainless steel
Sound Pack		•
DRYING SYSTEM		
AccuDry [™] sensor drying system	•	•
Air Care Lifters		•
Moisture sensor control	•	•
Ventless condensation drying technology	•	•
CYCLES		
Air Dry	•	•
Bulky/Bedding	•	•
Delicates	•	•
Heavy Duty	•	•
Mixed	•	•
Normal	•	•
Refresh	•	•
Synthetics	•	•
	•	•
Timed Dry Wool	•	•
OPTIONS	•	•
Control Lock	•	•
Delay Start	•	•
Gentle Dry	•	•
Save Time	•	•
Steam	•	•
Wrinkle Shield [™]	•	•
X-Dry	•	•
ACCESSORIES (PART NO.)		
Bracket stack kit	W11050563	W11050563
Slide out stack kit	W10882520	W10882520
COLORS		
Available color	W	W
DIMENSIONS		
Max height (A)	341/2"	341/2"
Width (B)	24"	24"
Depth (C)	25¾"	25¾"



WFC8090G

2.8 cu. ft. Smart All-In-One Washer & Dryer

 Load & Go[™] Plus dispenser

Flexible installation

Remote control with

the Whirlpool® app

- Intuitive Controls
 - Touchscreen Wrinkle Shield[™] option

X


- TumbleFresh[™] option

Gold	type	indicat	tes a	step-up	feature

Gold type indicates a step-up feature	
MODEL	WFC8090G
Smart All-In-One Washer & Dryer	•
Capacity (cu. ft.)	2.8
Voltage	240
SMART APPLIANCE FEATURES	
Control Lock mode	•
Enhanced troubleshooting	•
Remote control with the Whirlpool® app	•
Voice control with a compatible voice-enabled device	•
DESIGN FEATURES	
Drum material	Stainless steel
Intuitive Controls	
Touchscreen	•
WASH SYSTEM	
Dispenser	Load & Go™ Plus
Max spin speed (RPM up to)	1400
WASH CYCLES	0011
Bulky	•
Clean Washer with affresh® Washer Cleaner	•
	•
Cold Wash	
Colors	•
Delicates	•
Heavy Duty	•
Normal / Regular	•
Quick Wash	•
Rinse & Spin / Spin	•
Sanitize	•
Towels	•
Whites	•
DRY CYCLES	
Automatic Dry	•
Timed Dry	·
OPTIONS	
Extra Rinse	•
Presoak	•
TumbleFresh™	•
Wrinkle Shield [™]	•
ACCESSORIES (PART NO.)	
Pedestal (sold separately)	WFP2411GX
COLORS	
Available color	X
DIMENSIONS	
Max height (A)	33 ³ / ⁴
Width (B)	24"
Depth (C)	28"
Depth with door open (D)	48 ¹⁵ / ₁₆ "


SPECIALTY LAUNDRY SPECIFICATIONS / 50


 \vdash




L	
— c —	4


FRONT LOAD WASHER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WFW560CH	385⁄8"	27"	319/16"	547⁄8"
WFW5620H	385⁄8"	27"	319/16"	547/8"
WFW6620H	385/8"	27"	319/16"	547/8"
WFW862CH	385⁄8"	27"	319/16"	547⁄8"
WFW8620H	385⁄8"	27"	331⁄4"	56½"
WFW9620H	385⁄8"	27"	331/4"	56½"








FRONT LOAD DRYER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WHD560CH	38¾"	27"	31"	54½"
WE/GD560LH	38¾"	27"	31"	54½"
WE/GD5620H	38¾"	27"	31"	54½"
WE/GD6620H	38¾"	27"	31"	54½"
WHD862CH	38¾"	27"	31"	54½"
WE/GD8620H	38¾"	27"	31"	54½"
WE/GD9620H	38¾"	27"	31"	541/2"





E — B — — | — **c** – \vdash

TOP LOAD WASHER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	HEIGHT WITH LID OPEN (D)
WTW4616F	42"	27 ¹ / ₂ "	27"	51¼"
WTW4850H	44"	27 ½"	27"	52"
WTW4855H	44"	27 ¹ / ₂ "	27"	52"
WTW4950H	44"	27 ¹ / ₂ "	27"	52"
WTW4955H	44"	27 ¹ / ₂ "	27"	52"
WTW5000D	421/4"	27 ¹ / ₂ "	28"	51¼"
WTW7000D	42"	27 1/2"	28"	55"
WTW7500G	42"	27 ¹ / ₂ "	28"	55"
WTW8000D	421/4"	27 ½"	28"	57"
WTW8500D	421/4"	27 1/2"	28"	57"

LAUNDRY DIMENSIONS / 52



DRYER MODEL	MAX HEIGHT (A)	(B)	(C)	DOOR OPEN (D)
WE/GD4616F	43 ³ ⁄8"	29"	28¼"	40 ³ ⁄4"
WE/GD4850H	43"	29"	281⁄4"	42"
WE/GD4950H	43"	29"	28¼"	42"
WE/GD4985E	43"	29"	26"	49¼"
WE/GD5000D	43 ³ /8"	29"	28¼"	41³⁄4"
WE/GD49STB	43 ³ ⁄8"	29"	273/4"	411/2"
WE/GD7000D	40¼"	29"	28¼"	50 ³ ⁄4"
WE/GD7500G	39 ¹¹ / ₁₆ "	27"	30"	431⁄4"
WE/GD8000D	42 ¹³ / ₁₆ "	29"	3213/16"	56¼"
WE/GD8500D	4213/16"	29"	321/4"	561/4"

WASHER/DRYER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WET4024H	74¼"	23 1/8"	26 5/8"	36 7⁄16"
WET4124H	74¼"	23 1/8"	26 5/8"	36 7/16"
WE/GT4027H	75 1⁄2"	27¼"	321/16"	47 15/16"
WE/GTLV27H	75 ½"	27"	327/16"	471/2"

COMPACT TOP LOAD	MAX HEIGHT	WIDTH	DEPTH	HEIGHT WITH
WASHER MODEL	(A)	(B)	(C)	LID OPEN (D)
WTW2000H	37"	21"	23"	46"
COMPACT	MAX HEIGHT	WIDTH	DEPTH	DEPTH WITH
DRYER MODEL	(A)	(B)	(C)	DOOR OPEN (D)
LDR3822P	321/2"	23 7/8"	203/4"	37 ³ / ₁₆ "



COMPACT WASHER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WFW3090G	331⁄4"	24"	24"	415%"
WFW5090G	331⁄4"	24"	251/8"	42 ¹⁵ /16"

COMPACT DRYER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WHD3090G	341/2"	24"	25¾"	435/16"
WHD5090G	341/2"	24"	25¾"	435/16"



ALL-IN-ONE MODEL	MAX HEIGHT	WIDTH	DEPTH	DEPTH WITH
	(A)	(B)	(C)	DOOR OPEN (D)
WFC8090G	33¾"	24"	28"	4815/16"



WAS	SHER ACCESSORIES		
1	affresh® Washer Cleaner	Removes odor-causing residue and is designed to penetrate deep into the machine. Contains 3 pucks.	W10135699
2	affresh® Machine Cleaning Wipes	Wipes visibly lift and lock in residues, dirt and dust from your machine's surfaces. Contains 24 wipes.	W10355053
DRY	YER ACCESSORIES		
3	Dryer Lint Brush	Extend dryer life, lower utility bills and reduce drying time by regularly and thoroughly removing lint with this cleaning brush. For lint screen on top. Size 40" (L) x 2" (W) x 2" (D)	8212614
4	Dryer Rack (top load models)	Convenient for flat items such as sweaters and hats, or for bulky items like footwear and stuffed animals. A quick and easy insertion of this lightweight rack means tumble-free drying. WE/GD4616F, WE/GD4850H, WE/GD4950H, WE/GD4985E, WE/GD5000D, WE/GD49STB, WE/GD7000D	3406839
5	Dryer Rack (top load model)	WE/GD7500G	8212450A
6	Dryer Rack (top load models)	WE/GD8000D, WE/GD8500D	W10864105
7	Dryer Rack (front load models)	WE/GD560LH, WE/GD5620H, WE/GD6620H, WE/GD8620H, WE/GD9620H	W10886894
8	LP Gas Conversion Kit (front lint screen)	WGD7500G, WGD8000D, WGD8500D, WGD560LH, WGD5620H, WGD6620H, WGD8620H, WGD9620H	W10606694A
9	LP Gas Conversion Kit (top lint screen)	WGD4616F, WGD4850H, WGD4950H, WGD4985E, WGD5000D, WGD49STB, WGD7000D	49572A
PAI	RACCESSORIES		
10	Front Load Stack Kit	Install the dryer over its matching washer with this kit. WE/GD560LH, WE/GD5620H, WE/GD6620H, WE/GD8620H, WE/GD9620H	W10869845



LAUNDRY PEDESTALS	
11 10" height for 27" wide front load laundry pairs	XHP1000XW
12 12" height for compact laundry pairs	WFP24GW
13 15½" height with storage drawer for 27" wide front load laundry pairs	XHPC155XW XHPC155YC
14 15½" height with storage drawer for 27" wide front load laundry pairs	WFP2715HW WFP2715HC WFP2715HBK
15 115//6" height for Smart All-In-One Washer & Dryer	WFP2411GX

Α ____

ACCUDRY[™] SENSOR DRYING SYSTEM/TECHNOLOGY

Two built-in sensors measure moisture and temperature levels to help prevent overdrying and automatically stop the cycle when the load is dry.

ACTIVE SPRAY TECHNOLOGY

Virtually eliminate the need to pretreat with Active Spray technology. It saturates clothes with a mixture of detergent and water to cover fabrics completely and evenly for better cleaning performance.

ADA COMPLIANT

Appliances with this designation meet standards set by the Americans with Disabilities Act when installed in compliance with current ADA standards.

ADAPTIVE WASH TECHNOLOGY

Senses each load type and then adapts water levels and wash actions, based on the type of load being washed, for optimal cleaning.

ADVANCED MOISTURE SENSING

Help prevent overdrying. Three sensors track moisture and temperature, adapting drying times to end the cycle at just the right time.

AIR CARE LIFTERS

Multiple streams of warm air blow straight into the drum to give Keep colors vibrant longer" using a precise combination of gentle your clothes an effective and delicate dry. wash action, temperatures and time.

AUTODRY[™] DRYING SYSTEM

Help prevent overdrying with the AutoDry[™] drying system that senses when clothes have reached the right moisture content and stops the cycle.

AUTOMATIC WATER LEVELS

Automatic water levels regulate the amount of water based on the size of the load.

В ____

BUILT-IN WATER FAUCET

Easily prewash clothes and other items right in the washer with a conveniently located interior faucet that gives you easy access to an instant water stream to remove loose soils.

BULKY/SHEETS CYCLE

The Bulky/Sheets cycle takes care of bedding as well as those bulky winter jackets. The washer fills with enough water to wet down the load before the wash cycle begins, then uses a higher water level than other cycles.

С

CLEAN WASHER WITH AFFRESH® CYCLE

Run the affresh® cycle every 30 washes with an affresh® Washer Cleaner tablet or liquid chlorine bleach to thoroughly clean the inside of your washer.

CLOSET-DEPTH FIT

Get a space-saving design with closet-depth fit that allows for more flexible installation in your laundry space.

COLD WASH CYCLE

Give your most vibrant colors the protection they need with the Cold Wash cycle that adjusts wash actions and time, combined with gentle temperatures, to provide optimal fabric care.

COLORLAST[™] CYCLE

COLORS CYCLE

Care for colored fabrics with a cycle that uses cold water to provide optimal fabric care.

D

DEEP CLEAN OPTION

The Deep Clean option adds increased wash action and extra rinsing to help break down heavy soils.

DEEP WATER WASH CYCLE

Get more water to help break down loose soils. This option fills your washer to the maximum water level so heavily soiled clothes get an optimal clean.

DELAY WASH OPTION

Sets the washer to begin cleaning later so you can unload or transfer clothes to the dryer when it is more convenient.

DELICATES CYCLE

Clean your delicate items with an intermittent wash action and slow spin speed, to provide everything you'd expect for gentle fabric care.

DETERGENT DOSING AID

Stop overdosing your detergent and help rid your clothes of residue. The Detergent Dosing Aid option helps you add the right amount of detergent to provide any load the right clean without the residue.

DIRECT DRIVE MOTOR

The direct drive motor is what helps our transmission system handle larger-capacity loads. It uses fewer moving parts so there's less wear and tear over time.

DOWNLOAD & GO[™] OPTION

Get the right clean for your clothes by downloading specialty cycles for items like activewear, swimwear, sleeping bags and more with the Download & Go[™] option.

DUAL ACTION AGITATOR WITH FABRIC SOFTENER DISPENSER

Get dual action cleaning and convenient fabric softener dispensing at just the right time when you fill this cap with softener before the cycle begins.

Е

EASYVIEW[™] GLASS LID WITH SLOW-CLOSE TECHNOLOGY

Enjoy a clean, streamlined look with the see-through lid with slow-close technology that lets you easily check on your load while it's washing.

ECOBOOST[™] OPTION

Use less energy" while getting great drying performance with the EcoBoost[™] option. This option saves energy by using less heat and an extended cycle time.

ENERGY STAR® CERTIFIED

ENERGY STAR[®] certified models exceed government standards to help conserve natural resources and save money on your utility bills.

ENHANCED TROUBLESHOOTING

Get immediate support for quick solutions by using your smartphone or tablet to access troubleshooting videos.*

EXTRA RINSE OPTION

Ensure dirty loads get the care they need with an extra rinse to wash away any lingering soils or detergent.

F

12-HOUR FANFRESH® OPTION

Keep clothes fresh for up to 12 hours after the wash cycle has ended. A built-in fan activates after the wash cycle is over, tumbling clothes for up to 12 hours so you can finish laundry when you're ready.

FLEXIBLE INSTALLATION

Designed to fit a 33" installation depth and with ventless technology, closet-depth hybrid heat pump dryers can be installed virtually anywhere.

н

HAMPER DOOR

Easily transfer loads from the washer to the dryer and from the dryer to the laundry basket without worrying about clean clothes falling on the floor with this wide-opening door.

HANDWASH CYCLE

The Handwash cycle uses lower spin speeds combined with reduced tumbling to soak the load and clean clothes gently.

HEAVY SOIL OPTION

Optimize stain removal for your family's messes. The Heavy Soil option provides efficient cleaning action that helps break down stains and rinses away soils.

HYBRID HEAT PUMP DRYING TECHNOLOGY

Dry each load your way with our most efficient full-size dryer technology that recirculates hot air to help conserve energy. Choose the Eco option when you want to save energy with gentle drying at lower temperatures or the Speed option when you need clothes to be ready quickly with help from the heater.

IMPELLER

Give clothes a thorough and gentle clean with the impeller that This feature automatically provides well-balanced cleaning by drives clothes from the outer rim to the center, where the deepest releasing detergent at the correct time to mix with water, penetrate fabrics and deliver optimal fabric care. clean happens.

INTUITIVE CONTROLS

Let the washer and dryer guide you to the right cycle combinations The Presoak option lets you skip soaking outside of the washer. or customize your own to get the right type of fabric care for Extra time is added in the washer before the wash cycle, which whatever you're cleaning. starts automatically when the option is complete.

LAUNDRY PEDESTALS

Raise your laundry pair for easier loading and unloading. Some pedestals also provide space-saving storage for detergent, fabric softener and other supplies.

LOAD & GO[™] DISPENSER

Skip adding detergent to every wash with the Load & Go™ dispenser, the Load & Go[™] XL dispenser or the Load & Go[™] XL Plus dispenser. Choose from models that hold enough for 20 to 40 loads, with select models adding a second compartment for fabric softener.[†] The dispenser measures and dispenses the right amount for every load so clothes get the care they need in fewer steps.

LONG VENT DESIGN

Enjoy great drying performance even when your space requires a long vent system. Ideal for apartment or condominium living, the 125 ft. vent gives you installation flexibility when you need it.

Μ

MATCH WASHER CYCLE WITH DRYER CYCLE

Get the right kind of dry for your load. The Whirlpool® app will suggest the dry cycle that matches the wash cycle you used.^{††}

0

OXI DISPENSE OPTION

The Oxi Dispense option distributes oxygenated additives at the right time to enhance cleaning results.

56

Ρ ____

PRECISION DISPENSE

PRESOAK OPTION

PREWASH OPTION

Skip presoaking in the sink by hand and let the washer do it for you using the PreWash option. Additional wash time before the cycle starts helps take on heavily soiled loads that contain tough stains.

Q

QUAD BAFFLES

Four baffles tumble clothes in a randomized pattern, allowing items to open up more freely. This helps increase the effectiveness of the dryer for small loads.

QUICK DRY CYCLE

Finish drying a small load quickly.

QUICK WASH CYCLE

Designed to clean small, lightly soiled loads in less time using increased spin speeds to extract more water.

R ____

REFRESH CYCLE

Refresh your load using the Refresh cycle, so dry, clean clothes are ready to wear without needing to be rewashed.

REMOTE CONTROL WITH THE WHIRLPOOL® APP

Stay in control and connected from anywhere. The Whirlpool® app lets you set, start or pause wash and dry cycles and track progress when you're away.‡

S

SANITIZE CYCLE

Provides excellent care for your clothes while eliminating 99.9% of common household bacteria.^{‡‡}

SAVE TIME OPTION

Get your clothes ready to wear sooner thanks to the Save Time option that cleans lightly soiled loads that don't need the full wash time

SINGLE LOAD DISPENSER

Use the single load dispenser when you want to wash with a different detergent than the one currently in the Load & Go™ dispenser. Additional compartments for bleach and fabric softener make sure any additives get dispensed at just the right time during the cycle.

SMART ALL-IN-ONE WASHER & DRYER

Reinvent your laundry routine with the innovative features of the Smart All-In-One Washer & Dryer that help you do laundry in fewer steps.

SMART APPLIANCE

Care for your family from your smartphone or tablet.

SMOOTH SPIRAL STAINLESS STEEL WASH BASKET

Help protect fabrics from snagging with this stainless steel wash basket that gently guides clothes during the wash.

SMOOTH WAVE STAINLESS STEEL WASH BASKET

Give clothes the care they need with the sleek pattern of the stainless steel wash basket that gently guides them.

SOAKING CYCLES

Soak and wash in one cycle. Skip a trip to the laundry room with soaking cycles that start washing whites and colors as soon as they're done soaking.

SOIL LEVEL SELECTION

Choose the right amount of agitation for your fabrics with an option that lets you select the soil level of your load on any cycle, so you get less agitation on light loads and more on full or dirty loads.

SOUND PACK

Get additional insulation that helps keep your dryer out of sight and out of mind while your clothes get the right kind of dry.

STAINLESS STEEL WASHER AND DRYER DRUM

The drum's stainless steel construction has a smooth surface that resists odors, rust and chipping and helps prevent fabrics from snagging or tearing.

STATIC REDUCE OPTION

Help decrease static with the Static Reduce option, which combines a spray of mist with tumbling after the load is dry.

STEAM CLEAN OPTION

Get help removing everyday stains with the Steam Clean option, which gets deep into fabrics with increased wash action and heat.

STEAM REFRESH CYCLE

Release wrinkles and reduce odors with the Steam Refresh cycle. It uses water and heat to get clothes ready to wear without rewashing.

т

TIMED DRY

Take control of your time. For those occasional times that a damp load needs a little extra dry time or when using a drying rack, set the control and you can get your fabrics dried on your schedule.

TOUCHSCREEN

Get instant access to the settings you use most with an intuitive touchscreen that learns, adapts and suggests customized presets based on your family's routines.

TUMBLEFRESH[™] OPTION

Keep clean clothes smelling fresh without having to start the dry cycle immediately. The TumbleFresh™ option activates after the wash cycle is finished and rolls clothes periodically for up to 12 hours.

TWO-WAY WASH ACTION AGITATOR

Give your clothes a deep yet gentle clean with the two-way wash action agitator, which turns one way while the basket turns the other, for a cleaning motion that moves fabrics smoothly through the wash.

V

VENTLESS CONDENSATION DRYING TECHNOLOGY

A ventless heat pump design takes the next step in energy efficiency. It recycles air and captures moisture so you can enjoy a more efficient and perfect drying experience.

VOICE CONTROL WITH A COMPATIBLE VOICE-ENABLED DEVICE

Keep up with laundry no matter what you've got on your hands with simple voice commands using a compatible voice-enabled device.

W ____

WASH & DRY OPTION

Wash and dry tomorrow's outfit in the washer" with the Wash & Dry option. It automatically activates a fan so you can get tomorrow's outfits or sports uniforms ready without having to use the dryer.

WATER LEVEL SELECTION

Choose the water level you need for the cycle you want. No matter which wash cycle you choose, water level selection lets you select Auto Sensing to adjust water based on load size or the Deep Water Wash option to help break down loose soils with more water.

WHITE PORCELAIN BASKET

Keep your washer looking good thanks to the durable finish that resists scratches, chemicals and rust.

WHITES CYCLE

Keep your whites looking their best with a cycle that cleans thoroughly while gently caring for your clothes.

WOOL CYCLE

In the washer, cool water and slow spin speeds clean your washable delicates to provide everything you'd expect from gentle fabric care. In the dryer, keep cozy, dryable wool fabrics fluffy and smooth with a gentle drying process.

WRINKLE SHIELD[™] OPTION

Help keep wrinkles from setting into clean, dry fabrics with the Wrinkle Shield[™] option. It keeps clothes tumbling for up to 150 minutes after the cycle ends or until you open the door.

WRINKLE SHIELD[™] PLUS OPTION WITH STEAM

Keep wrinkles from setting into clean, dry fabrics. The Wrinkle Shield[™] Plus option with Steam uses tumbling and steam for up to 150 minutes after the cycle ends or until you open the dryer door for improved wrinkle-fighting performance.

58



FINDING WHAT YOU NEED

That's caring—and why we created refrigerators that give you the ideal spaces for the items you use most.

61	FRENCH DOOR & BOTTOM-FREEZER REFRIGERATORS & SPECIFICATIONS
72	SIDE-BY-SIDE REFRIGERATORS & SPECIFICATIONS
83	TOP-FREEZER REFRIGERATORS & SPECIFICATIONS
95	CHEST & UPRIGHT FREEZERS & SPECIFICATIONS
101	UNDERCOUNTER REFRIGERATORS, WINE CENTERS & ICEMAKERS & SPECIFICATIONS
111	DIMENSIONS
114	ACCESSORIES
115	GLOSSARY







PURPOSEFULLY-DESIGNED SPACES

Find and fit it all with storage zones that give you the ideal spaces for the items you use most. Unique features and adjustable bins and shelves offer increased loading flexibility, making it easy to find what you need.



ALWAYS HAVE ICE ON HAND

Dual icemakers with a secondary icemaker in the freezer let you store more ice.





ES e



STORE MORE ITEMS

A pantry-inspired layout and features like an infinity slide shelf make room for tall items, such as pitchers and wine bottles, and help increase storage flexibility.



KEEP PRODUCE FRESH

Get the room you need to store fruits and vegetables in their ideal environment with humidity-controlled crispers.



Black (B)



Monochromatic Stainless Steel (M)



Fingerprint-Resistant Stainless Steel (Z)



Fingerprint-Resistant Black Stainless Steel (V)



Fingerprint-Resistant Sunset Bronze (N)

AVAILABLE COLORS





W	RF5 6	60S	MH
~ ~			

- 20 cu. ft. Refrigerator
- Compact 30" width • Humidity-controlled

crispers

pantry drawer · Condiment caddy

• Full-width

• FreshFlow[™] produce preserver









WRF560SEY

20 cu. ft. Refrigerator

- Compact 30" width
- Humidity-controlled crispers
- FreshFlow[™] produce preserver
- Full-width pantry drawer



 Condiment caddy + Exterior water











WRF560SEH

20 cu. ft. Refrigerator

- Compact 30" width
- Humidity-controlled crispers
- FreshFlow[™] produce
- Full-width pantry drawer

preserver

- W В Z
- Condiment caddy Exterior water
 - dispenser with EveryDrop[®] filtration
 - + LED freezer light











WRFA60SMH

20 cu. ft. Refrigerator

- Compact 30" width
 - pantry drawer
 - · Condiment caddy



- Full-width
- Humidity-controlled













WRF532SMH

22 cu. ft. Refrigerator



- Frameless glass shelves
- Gallon door bins
- Humidity-controlled crispers
- Full-width, temperaturecontrolled drawer





WRFA32SMH

22 cu. ft. Refrigerator

- Frameless glass shelves
- Gallon door bins • Humidity-controlled crispers
- Full-width, temperaturecontrolled drawer



Z

Ν



WRF535SMH

25 cu. ft. Refrigerator

- Frameless glass shelves
- Gallon door bins
- Humidity-controlled crispers

• Full-width,

temperature-

controlled drawer

- W B Z



- WRF535SWH 25 cu. ft. Refrigerator
- Frameless glass shelves
- Gallon door bins
- Humidity-controlled crispers
- Full-width, temperaturecontrolled drawer
- + Interior water dispenser with EveryDrop[®] filtration

W

В

Ζ









1

-





WRF555SDF

25 cu. ft. Refrigerator

freezer storage


 Spillproof glass shelves • Humidity-controlled



Ζ

double crisper

water dispenser with EveryDrop[®] filtration + Tap Touch controls







WRF555SDH

Two-tier

25 cu. ft. Refrigerator

 Spillproof glass shelves

double crisper

freezer storage

Two-tier

- water dispenser with EveryDrop[®] filtration • Humidity-controlled
 - Tap Touch controls

• Exterior ice and



Z V

B

W









WRF757SDH

27 cu. ft. Refrigerator

 Spillproof glass shelves


freezer storage

• Tap Touch controls

Two-tier

- - + Humidity-controlled triple crisper









1

TIL

Rei And

100-396 PR.---a Line was a second

WRF767SDH

27 cu. ft. Refrigerator

- Spillproof glass shelves
- Two-tier freezer storage
- Tap Touch controls
- Platter pocket
- In-Door-Ice® storage Humidity-controlled triple crisper
- + Dual icemakers







- Spillproof glass shelves
- Humidity-controlled double crisper

WRX735SDH

25 cu. ft. Refrigerator

- Tap Touch controls
- + Refrigerated exterior drawer
- + Measured Fill



Z



WRX986SIH

26 cu. ft. Refrigerator

- Spillproof glass shelves
- Refrigerated exterior drawer
- Measured Fill
- + Auto-humidity
- triple crisper
- + Triple-tier
- freezer storage + Small items bin
- + In-Door-Ice® storage
- + Dual cooling







WRF540CWH

20 cu. ft. Counter Depth Refrigerator W B

• Full-width,

temperature-

Interior water

dispenser with

controlled drawer

EveryDrop[®] filtration

- Frameless glass shelves • Humidity-controlled
- crispers Fast Cool option











WRF550CDH

20 cu. ft. Counter Depth Refrigerator

- Spillproof glass shelves
- Humidity-controlled crispers
- Fast Cool option
- Full-width, temperature-
- controlled drawer + Exterior ice and water dispenser with
- EveryDrop[®] filtration












WRF954CIH

24 cu. ft. Counter Depth Refrigerator

Exterior ice and water dispenser with

- EveryDrop[®] filtration + Pantry-inspired layout + Adjustable gallon
- door bins








+ Deli drawer with customizable



+ Indicates a step-up feature.









B

Μ

W

WRB322DMB

22 cu. ft. Bottom-Freezer Refrigerator

- Spillproof glass shelves
- FreshFlow[™] produce preserver
- Deli drawer
- Humidity-controlled crispers
- Accu-Chill[™] temperature management system

WRB322DMH

22 cu. ft. Bottom-Freezer Refrigerator

- Spillproof glass shelves
- FreshFlow[™] produce preserver
- Deli drawer
- Humidity-controlled crispers
- Accu-Chill[™] temperature management system



V

Gold type indicates a step-up feature

Capacity (set, interpretation of the set of the se	iold type indicates a step-up teature				
ARENON FARMERSReproduced preduced preduce	MODEL				
Freezer daws•••ENCIPATION EXERCISE <t< td=""><td>Capacity (cu. ft.)</td><td>20</td><td>20</td><td>20</td><td>20</td></t<>	Capacity (cu. ft.)	20	20	20	20
REVIOUNCEAcu-Chill" temperature management system <t< td=""><td>DESIGN FEATURES</td><td></td><td></td><td></td><td></td></t<>	DESIGN FEATURES				
Accordanti tempenture nanagement system•••Adaptive definedInteriorExteriorExteriorMetriorBebroine tempenture controlsInteriorExteriorExteriorMetriorRead Cod option•••••Read Flow "arritine"••<	Freezer drawer	•	•	•	•
Adaptive deriveAdaptive deriveInteriorInteriorBectonic temperature controlInteriorExteriorExteriorExteriorField Cod optionField Filewill war in the control <td< td=""><td>PERFORMANCE FEATURES</td><td></td><td></td><td></td><td></td></td<>	PERFORMANCE FEATURES				
Betchonic temperature controlInteriorExteriorExteriorExteriorInteriorFast Sciol optim· · · · · · · · · · · · · · · · · · ·	Accu-Chill [™] temperature management system	•	•	•	•
Fast Cod option· · · · · · · · · · · · · · · · · · ·	Adaptive defrost	٠	٠	٠	•
FreshFlow" and filter•••FreshFlow" and filter••	Electronic temperature controls	Interior	Exterior	Exterior	Interior
Freshflow" produce preserve••LED interior lighting•• <td>Fast Cool option</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>•</td>	Fast Cool option	٠	٠	٠	•
LED interior lighting•••CE & WATER FEATURES•• </td <td>FreshFlow[™] air filter</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>•</td>	FreshFlow [™] air filter	٠	٠	٠	•
CK AWATER FEATURES Ispenser control lock • • • EveryDrop® loc and water filtration FILTER1 FILTER2 FILTER1 FILTER2 EveryDrop® loc filtration FILTER1 FILTER1 FILTER2 FILTER1 FILTER2 EveryDrop® loc filtration FILTER1 FILTER1 FILTER2 FILTER1 FILTER2 Filter dwater dispenser EveryDrop® loc filtration FILTER1 FILTER2 FILTER2 ERFREEREND STORAGE FEATURES EveryDrop® loc filtration 1 adjustable filt-with filter 1 adjustable filt-with filter 3 adjustable Condiment caddy 2 fixed 2 fixed 2 fixed 3 adjustable 3 adjustable Condiment caddy 2 fixed 1 adjustable fult-with fixed	FreshFlow [™] produce preserver	٠	٠	٠	•
Dispenser control lock•••EveryOrop® (ce and water filtrationFILTER1FILTER1FILTER1EveryOrop® (ce filtrationFILTER1FILTER1FILTER1EveryOrop® (ce filtrationFILTER1···Filter dwater dispense•·· <t< td=""><td>LED interior lighting</td><td>٠</td><td>٠</td><td>٠</td><td>•</td></t<>	LED interior lighting	٠	٠	٠	•
EveryDrop* lice and water filtrationFILTER1FILTER2EveryDrop* lice filtrationFILTER1FILTER1Factory-installed icemaker•••Factory-installed icemaker•••Filtered water disperserExteriorExterior•EXERCERATOR STORAGE FEATURES•••Condiment caddy••••Full-width door bins2 fued2 fued2 fued2 fuedFull-width door bins4 adjustable1 adjustable full-width, 1 fued (ull-width, 1 fued)1 adjustable full-width, 1 fued (ull-width, 1 fued)1 adjustable full-width, 1 fued (ull-width, 1 adjustable full-width, 1 fued)1 adjustable full-width, 1 fued (ull-width, 1 adjustable full-width, 1 fued)1 adjustable full-width, 1 fued)1 adjustable full-width, 1 fued)Fueder Exer StorAce FEATURES•••••Freezer light••••••Pastic basker1 lover1 lover1 lover1 lover1 loverPastic basker1 lover1 lover1 lover1 lover1 loverCORORW/B Z/VW/B // MW/B Z/VZ/MXMax height Including hinges (ad Staff68½*68½*68½*Max height Including hinges (ad Staff68½*68½*68½*Max height Including handes (ad Staff34½*34½*34½*	ICE & WATER FEATURES				
ReveryDrop*ice filteration FILTER1 FILTER1 Redotrop-installed locmaker •	Dispenser control lock		•	•	
Pactory-installed icensive•••REFRIGERATOR STORAGE FLATURESExteriorExteriorExteriorREFRIGERATOR STORAGE FLATURESCondiment caddy•••Condiment caddy2 fixed2 fixed2 fixed3 adjustableFull-width door bins2 fixed2 fixed2 fixed3 adjustableFull-width galon door bins4 adjustable1 adjustable full-width, 1 fixed1 adjustable full-width, 1 fixed1 adjustable full-width, 1 fixedSpillproof glass shelw1 adjustable full-width, 1 fixed1 adjustable full-width, 1 fixed1 adjustable full-width, 1 fixed1 adjustable full-width, 1 fixedHumidthy-controlled pathy draw•••••REZER STORAGE FEATURES1 fixed1 fixed1 fixedREZER STORAGE FEATURES1 fixed1 fixed1 fixedREZER STORAGE FEATURES1 fixed1 fixed1 fixed1 fixedRESCORS1 fixed1 fixed1 fixed1 fixed1 fixedCOLOS </td <td>EveryDrop® ice and water filtration</td> <td></td> <td>FILTER1</td> <td>FILTER2</td> <td></td>	EveryDrop® ice and water filtration		FILTER1	FILTER2	
Hilered water dispenserExteriorExteriorREFRIEERATOR STORAGE FEATURESCondiment caddy000Condiment caddy2 fixed2 fixed2 fixed3 adjustableFull-width door brins2 fixed2 fixed4 adjustable3 adjustableFull-width galon door brins4 adjustable full-width, 1 fixed full-width, 1 adjustable full-width, 1 adjustable full-wi	EveryDrop [®] ice filtration	FILTER1			FILTER1
REFRIGERATIOR STORAGE FEATURES Condiment caddy • • Condiment caddy •	Factory-installed icemaker	٠	٠	٠	٠
Condiment caddy••••Full-width door bins2 fixed2 fixed2 fixed3 adjustableFull-width galon door bins4 adjustable4 adjustable4 adjustable4 adjustable3 adjustableSpillproof glass shelle1 adjustable full-width, 1 fixed tul-width, 1 adjustable full-width, 1 fixed tul-width, 1 adjustable full-width, 1 adjustable full-width	Filtered water dispenser		Exterior	Exterior	
Full-width door bins 2 fixed 2 fixed 2 fixed 2 fixed 3 adjustableFull-width galon door bins4 adjustable4 adjustable4 adjustable3 adjustableSpillproof glass shelves 1 adjustable full-width, 1 fixed full-width, 1 adjustable full-width, 1 adjustable full-width	REFRIGERATOR STORAGE FEATURES				
Full-width gallon door bins4 adjustable4 adjustable4 adjustable3 adjustableSpillprog gass sheles1 adjustable full-width, 1 fixed ull-width, 1 adjustable full-width, 1 adjustableFull-width, 2 widthSpilt-width, 1 adjustableSpilt-width, 1 adjustable full-width, 1 adjustable full-width, 1 adjustable full-width, 1 adjustableFreezer light1 lower1 lower1 lowerPlastic blach-out basket1 upper1 upper1 upperSpilt-width, 1 adjustable, 1 upper<	Condiment caddy	•	•	•	•
Spillproof glass shelves Spillproof glass shelves1 adjustable full-width, 1 fixed full-width, 1 adjustable full-width, 1 adjustable full-width, 1 fixed full-width, 1 adjustable full-width, 1 adjustable full-wi	Full-width door bins	2 fixed	2 fixed	2 fixed	3 adjustable
Spinploid gass sheresfull-width, 1 adjustable full-width tuckfull-width, 1 adjustable full-width tuckfull-width, 1 adjustable full-widthfull-width, 1 adjustable full-widthfull-	Full-width gallon door bins	4 adjustable	4 adjustable	4 adjustable	3 adjustable
Humidity-controlled double crisperSplit-widthSplit-widthSplit-width•REEZER STORAGE FEATURESFreezer light•••Plastic basket1 lower1 lower1 lowerPlastic basket1 upper1 upper1 upperPlastic side-out basket1 upper1 upper1 upperSOLORSW / B / Z / VW / B / MW / B / Z / VZ / NMax height including hinges (A)68½"68½"68½"68½"Width (B)29½"30"29½"30"Depth including handles (C)34½"34½"34½"34½"	Spillproof glass shelves	1 adjustable full-width, 1 fixed full-width, 1 adjustable full-width tuck	1 adjustable full-width, 1 fixed full-width, 1 adjustable full-width tuck	1 adjustable full-width, 1 fixed full-width, 1 adjustable full-width tuck	1 adjustable full-width, 1 fixed full-width, 1 adjustable full-width tu
REEZER STORAGE FEATURESFreezer light•LED•Plastic basket1 lower1 lower1 lowerPlastic basket1 upper1 upper1 upper1 upperPlastic slide-out basket1 upper1 upper1 upper1 upperCOLORSW / B / Z / VW / B / MW / B / Z / VZ / NMax height including hinges (A)68½"68½"68½"68½"Width (B)29½"29½"30"29½"Depth including handles (C)34½"34½"34¾"34¾"	Full-width temperature-controlled pantry drawer	٠	٠	•	•
Freezer light••LED•Plastic basket1 lower1 lower1 lower1 lowerPlastic slide-out basket1 upper1 upper1 upper1 upperCOLORSW / B / Z / VW / B / MW / B / Z / VZ / NAvailable colorsW / B / Z / VW / B / MW / B / Z / VCOLORSW / B / MB / MB / MB / MMax height including hinges (A)68½68½68½68½Width (B)29½29½30"29½"Depth including handles (C)34½34½"34½"34½"	Humidity-controlled double crisper	Split-width	Split-width	Split-width	•
Plastic basket 1 lower 1 lower Plastic basket 1 upper 1 upper 1 upper Plastic slide-out basket 1 upper 1 upper 1 upper COLORS V/B/Z/V W/B/M W/B/Z/V Z/N Available colors W/B/Z/V W/B/M G8%" 68%" Max height including hinges (A) 68%" 68%" 68%" Width (B) 29½" 29½" 30" 29½" Depth including handles (C) 34%" 34%" 34%"	FREEZER STORAGE FEATURES				
Plastic slide-out basket1 upper1 upper1 upperCOLORSAvailable colorsW / B / Z / VW / B / MW / B / Z / VZ / NAvailable colorsW / B / Z / VW / B / MW / B / Z / VZ / NDIMENSIONSMax height including hinges (A)68½ **68½ **68½ **Width (B)29½ **29½ **30*29½ **Depth including handles (C)34½ **34½ **34½ **34½ **	Freezer light	•	•	LED	•
Collors W / B / Z / V W / B / M W / B / Z / V Z / N Site Site Site Site Site Site Site Site	Plastic basket	1 lower	1 lower	1 lower	1 lower
Available colors W / B / Z / V W / B / M W / B / Z / V Z / N DIMENSIONS	Plastic slide-out basket	1 upper	1 upper	1 upper	1 upper
DIMENSIONS Offer 68½"	COLORS				
Max height including hinges (A) 68½" 68½" 68½" 68½" Width (B) 29½" 29½" 30" 29½" Depth including handles (C) 34%" 34%" 34%" 34%"	Available colors	W/B/Z/V	W / B / M	W/B/Z/V	Z / N
Width (B) 29½" 30" 29½" Depth including handles (C) 34½" 34½" 34½" 34½"	DIMENSIONS				
Depth including handles (C) 34%" 34%" 34%" 34%"	Max height including hinges (A)	681⁄2"	68½"	68%"	68½"
	Width (B)	291/2"	29½"	30"	29½"
Depth with door open (D) 51%" 51%" 51%" 51%"	Depth including handles (C)	345⁄8"	345⁄8"	34%"	345⁄8"
	Depth with door open (D)	51%"	51%"	51%"	515⁄8"

ODEL	33-Inch WRF532SMH	33-Inch WRFA32SMH	36-Inch WRF535SMH	36-Inch WRF535SWH	36-Inch WRFA35SWH
Capacity (cu. ft.)	22	22	25	25	25
SIGN FEATURES					
Freezer drawer	•	•	•	•	•
RFORMANCE FEATURES					
Accu-Chill [™] temperature management system	•	•	•	•	•
Adaptive defrost	•	•	•	•	•
Electronic temperature controls	Interior	Interior	Interior	Interior	Interior
ENERGY STAR® certified	•	•	•	•	•
FreshFlow [™] produce preserver	•	•	•	•	•
LED interior lighting	•	•	٠	٠	•
E & WATER FEATURES					
Factory-installed icemaker	•	•	٠	٠	•
Interior water dispenser with EveryDrop® filtration				FILTER4	FILTER4
FRIGERATOR STORAGE FEATURES					
Full-width door bins	4 adjustable	4 adjustable	4 adjustable	4 adjustable	4 adjustable
Full-width gallon door bins	2 fixed	2 fixed	2 fixed	2 fixed	2 fixed
Frameless glass shelves	4 adjustable half-width, 1 fixed full-width	4 adjustable half-width 1 fixed full-width			
Full-width temperature-controlled drawer	•	•	•	•	•
Humidity-controlled double crisper	•	•	•	•	•
EEZER STORAGE FEATURES					
Freezer light	LED	LED	LED	LED	LED
Plastic basket	1 lower	1 lower	1 lower	1 lower	1 lower
Wire slide-out basket	1 upper	1 upper	1 upper	1 upper	1 upper
DLORS					
Available colors	W/B/Z/V	Z / N	W / B / Z	W/B/Z/V	Z / N
MENSIONS					
Max height including hinges (A)	701⁄%"	701/8"	701⁄%"	701⁄%"	701⁄%"
		205 (1)	055/1	35%"	
Width (B)	325/8"	325%"	355%"	35%	355/8"

Gold type indicates a step-up feature

old type indicates a step-up feature				
MODEL	36-Inch WRF555SDF	36-Inch WRF555SDH	36-Inch WRF757SDH	36-Inch WRF767SDH
Capacity (cu. ft.)	25	25	27	27
DESIGN FEATURES				
Freezer drawer	٠	٠	٠	•
PERFORMANCE FEATURES				
Accu-Chill [™] temperature management system	٠	٠	٠	•
Adaptive defrost	٠	٠	٠	٠
ENERGY STAR [®] certified	•	•	•	٠
Fast Cool option	•	•		
FreshFlow [™] produce preserver	•	•		
LED interior lighting	•	•	•	•
Tap Touch controls	•	•	•	•
CE & WATER FEATURES				
Crushed ice	•	•	•	•
Dispenser control lock	•	•	•	•
Dual icemakers				•
Exterior ice and water dispenser with EveryDrop® filtration	FILTER4	FILTER4	FILTER2	FILTER2
Factory-installed icemaker	•	•		
In-Door-Ice® storage			•	•
REFRIGERATOR STORAGE FEATURES				
Full-width gallon door bins	3 adjustable	3 adjustable	3 adjustable, 2 fixed	3 adjustable, 2 fixed
Partial-width door bins	3 fixed	3 fixed		
Spillproof glass shelves	3 adjustable half-width, 1 fixed full-width, 1 adjustable mini	3 adjustable half-width, 1 fixed full-width, 1 adjustable mini	4 adjustable half-width	4 adjustable half-width
Deli drawer			•	•
Full-width temperature-controlled drawer	٠	٠		
Humidity-controlled double crisper	•	•		
Humidity-controlled triple crisper			•	•
Platter pocket			•	•
REEZER STORAGE FEATURES				
Freezer divider			•	•
Freezer light	LED	LED	LED	LED
Pizza pocket			•	•
Plastic basket	1 lower	1 lower	1 lower	1 lower
Plastic slide-out basket			1 upper	1 upper
Wire slide-out basket	1 upper	1 upper		
COLORS				
Available colors	Z	W / B / V	Z/V	Z/V
DIMENSIONS				
Max height including hinges (A)	701⁄8"	70¼"	69 ⁷ ⁄8"	697⁄8"
Width (B)	35%"	35%"	35%"	35 ¹¹ / ₁₆ "
Depth including handles (C)	35¼"	35¼"	355%"	355‰"

	4-Door	4-Door
DEL	36-Inch WRX735SDH	36-Inch WRX986SIH
Capacity (cu. ft.)	25	26
Sign Features		
Freezer drawer	•	•
ERFORMANCE FEATURES		
Accu-Chill [™] temperature management system	•	
Adaptive defrost	•	•
Dual cooling		•
ENERGY STAR® certified	•	
Fast Cool option	•	•
FreshFlow [™] air filter		•
FreshFlow [™] produce preserver	•	•
LED interior lighting	•	Panoramic
Tap Touch controls	•	•
E & WATER FEATURES		
Crushed ice	•	•
Dispenser control lock	•	•
Exterior ice and water dispenser with EveryDrop [®] filtration	FILTER4	FILTER2
Factory-installed icemaker	•	
Filtered ice and water dispenser	Exterior	Exterior
In-Door-Ice [®] storage		•
Measured Fill	•	٠
FRIGERATOR STORAGE FEATURES		
Door bins	3 adjustable full-width gallon, 3 fixed partial-width	3 adjustable full-width gallon, 1 fixed full-width gallon
Full-width glass shelf	1 fixed	
Spillproof glass shelves	3 adjustable half-width, 1 adjustable mini	3 adjustable half-width, 1 adjustable half-width tuck, 1 fixed full-width
Crisper	Humidity-controlled double crisper	Auto-humidity triple crisper
Refrigerated exterior drawer	•	•
Small items bin		•
REEZER STORAGE FEATURES		
Freezer light	LED	LED
Pizza pocket		•
Baskets	1 plastic, 1 wire slide-out	1 plastic, 2 plastic slide-out
OLORS		
Available colors	W / B / Z / V	Z/V
IMENSIONS		
Max height including hinges (A)	70%"	701/%"
Width (B)	35%"	355%"
Depth including handles (C)	345%"	36¾"
Depth with door open (D)	48"	48 ⁵ ⁄×"

FRENCH DOOR REFRIGERATOR SPECIFICATIONS / 72

ld type indicates a step	-up reature			
IODEL		Counter Depth 36-Inch WRF540CWH	Counter Depth 36-Inch WRF550CDH	Counter Depth 36-Inch WRF954CIH
	Capacity (cu. ft.)	20	20	24
ESIGN FEATURES				
	Freezer drawer	•	•	•
ERFORMANCE FEATURES				
Accu-Chill [™] temperature mar	nagement system	•	•	
	Adaptive defrost	•	•	•
	Dual cooling			•
Electronic tem	perature controls	Interior	Exterior	Interior door
ENERG	Y STAR [®] certified	٠		•
	Fast Cool option	•	•	•
	Flip adjusters			•
Fre	eezeShield option			•
Fre	shFlow [™] air filter			•
FreshFlow [™] p	roduce preserver	•		
	D interior lighting	•	•	Panoramic
	ap Touch controls			•
E & WATER FEATURES				
	enser control lock		•	•
	nstalled icemaker	•	•	
	I water dispenser			
with Eve	eryDrop [®] filtration		FILTER4	FILTER2
with Eve	r water dispenser eryDrop® filtration	FILTER4		
In-I	Door-Ice® storage			•
	Measured Fill			•
EFRIGERATOR STORAGE FEAT	URES			
Ful	Il-width door bins	4 adjustable, 2 fixed gallon	2 adjustable, 2 fixed gallon	3 fixed, 5 adjustable gallon
	Mini door bins		2 fixed	
Framel	ess glass shelves	1 fixed full-width, 4 adjustable half-width		
Spillpr	oof glass shelves		1 fixed full-width, 3 adjustable half-width, 1 adjustable mini	2 adjustable full-width
	Infinity slide shelf			1
Deli drawer with customiz	able temperature			•
Full-width temperature-	controlled drawer	•	•	
Humidity-controll	ed double crisper	•	•	٠
	Platter pocket			•
REEZER STORAGE FEATURES				
	Freezer light	LED	LED	LED
	Pizza pocket			•
	Plastic basket	1 lower	1 lower	1 lower
Plastic	slide-out baskets		2 upper	1 upper
	e slide-out basket	1 upper	11 C	
OLORS		·		
02010	Available colors	W / B / Z / V	Z	W / B / M / Z / V
IMENSIONS		W / J / Z / V	Δ	vv / Ul / L / V
	luding bizzer (*)	701///	701/8	747/11
wax neight ind	cluding hinges (A)	70%"	701/3"	71%"
	Width (B)	35%"	36"	35 ¹³ /16"
Depth incl	uding handles (C)	29%"	30¼"	31½"
	vith door open (D)	49"	49"	43¾"

NBCL34-brb34-brbCapacity (ou, it.)2222CESTRUES	Gold type indicates a step-up feature		
Cipach (u. t.)2222DESIN FRATURES	MODEL		
Freezr drawn•Reversible side-swing refrigerator door•PERCONANCE FEATURES•Acaber device•Acaber device•Acaber device•Acaber device•Acaber device•Acaber device•Acaber device•Acaber device•Bestonic Emperature controls•Bestonic Emperature controls•Bestonic Emperature controls•Interior lighting•CBARDY installed Lemaker•Preser Heart Heart•Featory installed Lemaker•Factory installed			
Reversible side-aving refrigrator door•PERFORMANCE FEATURESAccu Chill' temperature management system•Accu Chill' temperature management system•Accu Chill' temperature controlsInitiatorBectronic temperature controlsInitiatorCHARGY STARA* controlsInitiatorCHARGY STARA* controls0.0CHARGY STARA* controls0.0Initiator information0.0Charles pressive0.0CHARGY STARA* controls0.0CHARGY STARA* controls0.0Initiator information1.0Factor installed Lemakar0.0Factor installed Lemakar1.0Factor installed Lemakar1.0Fall-width gallon door bin1.0All-width gallon door bin1.0Fall-width gallon door bin1.0Freezer light </td <td>DESIGN FEATURES</td> <td></td> <td></td>	DESIGN FEATURES		
Performance Frankes Accu Callil' temperature management system 	Freezer drawer	•	•
Aca:-All'' engrenture management system•Aca:-All''' engrenture controlsInteriorBectronic temperature controlsInteriorBectronic temperature controlsInteriorENEREY STAPE centtled•Center of temperature controlsInteriorPrestronic temperature controls0.Prestronic temperature controlsEDETectory-installed icemaker0.Factory-installed icemaker•Prestrony-installed icemaker•Prestrony-installed icemaker0.Prestrony-installed icemaker0.Prestrony-installed icemaker1 fixedPrestrony-installed icemaker1 fixedPrestrony-installed icemaker0.Prestrony-installed icemaker1 fixedPrestrony-installed icemaker1 fixedPrestrony-installed icemaker0.Prestrony-installed icemaker1 fixedPrestrony-installed icemaker0.Prestrony-installed icemaker0.Prestrony-installed icemaker0.Prestrony-installed icemaker1 fixedHalf-width spillprod giss shelves4 adjustableHalf-width spillprod giss shelves1 fixedPrestrony-installed icemaker1 fixedPrestrony-installed ice	Reversible side-swing refrigerator door	•	•
Adaptive defrost•Becktronic temperature controlsInteriorEKERGY STAR* certified•FEREGY STAR* certified•FreshFlow* produce preserver•Thetior lightingLEDCE AWATER FEATURES•CE AWATER FEATURES•FRAGERFATOR STORAGE FEATURES1 flocdFull-width galon door bin1 flocdHalf-width foor bins5 adjustableGaluptable1 flocdHalf-width foor bins5 adjustableGaluptable1 flocdHalf-width spillproof glass shelres4 adjustableHalf-width spillproof glass shelres4 adjustableHalf-width spillproof glass shelres1 floorFreezer lightLEDColors1 lowerKers side- out basket1 lowerMax height necking in Qroid70°Max height necking in Spales32%*System32%*	PERFORMANCE FEATURES		
InteriorInteriorInteriorBietronic temperature controlsInterior••ReshFlow" produce preserver•••Interior lightingLEDLEDLED CE WATER FEATURESCE SETURAGE FEATURESCEEER STORAGE FEATURESCOLORSCOLORSA Analiable colors M / M / M / M COLORSCOLORSCOLORSM / Mich (bilding fings (A)A Yiel Mich (bilding fings (A)A Start (Colspan="2") CEER STORAGE FEATURESCOLORS <tr< td=""><td>Accu-Chill™ temperature management system</td><td>•</td><td>•</td></tr<>	Accu-Chill™ temperature management system	•	•
INREGY STAR* certified•FreshFlow" produce preserver•Interior lightingLEDKE AWATE FEATURES•Factory-installed locmaker•Full-width galon door bin1 fixedfull-width galon door bin1 fixedfull-width galon door bins5 adjustablefull-width galon door bins5 adjustablefull-width galon door bins1 fixedfull-width galon door bins6 adjustablefull-width galon door bins1 fixedfull-width galon door bins6 adjustablefull-width galon door bins6 adjustablefull-width galon door bins1 fixedfull-width galon door bins1 fix	Adaptive defrost	•	•
FreshFlow" produce preserver•Interior lightingLEDEXE WATER FEATURES•Factory-installed icemaker•Full-width galon door bin1 fixedFull-width galon door bins5 adjustableFull-width galon door bins5 adjustableFull-width galon door bins1 fixedBedrift width opilors5 adjustableFull-width galon door bins1 fixedFull-width galon door bins6 adjustableFull-width galon door bins5 adjustableBedrift width opilor of galos shelf1 fixedBedrift width spillproof glass shelf1 fixedHalf-width spillproof glass shelfes4 adjustableHalf-width spillproof glass shelfes4 adjustableFREEZER STORAGE FEATURESLEDFREEZER STORAGE FEATURES1 loverCollers1 loverWire basket1 loverAutable colorsW // B // MDept including hinges (A)70°Max height including hinges (A)23%"Dept including handle (C)33%"	Electronic temperature controls	Interior	Interior
Iterior lightingLEDLEDIEE WITER FATURESFolle-width galon dor bin1 fixed1 fixedFull-width galon dor bin1 fixed3 digustableFull-width galon dor bin1 fixed1 fixedHalf-width dor bins5 adjustable3 digustableGull-width galon dor bin1 fixed1 fixedHalf-width galon dor bins1 fixed1 fixedGull-width galon dor bins1 fixed1 fixedHalf-width galon dor bins4 adjustable4 adjustableGull-width galon double crisper00Half-width spillproof glass shelves4 adjustable4 adjustableHumidtly-controlled double crisper00Freezer lightLEDLEDMire basket1 lower1 lowerOUCRPS11 lowerMax height including hinges (A)70°70°Max height including hinges (A)70°32%"Depth including hange (C)33%"33%"	ENERGY STAR [®] certified	•	•
IC & WATER FEATURES Factory-installed icemaker • REFIGERATOR STORAGE FEATURES 1 fixed Full-width galon door bin 1 fixed Half-width door bins 5 adjustable Gelid rawer • Obeil drawer • Half-width spillproof glass shelves 4 adjustable Half-width spillproof glass shelves 1 ked Humidity-controlled double crisper • Freezer light LED Kreezer light LED Vitre slade-out basket 1 lupper OUCRNS V Max height including hinges (A) 70° Max height including hinges (A) 32% ² Output (G) 33% ²	FreshFlow [™] produce preserver	•	•
Factory-installed icentater• FERRERATOR STORAGE FEATURESFUI- width galon door bin1 fixedful-width galon door bin1 fixedAll-rwidth door bins5 adjustableS adjustable5 adjustableFull-width galos shelf1 fixedO Beil drawer•O Beil drawer•All-width spilproof glass shelves4 adjustableHalf-width spilproof glass shelves4 adjustableHalf-width spilproof glass shelves4 adjustableREEZER STORAGE FEATURES•FREEZER STORAGE FEATURES•Colores•Colores•Mire slade-colorsW/ B /MOther Storage•Max helght Including hinges (A)70°Max helght Including hinges (A)70°Order33%"Storage33%"	Interior lighting	LED	LED
REPRICERATOR STORAGE FEATURESFull-width galon door binfi fixedAll-width door bins5 adjustableS adjustable5 adjustableFull-width galas shelf1 fixedDeli drawer•O beli drawer•All-width spillproof glass shelves4 adjustableHalf-width spillproof glass shelves4 adjustableHulmidity-controlled double crisper•FREEZER STORAGE FEATURES1Freezer lightLEDClores1Colores1Clores1Max height including hinges (A)70°Max height including hinges (A)70°Stoff33%"Stoff33%"	ICE & WATER FEATURES		
Full-width galon door bin1 fixed1 fixedHalf-width door bins5 adjustable5 adjustableAll-width glass shelf1 fixed1 fixedDeil drawer•••Half-width spillproof glass shelves4 adjustable4 adjustableHumidthy-controlled double crisper•••Freezer lightLEDLEDLEDWire basket1 lower1 lower•Wire basket1 upper1 upper1 upperCLORSW / B / MVVMax height including hinges (A)70°70°Midt (B)32%"32%"33%"	Factory-installed icemaker	•	•
Half-width dor blinsS adjustableS adjustableFull-width glass shelf1 fixed1 fixedDeli draver•••Half-width spillproof glass shelves4 adjustable4 adjustableHumidty-controlled double crisper•••Freezer lightLEDLEDIEDWire blasket1 lower1 lower1 lowerWire slide-out basket1 upper1 upper1 upperCOCRSW / B / MVVMax height including hinges (A)70°70°With (B)32%"33%"33%"	REFRIGERATOR STORAGE FEATURES		
Full-width glass shelf1 fixedfile1 fixedDeli drawer•Constrained4 adjustableHalf-width spillproof glass shelves4 adjustableHumidity-controlled double crisper•Freezer storAGE FEATURESEEDFreezer lightLEDFreezer light1 lowerWire basket1 lowerOttoms1 upperCOLORSVMax height including hinges (A)70°Max height including hinges (A)70°Street (C)33%"Street (C)33%"	Full-width gallon door bin	1 fixed	1 fixed
Deli drawer••Half-width spillproof glass shelves4 adjustable4 adjustableHumidity-controlled double crisper••FREZER STORAGE FEATURESLEDLEDFreezer lightLED1 lowerWire basket1 lower1 lowerOLCORSV1COLORSW/B / MVDIMENSIONS70"70"Max height including hinges (A)70"32%"Opt including handle (C)33%"33%"	Half-width door bins	5 adjustable	5 adjustable
Half-width spillproof glass shelves4 adjustable4 adjustableHumidtly-controlled double crisper••FREEZER STORAGE FEATURESLEDLEDFreezer lightLED1 lowerWire basket1 lower1 lowerWire slide-out basket1 upper1 upperCOLORSVVIMENSIONSYYMax height including hinges (A)70"70"Wirdth (B)32%"32%"Depth including handle (C)33%"33%"	Full-width glass shelf	1 fixed	1 fixed
Humidity-controlled double crisper•FREEZER STORAGE FEATURESFreezer lightLEDFreezer lightLEDWire basket1 lower1 lower1 lowerCoLORSVMax height including hinges (A)70"Max height including hinges (A)70"Opt including hadle (C)33%"	Deli drawer	•	•
FREEZER STORAGE FEATURESFreezer lightLEDFreezer light1 lowerWire basket1 lower1 lower1 upperCOLORSW / B / MAvailable colorsW / B / MMax height including hinges (A)70"Max height including hinges (A)32%"Opth including handle (C)33%"	Half-width spillproof glass shelves	4 adjustable	4 adjustable
Freezer lightLEDFreezer light1 lowerWire basket1 lower1 upper1 upperCOLORSV / B / MAvailable colorsW / B / MDIMENSIONS70"Max height including hinges (A)70"Width (B)32%"32%"33%"	Humidity-controlled double crisper	•	•
Wire basket1 lowerWire slide-out basket1 upper1 upper1 upperCOLORSVAvailable colorsW / B / MDIMENSIONS70"Max height including hinges (A)70"Width (B)32%"32%"33%"	FREEZER STORAGE FEATURES		
Wire slide-out basket1 upperCOLORSAvailable colorsW / B / MVDIMENSIONSMax height including hinges (A)70"70"Width (B)32%"32%"Depth including handle (C)33%"33%"	Freezer light	LED	LED
COLORS Available colors W / B / M DIMENSIONS Max height including hinges (A) 70" Width (B) 32%" 32%" Depth including handle (C) 33%"	Wire basket	1 lower	1 lower
Available colorsW / B / MVDIMENSIONS70"70"Max height including hinges (A)70"70"Width (B)32%"32%"Depth including handle (C)33%"33%"	Wire slide-out basket	1 upper	1 upper
DIMENSIONS 70" Max height including hinges (A) 70" Width (B) 32%" Depth including handle (C) 33%"	COLORS		
Max height including hinges (A) 70" Width (B) 32%" 32%" Depth including handle (C) 33%" 33%"	Available colors	W / B / M	V
Width (B) 32%" 32%" Depth including handle (C) 33%" 33%"	DIMENSIONS		
Depth including handle (C) 33%" 33%"	Max height including hinges (A)	70"	70"
	Width (B)	325⁄3"	32¾"
Depth with door open (D) 62" 62"	Depth including handle (C)	33%"	33%"
	Depth with door open (D)	62"	62"

BOTTOM-FREEZER REFRIGERATOR SPECIFICATIONS / 74





PURPOSEFUL STORAGE SPACES

Store more of your family's favorites with features like wall-to-wall frameless shelves, adjustable gallon door bins, shelves that give you the vertical room you need and the perfect spots for pizzas, cans and bottles.



EASY ICE AND WATER ACCESS

Enjoy fresh filtered water and ice without ever opening the refrigerator door thanks to an exterior ice and water dispenser with EveryDrop® filtration.



Black

(B)

MORE SHELF SPACE

With the ice bin moved to the door, In-Door-Ice[®] storage makes room for extra shelves in the freezer.





KEEPS FOOD TASTING GREAT

The technology of the Accu-Chill[™] temperature management system senses and adapts to cool food quickly, creating the ideal environment for every item.





Monochromatic Stainless Steel (M)



Fingerprint-Resistant Stainless Steel (Z)



Fingerprint-Resistant Black Stainless Steel (V)



Fingerprint-Resistant Sunset Bronze (N)

AVAILABLE COLORS









WRS312SNH

22 cu. ft. Refrigerator



- Frameless glass shelves
- Adjustable gallon door bins
- LED interior lighting









WRS315SNH

25 cu. ft. Refrigerator

- W В
- Frameless glass
- shelves
- Adjustable gallon door bins
- LED interior lighting









WRSA15SNH

25 cu. ft. Refrigerator

- Frameless glass
- shelves Adjustable gallon
- door bins
- LED interior lighting



Μ









WRS311SDH

21 cu. ft. Refrigerator

- Frameless glass shelves Adjustable gallon
- door bins • LED interior lighting
- + Exterior ice and water dispenser with EveryDrop[®] filtration + Tap Touch controls





W B

Т.

Μ

+ Indicates a step-up feature.







WRS315SDH

25 cu. ft. Refrigerator



- Frameless glass shelves
- Adjustable gallon door bins
- LED interior lighting
- Exterior ice and water dispenser with EveryDrop[®] filtration
- Tap Touch controls



160

H-FF

Contraction of the local division of the loc

WRS321SDH

21 cu. ft. Refrigerator

- Frameless glass shelves
- Adjustable gallon door bins
- LED interior lighting
- Exterior ice and water dispenser with EveryDrop[®] filtration

W

В

Ζ

- Tap Touch controls
- + Can caddy
- + Deli drawer



WRS325SDH

25 cu. ft. Refrigerator

- Frameless glass shelves
- Adjustable gallon door bins
- LED interior lighting

WRS331SDH

21 cu. ft. Refrigerator

Frameless glass

Adjustable gallon

• LED interior lighting

shelves

door bins



- Exterior ice and water dispenser with EveryDrop[®] filtration
- Tap Touch controls
- Can caddy
- Deli drawer



- Exterior ice and water dispenser with EveryDrop[®] filtration
- Tap Touch controls
- + ENERGY STAR® certified











WRS555SIH

25 cu. ft. Refrigerator

 Frameless glass shelves Adjustable gallon

door bins

- LED interior lighting



water dispenser with EveryDrop[®] filtration • Tap Touch controls

- + Infinity slide shelf + Pizza pocket
- + In-Door-Ice[®] storage

W









WRS588FIH

28 cu. ft. Refrigerator

Frameless glass shelves

door bins

- Adjustable gallon
- Tap Touch controls • LED interior lighting
 - In-Door-Ice[®] storage

EveryDrop® filtration

• Exterior ice and water dispenser with

- + Measured Fill
 - + FreshFlow[™] air filter





WRSA88FIH

28 cu. ft. Refrigerator

- Frameless glass shelves
- Adjustable gallon door bins
- LED interior lighting
- Tap Touch controls
- In-Door-Ice® storage

• Exterior ice and

water dispenser with

EveryDrop® filtration

- Measured Fill
- FreshFlow[™] air filter
 - + Indicates a step-up feature.

Z N

B

Z

V





Ζ

Ν

WRS571CIH

21 cu. ft. Refrigerator



- Frameless glass shelves
- Adjustable gallon door bins
- LED interior lighting
- Exterior ice and water dispenser with EveryDrop[®] filtration
- Tap Touch controls
- In-Door-Ice[®] storage
- Measured Fill
- FreshFlow[™] air filter

WRSA71CIH

21 cu. ft. Refrigerator

- Frameless glass
- shelves Adjustable gallon door bins
- LED interior lighting
- Exterior ice and water dispenser with EveryDrop[®] filtration
- Tap Touch controls
- In-Door-Ice® storage
- Measured Fill
- FreshFlow[™] air filter

old type indicates a step-up reature							
MODEL	33-Inch WRS312SNH	36-Inch WRS315SNH	36-Inch WRSA15SNH	33-Inch WRS311SDH	36-Inch WRS315SDH	33-Inch WRS321SDH	36-Inch WRS325SDH
Capacity (cu. ft.)	22	25	25	21	25	21	25
PERFORMANCE FEATURES							
Accu-Chill [™] temperature management system	•	•	•	•	•	•	•
Adaptive defrost	•	•	•	•	•	•	•
Electronic temperature controls	Interior	Interior	Interior	Interior	Interior	Exterior	Exterior
LED interior lighting	•	•	•	•	•	•	•
CE & WATER FEATURES							
Control lock				•	•	•	•
EveryDrop [®] ice and water filtration				FILTER1	FILTER1	FILTER1	FILTER1
Factory-installed icemaker				•	•	•	•
Filtered ice and water dispenser				Exterior	Exterior	Exterior	Exterior
LED dispenser night-light				•	•	•	•
Optional icemaker	ECKMF95	ECKMF95	ECKMF95				
Tap Touch controls				•	•	•	•
Water filter indicator light						•	•
REFRIGERATOR STORAGE FEATURES							
Dairy bin	•	•	•	•	•	•	•
Full-width gallon door bins	3 adjustable	3 adjustable	3 adjustable				
Full-width door shelf	1 fixed	1 fixed	1 fixed				
Full-width frameless glass shelves	3 adjustable, 1 fixed	3 adjustable, 1 fixed	3 adjustable, 1 fixe				
Can caddy						•	•
Deli drawer						•	•
Humidity-controlled double crisper	•	•	•	•	•	•	•
FREEZER STORAGE FEATURES							
Door shelves	5 fixed full-width	6 fixed full-width	6 fixed full-width	3 fixed full-width	3 fixed full-width, 1 fixed partial-width	3 fixed full-width, 1 fixed partial-width	3 fixed full-width 1 fixed partial-wid
Basket	1 full-width plastic	1 full-width plastic	1 full-width plasti				
Full-width shelves	4 fixed wire	5 fixed wire	5 fixed wire	3 fixed wire	3 fixed wire	3 adjustable glass	3 fixed glass
COLORS							
Available colors	W / B / M	W / B / M	Z / N	W/B/T/M	W/B/T/M	W/B/Z/V	W/B/Z/V
DIMENSIONS							
Max height including hinges (A)	665%"	695%"	69%"	665%"	695⁄8"	665⁄8"	695/8"
	66%" 32¾"	695%" 357%"	69%" 35%"	665%" 32¾"	695%" 357%"	665%" 32¾"	695⁄8" 357⁄8"
Max height including hinges (A)							

Gold type indicates a step-up feature

						Counter Depth	Counter Dept
DDEL	33-Inch WRS331SDH	36-Inch WRS335SDH	36-Inch WRS555SIH	36-Inch WRS588FIH	36-Inch WRSA88FIH	36-Inch WRS571CIH	36-Inch WRSA71CIH
Capacity (cu. ft.)	21	25	25	28	28	21	21
RFORMANCE FEATURES							
Accu-Chill™ temperature management system	•	•	•	•	•	•	•
Adaptive defrost	•	•	•	•	•	•	•
Electronic temperature controls	Exterior	Exterior	Exterior	Exterior	Exterior	Exterior	Exterior
ENERGY STAR® certified	•	•					
FreshFlow [™] air filter				•	•	•	•
LED interior lighting	•	•	•	•	•	•	•
& WATER FEATURES							
Control lock	•	•	•	•	•	•	•
Door alarm				•	•	•	•
EveryDrop [®] ice and water filtration	FILTER1	FILTER1	FILTER1	FILTER1	FILTER1	FILTER1	FILTER1
Factory-installed icemaker	•	•					
Filtered ice and water dispenser	Exterior	Exterior	Exterior	Exterior	Exterior	Exterior	Exterior
In-Door-Ice® storage			•	•	•	•	•
LED dispenser night-light	•	•	•	•	•	•	•
Measured Fill				•	•	•	•
Tap Touch controls	•	•	•	•	•	•	•
Water filter indicator light	•	•	•	•	•	•	•
FRIGERATOR STORAGE FEATURES							
Dairy bin	•	•	•	•	•		
Full-width door bins				2 adjustable	2 adjustable	2 adjustable	2 adjustable
Full-width gallon door bins	3 adjustable	3 adjustable	3 adjustable	3 adjustable	3 adjustable	3 adjustable	3 adjustable
Full-width door shelf	1 fixed	1 fixed	1 fixed	Jadjustabie	5 adjustable		0 aujustabit
			3 adjustable, 1 fixed,	3 adjustable,	3 adjustable,	3 adjustable,	3 adjustable
Full-width frameless glass shelves	3 adjustable, 1 fixed	3 adjustable, 1 fixed	1 infinity slide	1 fixed	1 fixed	1 fixed	1 fixed
Can caddy			•				
Deli drawer			•	•	•	•	•
Humidity-controlled double crisper	•	•	•	•	•	•	•
EEZER STORAGE FEATURES							
Door shelves	3 fixed full-width, 1 fixed partial-width	3 fixed full-width, 1 fixed partial-width	3 fixed full-width				
Door bins				3 adjustable full-width	3 adjustable full-width	3 adjustable full-width	3 adjustable full-width
Basket	1 full-width plastic	1 full-width plastic	1 full-width plastic	1 full-width plastic	1 full-width plastic	1 full-width plastic	1 full-width pla
Shelves	3 fixed full-width wire	3 fixed full-width wire	3 fixed full-width glass, 2 fixed	3 adjustable full-width glass, 1 fixed	3 adjustable full-width glass, 1 fixed	3 adjustable full-width glass, 1 fixed	3 adjustable full-width gla 1 fixed
Dinne no-l4			partial-width glass	full-width glass	full-width glass	full-width glass	full-width gla
Pizza pocket							
	W//D/M	W/D/M	W / D / 7 / V	W/ D / 7 / V	7 / 11	W/D/7/V	7 / 11
Available colors	W / B / M	W / B / M	W/B/Z/V	W/B/Z/V	Z/N	W/B/Z/V	Z / N
MENSIONS							
Max height including hinges (A)	665%"	695%"	695%"	69"	69"	681/8"	681/8"
Width (B)	32¾"	357⁄8"	35%"	36"	36"	36"	36"
Depth including handles (C)	335%"	335⁄8"	335%"	341⁄8"	347⁄8"	29¾"	29¾"





GREATER STORAGE FLEXIBILITY

Store more items on each shelf with wall-to-wall frameless glass shelves, which allow you to place food and drinks on the shelf without a frame in the way.



RIGHT ENVIRONMENT FOR PRODUCE

Keep fruits and vegetables fresh with the ideal moisture and temperature levels in humidity-controlled crispers.







SPACE FOR TALL ITEMS

Make room for taller items like drink bottles by quickly and easily moving the Flexi-Slide[™] bin from side-to-side, giving you more convenient storage options.

FOOD LOOKS AS IT SHOULD

By casting light inside the refrigerator, LED interior lighting keeps food looking as good as it tastes.





Monochromatic Stainless Steel (M)



Fingerprint-Resistant Stainless Steel (Z)



Fingerprint-Resistant Black Stainless Steel (V)



AVAILABLE COLORS

Fingerprint-Resistant Metallic Steel (G)





WRT111SFD

11 cu. ft. Refrigerator

- Spillproof glass shelves
- Adjustable gallon door bin
- Humidity-controlled crisper
- Optional icemaker









41 13 Profession in HALL FROM in Ma Se 184 --0 100 10 800

WRT104TFD 14 cu. ft. Refrigerator



- Optional icemaker
- + Freezer temperature controls
- + Dairy bin









WRT106TFD

16 cu. ft. Refrigerator

- Optional icemaker • Freezer temperature
- controls Dairy bin











WRT108FZD 18 cu. ft. Refrigerator

- Freezer temperature controls
- Dairy bin • Full-width gallon



+ Flexi-Slide[™] bin + Optional EZ Connect

+ Full-width gallon

refrigerator door shelf

- icemaker kit
- refrigerator door shelf











- Freezer temperature controls
- Dairy bin
- ENERGY STAR[®] certified
- + Flexi-Slide[™] bin
- + Optional EZ Connect icemaker kit
- + Full-width gallon refrigerator door shelf



WRT314TFD

14 cu. ft. Refrigerator

- Optional icemaker
- Freezer temperature controls
- Dairy bin
- + 2 adjustable
- full-width glass refrigerator shelves

WRT316SFD

16 cu. ft. Refrigerator

- Optional icemaker
- Freezer temperature controls
- Dairy bin
- 2 adjustable full-width glass refrigerator shelves
- + Flexi-Slide[™] bin
- + Full-width glass freezer shelf



W



OT MAN

10-11





- + Frameless glass
 - + Electronic temperature
 - + Optional EZ Connect







WR	T31	SF	MD	

18 cu. ft. Refrigerator

- Freezer temperature • Electronic temperature controls controls
- Dairy bin Flexi-Slide[™] bin
- Full-width glass freezer shelf



+ Factory-installed icemaker





SUDE





WRT348FME

controls

Dairy bin

Dairy bin

controls

18 cu. ft. Refrigerator

- Freezer temperature
 - shelves + ENERGY STAR®
- certified Electronic temperature
- controls Factory-installed icemaker











WRT311FZD					
21 cu. ft. Refrigerator	W	В	т	М	Z

- Frameless glass Freezer temperature shelves controls
 - + Flexi-Slide[™] bin
- Electronic temperature + LED interior lighting
 - + Adjustable gallon refrigerator door bins







- Freezer temperature controls
- Flexi-Slide[™] bin
- Electronic temperature controls
- Frameless glass shelves
- LED interior lighting + Full-width glass
- freezer shelf



• Freezer temperature controls

WRT519SZD

19 cu. ft. Refrigerator

- Flexi-Slide[™] bin
- Electronic temperature controls
- Frameless glass shelves
- LED interior lighting
- + Dairy bin
- + Adjustable gallon refrigerator door bins

WRT511SZD

21 cu. ft. Refrigerator

- Freezer temperature controls
- Flexi-Slide[™] bin
- LED interior lighting

- W R
- Dairy bin
- Adjustable gallon refrigerator door bins



19 cu. ft. Refrigerator

- Freezer temperature controls
- Flexi-Slide[™] bin
- LED interior lighting
- Dairy bin
- Adjustable gallon refrigerator door bins
- + Electronic temperature controls
- + ENERGY STAR® certified









WRT541SZD

21 cu. ft. Refrigerator

- Freezer temperature
- controls Flexi-Slide[™] bin
- LED interior lighting
- Dairy bin



- Adjustable gallon refrigerator door bins • ENERGY STAR®
- Frameless glass shelves

certified



V

nergy.





WRT541SZH

21 cu. ft. Refrigerator

- Adjustable gallon Freezer temperature
- controls Flexi-Slide[™] bin
- LED interior lighting Dairy bin











NOTES	/	90

old type indicates a step-up feature							
MODEL	25-Inch WRT111SFD	28-Inch WRT104TFD	28-Inch WRT106TFD	30-Inch WRT108FZD	28-Inch WRT134TFD	30-Inch WRT138FZD	28-Inch WRT314TFD
Capacity (cu. ft.)	11	14	16	18	14	18	14
DESIGN FEATURES							
Door reversal kit available	•	•	•	•	•	•	•
Hidden hinges	•						
PERFORMANCE FEATURES							
ENERGY STAR [®] certified					•	•	
Freezer temperature controls		•	•	•	•	•	•
Interior lighting	Incandescent	Incandescent	Incandescent	Incandescent	Incandescent	Incandescent	Incandescent
Refrigerator temperature controls	•	•	•	•	•	•	•
CE & WATER FEATURES							
Optional EZ Connect icemaker kit				ECKMFEZ2		ECKMFEZ2	
Optional icemaker	•	٠	•		•		•
REFRIGERATOR STORAGE FEATURES							
Dairy bin		•	•	•	•	•	•
Fixed door shelves		2 full-width, 1 partial-width	1 full-width gallon, 1 full-width, 1 partial-width	1 full-width gallon, 1 full-width, 1 partial-width, 1 partial-width gallon	2 full-width, 1 partial-width	1 full-width gallon, 1 full-width, 1 partial-width, 1 partial-width gallon	2 full-width, 1 partial-width
Full-width door bins	1 adjustable, 1 fixed						
Full-width gallon door bins	1 adjustable						
Full-width glass shelves		1 fixed	1 fixed	1 fixed	1 fixed	1 fixed	2 adjustable, 1 fix
Full-width spillproof glass shelves	2 adjustable, 1 fixed						
Full-width wire shelves		2 adjustable	2 adjustable	2 adjustable	2 adjustable	2 adjustable	
Flexi-Slide [™] bin				•		•	
Crispers	1 humidity-controlled	2	2	2 humidity- controlled	2	2 humidity- controlled	2
FREEZER STORAGE FEATURES							
Door bins	2 fixed full-width						
Fixed door shelves		2 full-width	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width
Fixed shelf	1 half-width wire	1 full-width wire	1 full-width wire	1 full-width wire	1 full-width wire	1 full-width wire	1 full-width wire
COLORS							
Available colors	W/B/M	W/B/T	W/B/T	W/B/T/M	W/B/M	W / B / M	W / B
DIMENSIONS							
Max height including hinges (A)	61¾"	62%"	65%"	65%"	62%"	65%"	627/8"
Width (B)	241⁄2"	28"	28"	29¾"	28"	29¾"	28"
Depth including handles (C)	28¼"	321/4"	33½"	331/2"	321/8"	331/2"	32¼"
Depth with door open (D)	48½"	56¾"	56¾"	59¾"	55¾"	59¾"	56¾"

	28-Inch	30-Inch	30-Inch	30-Inch	33-Inch	28-Inch	30-Inch
DDEL	WRT316SFD	WRT318FZD	WRT318FMD	WRT348FME	WRT311FZD	WRT518SZF	WRT519SZD
Capacity (cu. ft.)	16	18	18	18	21	18	19
SIGN FEATURES							
Door reversal kit available	•	•	•	•	•	•	•
Hidden hinges						•	•
RFORMANCE FEATURES							
ENERGY STAR [®] certified				•			
Freezer temperature controls	•	•	•	•	•	•	•
Interior lighting	Incandescent	Incandescent	Incandescent	Incandescent	LED	LED	LED
Refrigerator temperature controls	•	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
E & WATER FEATURES							
Factory-installed icemaker			•	•			
Optional EZ Connect icemaker kit		ECKMFEZ2			ECKMFEZ2	ECKMFEZ2	ECKMFEZ2
Optional icemaker	•						
FRIGERATOR STORAGE FEATURES							
Dairy bin	•	•	•	•	•		•
Fixed door shelves	1 full-width gallon, 1 full-width, 1 partial-width	1 full-width gallon, 1 full-width, 1 partial-width, 1 partial-width gallon	1 full-width, 1 partial-width, 1 partial-width flip-up storage	1 full-width gallon, 1 full-width, 2 partial-width, 1 partial-width gallon	1 full-width, 1 partial-width	1 full-width	1 full-width
Door bins					3 adjustable partial-width gallon	4 adjustable half-width, 1 fixed gallon	4 adjustabl partial-wid gallon
Full-width glass shelves	2 adjustable, 1 fixed		2 adjustable, 1 fixed				
Full-width frameless glass shelves		2 adjustable, 1 fixed		2 adjustable, 1 fixed	2 adjustable, 1 fixed	2 adjustable, 1 fixed	2 adjustable, 1
Flexi-Slide [™] bin	•	•	•		•	•	•
Crispers	2	2 humidity- controlled	2 humidity-controlled	2 humidity-controlled	2 humidity-controlled	2 humidity-controlled	2 humidity-contr
EEZER STORAGE FEATURES							
Fixed door shelves	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width
Fixed shelf	1 full-width glass	1 full-width glass	1 full-width glass	1 partial-width wire	1 full-width wire	1 full-width glass	1 full-width gla
DLORS							
Available colors	W / B / M	W / B / M / Z	W / B / M	W/B/S/Z	W/B/T/M/Z	W / B / M / V / G	W/B/T/D/N
MENSIONS							
Max height including hinges (A)	66"	65%"	65%"	65½"	66¼"	687/16"	65%"
Width (B)	281⁄8"	29¾"	29¾"	29¾"	32¾"	28"	29¾"
Depth including handles (C)	30¾"	33½"	33½"	31¾"	321/8"	315%"	34½"
Depth with door open (D)	54%"	59¾"	59¾"	59¾"	621/4"	57"	59%"

MODEL	33-Inch WRT511SZD	30-Inch WRT549SZD	33-Inch WRT541SZD	33-Inch WRT541SZH
Capacity (cu. ft.)	21	19	21	21
DESIGN FEATURES				
Door reversal kit available	•	•	٠	
Hidden hinges	٠	٠	٠	•
PERFORMANCE FEATURES				
ENERGY STAR® certified		•	٠	•
Freezer temperature controls	•	٠	٠	•
Interior lighting	LED	LED	LED	LED
Refrigerator temperature controls	•	Electronic	٠	•
CE & WATER FEATURES				
Optional EZ Connect icemaker kit	ECKMFEZ2	ECKMFEZ2	ECKMFEZ2	ECKMFEZ2
REFRIGERATOR STORAGE FEATURES				
Dairy bin	•	•	٠	•
Fixed door shelves	1 full-width	1 full-width	1 full-width	1 full-width
Door bins	4 adjustable partial-width gallon			
Full-width glass shelves	2 adjustable, 1 fixed	2 adjustable, 1 fixed		
Full-width frameless glass shelves			2 adjustable, 1 fixed	2 adjustable, 1 fixed
Flexi-Slide [™] bin	•	٠	٠	•
Crispers	2 humidity-controlled	2 humidity-controlled	2 humidity-controlled	2 humidity-controlled
FREEZER STORAGE FEATURES				
Fixed door shelves	2 full-width	2 full-width	2 full-width	2 full-width
Fixed shelf	1 full-width glass	1 full-width glass	1 full-width glass	1 full-width glass
COLORS				
Available colors	W / B / M	W / B / M	W/B/M/Z/V	V
DIMENSIONS				
Max height including hinges (A)	66¼"	651/8"	66¼"	66¼"
				003/11
Width (B)	32¾"	29¾"	32¾"	32¾"
Width (B) Depth including handles (C)	32¾" 34"	29¾" 34½"	32%"	32"/4"

NOTES	/	94





15 cu. ft. Freezer

- Easy Clean Corners Key lock
- 2 storage bins





-	1-0	12	

- Easy Clean Corners
- Key lock
- 2 storage bins

W

W







WZC3122D

22 cu. ft. Freezer W Easy Clean Corners + 3 storage bins Key lock

+ Temperature alarm

+ Power On light







	2
M. R. R.	-
	•

Actual model may vary.

WZC5422D 22 cu. ft. Freezer Easy Clean Corners + Temperature alarm Key lock

- + Power On light
 - + 4 storage bins





+ Indicates a step-up feature.

W



UPRIGHT FREEZERS / 96



WZF34X16D

16 cu. ft. Freezer

- LED interior lighting
- Fast Freeze
- Frost-free defrost
- Reversible door



WZF56R16D

16 cu. ft. Freezer



- Fast Freeze
- Frost-free defrost

WZF34X18D

18 cu. ft. Freezer

- LED interior lighting
- Fast Freeze
- Frost-free defrost
- + Reversible door



20 cu. ft. Freezer

- LED interior lighting
- Fast Freeze
- Frost-free defrost
- + Pizza pocket
- + 2 wire bins

W

W



W



WSZ57L18D

18 cu. ft. SideKicks® All Freezer

Μ

Μ

W

- Fast Freeze
- Temperature alarm
- Frost-free defrost
- Pizza pocket
- LED interior lighting





WSR57R18D

18 cu. ft. SideKicks® All Refrigerator

- Temperature alarm
- Pizza pocket
- LED interior lighting
- Half-width humidity-controlled quad crisper



WRR56X18F

18 cu. ft. All Refrigerator

- Pizza pocket
- LED interior lighting
- Half-width humidity-controlled quad crisper

NOTES	/	98

ord type mulcates a step-up reature				
MODEL	48-Inch WZC3115D	48-Inch WZC5415D	66-Inch WZC3122D	66-Inch WZC5422D
Capacity (cu. ft.)	15	15	22	22
DESIGN FEATURES				
Flat textured lid	•	•	•	•
Integrated door handle design	•	•	•	•
PERFORMANCE FEATURES				
15-watt interior light	٠	٠	٠	•
Defrost drain with hose adapter	•	•	•	•
Easy Clean Corners	•	•	•	•
Power On light		•		•
Temperature alarm		•		•
STORAGE FEATURES				
Key lock	٠	٠	٠	•
Solid core lid	•	•	•	•
Storage bins	2	2	3	4
COLORS				
Available color	W	W	W	W
DIMENSIONS				
Max height including hinges (A)	33¾"	33¾"	33¾"	33¾"
Width (B)	47¾"	47 ³ /8"	661/4"	66¼"
Depth including handle (C)	30¼"	30¼"	301/4"	30¼"

Gold type indicates a step-up feature							
MODEL	30-Inch WZF34X16D	30-Inch WZF56R16D	30-Inch WZF34X18D	33-Inch WZF79R20D	SideKicks® All Freezer 30-Inch WSZ57L18D	SideKicks [®] All Refrigerator 30-Inch WSR57R18D	All Refrigerator 30-Inch WRR56X18F
Capacity (cu. ft.)	16	16	18	20	18	18	18
DESIGN FEATURES							
Contoured door	•	•	•	•			•
Flat door					•	•	
Installation wheels				•	•	•	
Reversible door	•		•				
SideKicks [®] trim kit					Part No. SKT60M	Part No. SKT60M	
PERFORMANCE FEATURES							
Air tower	•	•	٠	•	•	•	
Electronic temperature controls	٠	•	٠	•	•	•	•
Fast Freeze	٠	•	٠	•	•		
Frost-free defrost	٠	•	٠	•	•		
LED interior lighting	٠	•	٠	•	•	•	•
Optional icemaker		ECKMF95		ECKMF95	ECKMF95		
Temperature alarm	•	•	•	•	•	•	
STORAGE FEATURES							
Dairy bin				•	•	•	•
Full-width door bin				1 fixed	1 adjustable		
Full-width gallon door bin				1 fixed	1 fixed	1 fixed	1 fixed
Full-width door shelves	5 fixed	5 fixed	6 fixed				
Half-width door bins				3 adjustable	3 adjustable	3 adjustable	3 adjustable
Pizza pocket				•	•	•	•
Glass shelves					4 adjustable	3 adjustable	3 adjustable
Half-width humidity-controlled quad crisper						•	•
Slide-out wire shelves	3 adjustable	3 adjustable	4 adjustable	4 adjustable			
Wire bins				2	2		
Key lock	•	•	•	•			
COLORS							
Available colors	W	W	W	W	М	М	W
DIMENSIONS							
Max height including hinges (A)	60¾"	60¾"	66¾"	66¾"	66¾"	66¾"	66¾"
Width (B)	30¼"	30¼"	301/4"	33¼"	30¼"	301/4"	30¼"
Depth including handle (C)	291⁄8"	30¼"	291/8"	30"	31¼"	31¼"	30"
Depth with door open (D)	551/8"	551%"	55%"	581%"	55¾"	55¾"	58%"

UPRIGHT FREEZER, ALL FREEZER & ALL REFRIGERATOR SPECIFICATIONS / 100




STORE FOOD & DRINKS YOUR WAY

Customized temperature selection, available in both single-temperature controlled and dual-temperature controlled zones, lets you accommodate whatever food and beverages you're storing, even on different racks.



KEEP WINE BOTTLES AT HAND

Conveniently store up to 12, 34 or 51 bottles of wine in the designated wine storage area.





ITEMS LOOK THE WAY THEY SHOULD

Keep food and drinks looking as good as they taste with LED interior lighting, which casts light inside so everything looks like it's supposed to.

DESIGNED TO SUIT YOUR SPACE

Install reversible stainless steel or glass doors on either side to fit unique spaces.





Black (B)



(S)



Fingerprint-Resistant Stainless Steel (Z)



AVAILABLE COLORS

Fingerprint-Resistant Black Stainless Steel (V)



WUR35X24H

5.1 cu. ft. Refrigerator

- Single-temperature controlled zone
- LED interior lighting
- Towel bar handle
- Reversible stainless steel door









WUR50X24H

5.1 cu. ft. Refrigerator

- Single-temperature controlled zone
- LED interior lighting
- Reversible stainless steel door









WUB35X24H

5.2 cu. ft. Beverage Center

- LED interior lighting
- Towel bar handle
- (up to 12 bottles) + Dual-temperature
- controlled zone

+ Wine storage

- + Reversible glass door
- + 2 canted wine racks









WUB50X24H

5.2 cu. ft. Beverage Center

- LED interior lighting
- Wine storage (up to 12 bottles)
- Dual-temperature controlled zone
- Reversible glass door
- 2 canted wine racks



Ζ

7

Ζ





S

WUW35X15D

15" Wine Center

- Single-temperature controlled zone
- LED interior lighting
- Towel bar handle
- Reversible glass door
- + Wine storage (up to 34 bottles)
- + 6 canted wine racks

WUW55X15H

15" Wine Center

- Single-temperature controlled zone
- LED interior lighting
- Reversible glass door
- Wine storage (up to 34 bottles)
- 6 canted wine racks

WUW35X24D

24" Wine Center

- Single-temperature controlled zone
- LED interior lighting
- Towel bar handle
- Reversible glass door
- 6 canted wine racks

+ Metal rack fronts

+ Wine storage (up to 51 bottles)

24" Wine Center

• LED interior lighting

WUW55X24H

- Wine storage (up to 51 bottles)
- Reversible glass door
- 6 canted wine racks
- + Dual-temperature controlled zone
- + Metal rack fronts



S

S







GI15NDXZ

15" Icemaker

- Fast Ice
- 25-lb capacity
- Ice scoop
- Self-cleaning cycle
- Reversible door
- Electronic controls



GI15PDXZ

15" Icemaker

Fast Ice

- 25-lb capacity
- Ice scoop
- Self-cleaning cycle Reversible door
- Electronic controls

+ Drain pump included

Q B S

S


NOTES	/	106


tota tipo intercente a otop ap totale o				
MODEL	Refrigerator 24-Inch WUR35X24H	Refrigerator 24-Inch WUR50X24H	Beverage Center 24-Inch WUB35X24H	Beverage Center 24-Inch WUB50X24H
Capacity (cu. ft.)	5.1	5.1	5.2	5.2
Wine bottle capacity			12	12
DESIGN FEATURES				
Adjustable leveling legs	•	•	•	•
Built-in or freestanding installation	•	٠	•	•
Frost-free design	•	•	•	•
Reversible door	•	•	Glass	Glass
Towel bar handle	•		•	
PERFORMANCE FEATURES				
Automatic defrost	•	•	•	•
Electronic temperature controls	•	•	•	•
LED interior lighting	•	•	•	٠
Temperature display	Blue	Blue	White	White
Temperature range	41°F-64°F	41°F-64°F	32°F–55°F	32°F–55°F
Temperature sensor alert	•	٠	•	٠
Temperature zone(s)	1	1	2	2
STORAGE FEATURES				
Glass shelves	2 adjustable spillproof, 1 fixed spillproof	2 adjustable spillproof, 1 fixed spillproof	1 adjustable spillproof, 1 fixed spillproof	1 adjustable spillproof, 1 fixed spillproof
Canted wine racks			2	2
Door bins	3	3		
COLORS				
Available colors	Z	Z	Z	Z/V
DIMENSIONS				
Max height including hinges (A)	35"	35"	35"	35"
Width (B)	235%"	23 ¹⁵ / ₁₆ "	23¾"	2315/16"
Depth including handle (C)	25%"	255⁄8"	25%"	25%"

DEL	15-Inch WUW35X15D	15-Inch WUW55X15H	24-Inch WUW35X24D	24-Inch WUW55X24H
Wine bottle capacity	34	34	51	46
SIGN FEATURES				
Adjustable leveling legs	٠	•	٠	•
Built-in or freestanding installation	٠	•	٠	•
Rack fronts	Wood	Metal	Wood	Metal
Reversible glass door	•	٠	٠	٠
Towel bar handle	•		٠	
RFORMANCE FEATURES				
Door open alarm	٠	•	٠	•
Electronic temperature controls	٠	•	٠	•
LED interior lighting	٠	•	٠	•
Temperature display	Blue	Blue	Blue	Blue
Temperature range	41°F-64°F	41°F-64°F	41°F-64°F	41°F-64°F
Temperature sensor alert	٠	٠	٠	٠
Temperature zone(s)	1	1	1	2
ORAGE FEATURES				
Canted wine racks	6	6	6	6
LORS				
Available color	S	S	S	S
MENSIONS				
Max height including hinges (A)	345%"	345%"	345%"	34%"
Width (B)	15"	15"	23 ¹³ /16"	2313/16"
Depth including handle (C)	23¾"	23¾"	23¾"	23¾"


MODEL	15-Inch GI15NDXZ	15-Inch G115PDXZ
Storage space	Up to 25 lbs	Up to 25 lbs
DESIGN FEATURES		
Easy access filter install	•	•
Reversible door	•	•
Undercounter or freestanding installation	•	•
PERFORMANCE FEATURES		
Clear ice technology	•	•
Electronic controls	•	•
Fast Ice/Max Ice	•	•
Interior lighting	LED	LED
Self-cleaning cycle	•	•
Water filter	ICE2 (F2WC9I1)	ICE2 (F2WC9I1)
ACCESSORIES		
Drain pump	Optional	Included
Ice scoop	•	•
COLORS		
Available colors	Q/B/S	S
DIMENSIONS		
Max height including hinges (A)	34%"	34¾"
Width (B)	14 ⁷ ⁄%"	14 ⁷ /s"
Depth including handle (C)	25%"	25 ³ %"


NOTES	/	110






FRENCH DOOR MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOORS OPEN (D)
WRF560SMH	68½"	29½"	34%"	51%"
WRF560SEY	68½"	29½"	345%"	51%"
WRF560SEH	68¾"	30"	34%"	51%"
WRFA60SMH	68½"	291⁄2"	345%"	51%"
WRF532SMH	701/%"	32%"	341⁄2"	471/8"
WRFA32SMH	701/%"	325%"	34½"	47½"
WRF535SMH	701/%"	35%"	35½"	481⁄8"
WRF535SWH	701/%"	35%"	35½"	481⁄8"
WRFA35SWH	701/%"	35%"	35½"	481/8"
WRF555SDF	701/%"	35%"	35¼"	48"
WRF555SDH	70¼"	35%"	35¼"	48"
WRF757SDH	697/8"	35%"	35%"	48"
WRF767SDH	697%"	3511/16"	35%"	48"
WRX735SDH	701/%"	35%"	345%"	48"
WRX986SIH	701/8"	35%"	36%"	485%"
WRF540CWH	701/%"	35%"	29%"	49"
WRF550CDH	701/%"	36"	301/4"	49"
WRF954CIH	71%"	3513/16"	31½"	43¾"








BOTTOM-FREEZER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOORS OPEN (D)
WRB322DMB	70"	325/8"	33¾"	62"
WRB322DMH	70"	32¾"	33¾"	62"

REFRIGERATION DIMENSIONS / 112

SIDE-BY-SIDE MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOORS OPEN (D)
WRS312SNH	665%"	32¾"	335⁄8"	495/16"
WRS315SNH	695%"	357⁄%"	335/8"	495/16"
WRSA15SNH	695%"	35%"	335⁄8"	495/16"
WRS311SDH	665%"	32¾"	335/8"	495/16"
WRS315SDH	695%"	35%"	335/8"	495/16"
WRS321SDH	665%"	32¾"	335/8"	495/16"
WRS325SDH	695%"	351%"	335%"	495/16"
WRS331SDH	66%"	32¾"	335/8"	495/16"
WRS335SDH	695%"	351%"	335/8"	495/16"
WRS555SIH	695%"	351%"	335/8"	495/16"
WRS588FIH	69"	36"	347⁄8"	511/8"
WRSA88FIH	69"	36"	341/8"	511/8"
WRS571CIH	681/8"	36"	29¾"	45%"
WRSA71CIH	687⁄8"	36"	29¾"	45%"

TOP-FREEZER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOORS OPEN (D)
WRT111SFD	61¾"	24½"	28¼"	481/2"
WRT104TFD	621/8"	28"	32¼"	56¾"
WRT106TFD	65%"	28"	33½"	56¾"
WRT108FZD	65%"	29¾"	33½"	59¾"
WRT134TFD	621/8"	28"	321/8"	55¾"
WRT138FZD	65%"	29¾"	33½"	59¾"
WRT314TFD	62 ⁷ ⁄%"	28"	32¼"	56¾"
WRT316SFD	66"	281⁄%"	30¾"	54¾"
WRT318FZD	65%"	29¾"	33½"	59¾"
WRT318FMD	65%"	29¾"	33½"	59¾"
WRT348FME	65½"	29¾"	31%"	59¾"
WRT311FZD	66¼"	32¾"	321/8"	62¼"
WRT518SZF	687⁄16"	28"	31%"	57"
WRT519SZD	65%"	29¾"	34½"	59%"
WRT511SZD	661/4"	32¾"	34"	62¼"
WRT549SZD	65%"	29¾"	34½"	59%"
WRT541SZD	66¼"	32¾"	34"	621/4"
WRT541SZH	66¼"	32¾"	34"	621/4"



CHEST FREEZER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)
WZC3115D	33%"	47¾"	30¼"
WZC5415D	33%"	47%"	30¼"
WZC3122D	33%"	66¼"	30¼"
WZC5422D	33¾"	66¼"	30¼"





CLE	ANING & MAINTENANCE		PART NO.
1	Multi-Use Cleaning Brush	Recommended for cleaning refrigerators, this brush helps save energy and ensures proper performance. 37% " (L) x 2" (W) x 2" (D)	4210463RW
2	affresh® Stainless Steel Cleaning Mousse	Specially formulated to eliminate overspray, dripping, and waste for a direct, even coverage that gently cleans fingerprints, smudges, and other residues from your stainless steel appliances.	W11042466
3	affresh® Stainless Steel Cleaning Wipes	Gently clean fingerprints, smudges and other residues on all stainless steel surfaces for a streak-free shine.	W10539769
4	affresh® Ice Machine Cleaner	Designed with a nickel-safe formula to help remove mineral build-up from your freestanding ice machine.	4396808
5	Touch-Up Paint	Touch up appliance exteriors with this 0.6 fl. oz. bottle of touch-up paint. Includes applicator brush.	White – 72017 Black – 72032 Biscuit – 439289 Universal Silver – 8212473
FRE	SHFLOW [™] FILTERS & DEODORIZERS		
6	FreshFlow [™] Air Filter	Up to 15 times more effective than baking soda in reducing common food odors. Replace filter every 6 months for optimal performance.	AIR1/W1031152
7	FreshFlow [™] Produce Preserver	Provides 6 months of ethylene absorption in the crisper drawer, helping keep produce fresh.	FRESH1/ W10346771A
8	FreshFlow [™] Produce Preserver Starter Kit	Helps keep produce fresh inside the refrigerator. This starter kit fits in any refrigerator bin.	P1FB6S1
EVE	RYDROP® ICE & WATER FILTERS		
9	Filter 1		EDR1RXD1
10	Filter 2		EDR2RXD1
11	Filter 3		EDR3RXD1
12	Filter 4		EDR4RXD1
13	Filter 5		EDR5RXD1
14	Filter 6		EDR6D1
15	Filter 7		EDR7D1
16	Filter 8		EDR8D1
HOS	E & WATER SUPPLY KIT		
17	7' Industrial-Grade Refrigerator Water Hose	Includes (1) 7' braided water supply line with built-in couplings. Provides water to icemakers, ice and water dispensers, freestanding icemakers, humidifiers, and evaporator coolers.	W10505928RP
18	15' Copper Refrigerator Water Supply Kit	Includes (1) 15' copper water supply line, (1) saddle valve, (1) coupling union, Teflon® tape and installation instructions.	8003RP
OPT	IONAL ICEMAKER KITS		
19	WRT108FZD, WRT138FZD, WRT148FZD, WRT318FZD,	WRT518SZF, WRT519SZD, WRT549SZD, WRT311FZD, WRT511SZD, WRT541SZD, WRT541SZH	ECKMFEZ2
20	WRS312SNH, WRS315SNH, WRSA15SNH, WRT104TFI	D, WRT314TFD, WRT134TFD, WRT106TFD, WRT316SFD, WZF56R16D, WZF79R20D, WSZ57L18D	ECKMF95
21	WRT111SFD		24ECKMF

LE	ANING & MAINTENANCE		PART NO.
1	Multi-Use Cleaning Brush	Recommended for cleaning refrigerators, this brush helps save energy and ensures proper performance. $37\frac{1}{2}$ " (L) x 2" (W) x 2" (D)	4210463RW
2	affresh® Stainless Steel Cleaning Mousse	Specially formulated to eliminate overspray, dripping, and waste for a direct, even coverage that gently cleans fingerprints, smudges, and other residues from your stainless steel appliances.	W11042466
3	affresh® Stainless Steel Cleaning Wipes	Gently clean fingerprints, smudges and other residues on all stainless steel surfaces for a streak-free shine.	W10539769
4	affresh® Ice Machine Cleaner	Designed with a nickel-safe formula to help remove mineral build-up from your freestanding ice machine.	4396808
5	Touch-Up Paint	Touch up appliance exteriors with this 0.6 fl. oz. bottle of touch-up paint. Includes applicator brush.	White – 72017 Black – 72032 Biscuit – 4392899 Universal Silver – 8212473
RE	SHFLOW [™] FILTERS & DEODORIZERS		
6	FreshFlow [™] Air Filter	Up to 15 times more effective than baking soda in reducing common food odors. Replace filter every 6 months for optimal performance.	AIR1/W10311524
7	FreshFlow [™] Produce Preserver	Provides 6 months of ethylene absorption in the crisper drawer, helping keep produce fresh.	FRESH1/ W10346771A
8	FreshFlow [™] Produce Preserver Starter Kit	Helps keep produce fresh inside the refrigerator. This starter kit fits in any refrigerator bin.	P1FB6S1
VE	RYDROP [®] ICE & WATER FILTERS		
9	Filter 1		EDR1RXD1
10	Filter 2		EDR2RXD1
11	Filter 3		EDR3RXD1
12	Filter 4		EDR4RXD1
13	Filter 5		EDR5RXD1
14	Filter 6		EDR6D1
15	Filter 7		EDR7D1
16	Filter 8		EDR8D1
IOS	E & WATER SUPPLY KIT		
17	7' Industrial-Grade Refrigerator Water Hose	Includes (1) 7 ¹ braided water supply line with built-in couplings. Provides water to icemakers, ice and water dispensers, freestanding icemakers, humidifiers, and evaporator coolers.	W10505928RP
18	15' Copper Refrigerator Water Supply Kit	Includes (1) 15' copper water supply line, (1) saddle valve, (1) coupling union, Teflon® tape and installation instructions.	8003RP
PT	ONAL ICEMAKER KITS		
19	WRT108FZD, WRT138FZD, WRT148FZD, WRT318FZD,	WRT518SZF, WRT519SZD, WRT549SZD, WRT311FZD, WRT511SZD, WRT541SZD, WRT541SZH	ECKMFEZ2
20	WRS312SNH, WRS315SNH, WRSA15SNH, WRT104TFD	WRT314TFD, WRT134TFD, WRT106TFD, WRT316SFD, WZF56R16D, WZF79R20D, WSZ57L18D	ECKMF95
21	WRT111SFD		24ECKMF

21	WRT111SFD	
----	-----------	--

	└──── D ─────
D	

UPRIGHT FREEZER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WZF34X16D	60¾"	30¼"	291/8"	55%"
WZF56R16D	60¾"	30¼"	30¼"	55%"
WZF34X18D	66¾"	30¼"	291⁄8"	55%"
WZF79R20D	66¾"	33¼"	30"	58%"
SIDEKICKS® ALL FREEZER Model				
WSZ57L18D	66¾"	30¼"	31¼"	55¾"
SIDEKICKS® ALL REFRIGERATOR MODEL				
WSR57R18D	66¾"	30¼"	31¼"	55¾"
ALL REFRIGERATOR MODEL				
WRR56X18F	66¾"	30¼"	30"	58%"

	A		
<u>в</u>	\perp	C	

UNDERCOUNTER MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)
WUR35X24H	35"	235/8"	25%"
WUR50X24H	35"	2315/16"	25%"
WUB35X24H	35"	23¾"	25%"
WUB50X24H	35"	2315/16"	25%"
WUW35X15D	345⁄8"	15"	23¾"
WUW55X15H	345%"	15"	23¾"
WUW35X24D	345%"	2313/16"	23¾"
WUW55X24H	345⁄8"	23 ¹³ ⁄16"	23¾"
GI15NDXZ	34¾"	141/8"	25¾"
GI15PDXZ	34%"	14%"	25%"

REFRIGERATION ACCESSORIES / 114



Α

ACCU-CHILL[™] TEMPERATURE MANAGEMENT SYSTEM

Cool food quickly with technology that senses and adapts to create the ideal environment for food.

ADAPTIVE DEFROST

Automatically monitors the freezer environment and runs the cycle only when necessary.

ADJUSTABLE GALLON DOOR BINS

Move these adjustable bins anywhere in the door for increased loading flexibility when and where you need it.

AUTO-HUMIDITY CRISPERS

Easily store fruits and veggies of all shapes and sizes and help keep them fresh with automatic humidity control.

С

CAN CADDY

Free up shelf space and get more flexibility using this in-door can caddy that holds either cans or bottles.

CHEST FREEZER STORAGE BINS

Provide convenient storage options for better organization.

CONDIMENT CADDY

Easily move condiments or other items from the refrigerator to the table or grill in this removable door bin with a convenient carrying handle.

COUNTER DEPTH DESIGN

Add additional kitchen space with styling that fits virtually flush with the countertop.

D

DAIRY BIN

Easily access butter, cheese and other dairy products in a bin made to keep them fresh.

DEFROST DRAIN WITH HOSE ADAPTER

Whirlpool® chest freezers with this feature offer more convenient defrosting with less mess.

DELI DRAWER

Store plenty of meat and cheese with a deli drawer.

DELI DRAWER WITH CUSTOMIZABLE TEMPERATURE

Make temperature adjustments based on the refrigerated foods you'd like to store so things like meat, deli items and drinks are kept in their ideal cooling environment.

DUAL COOLING

Keep food fresh with advanced dual cooling technology, which senses conditions and automatically adapts humidity levels, so food is stored in the right environment.

DUAL ICEMAKERS

Always have plenty of ice on hand with a secondary icemaker in the freezer.

DUAL TEMPERATURE-CONTROLLED ZONE

Select undercounter wine and beverage centers feature a dual temperature-controlled zone. Customize up to two different temperatures to accommodate whatever beverages you're storing.

E _

EASY CLEAN CORNERS

In Whirlpool® chest freezers, these rounded corners replace hard-to-reach edges for easier access and quick cleanup.

ELECTRONIC TEMPERATURE CONTROLS

Choose the ideal temperature for whatever foods you're storing with convenient, up-front controls.

ENERGY STAR® CERTIFIED

ENERGY STAR® certified models exceed government standards to help save money on your utility bills.

EVERYDROP® ICE AND WATER FILTRATION SYSTEM

All Whirlpool® water filters are EveryDrop® ice and water refrigerator filters. Replace your filter every 6 months to maximize the reduction of contaminants.

EXTERIOR ICE AND WATER DISPENSER WITH EVERYDROP® FILTRATION

Access fresh filtered water and ice without ever opening the refrigerator door.

EXTERIOR WATER DISPENSER WITH EVERYDROP® FILTRATION

Access fresh filtered water without ever opening the refrigerator door.

EZ CONNECT ICEMAKER KIT

This optional icemaker for select top-freezer refrigerators add convenient, easily accessible ice without having to worry about refilling ice trays.

F.

FACTORY-INSTALLED ICEMAKER

Don't worry about refilling ice trays with this pre-installed icemaker that makes sure you always have plenty of ice on hand.

FAST COOL OPTION

Quickly lower the refrigerator temperature with the push of a button when you need to rapidly cool freshly bought groceries or other foods.

FAST FREEZE

In select Whirlpool® freezers, activate Fast Freeze to rapidly drop Stop emptying the freezer to manually defrost with a freezer the freezer's temperature to its lowest setting so food freezes in a that automatically helps prevent frost build-up. snap, helping lock in freshness and flavor.

FAST ICE OPTION

Easily store wide items like party platters and sheet cakes Drops the freezer temperature in select models for a full 24 hours in the full-width drawer. to increase ice production by over 30%.

FINGERPRINT RESISTANT

Resists fingerprints and smudges with steel that's easy to clean.

FLEXI-SLIDE[™] BIN

Make space for tall items with the bin that quickly and easily moves side-to-side for convenient storage options.

FLIP ADJUSTERS

Get more vertical room when you need it without unloading a thing. Our industry-first flip adjusters raise or lower the pantry shelves two inches with a simple turn even while the shelves are fully loaded.

FRAMELESS GLASS SHELVES

Store more items on each shelf with wall-to-wall frameless glass shelves, which offer greater storage flexibility.

FREEZER DIVIDER

Easily customize storage and organize frozen food using the movable freezer divider bin.

Keep frozen items ice cold with controls that allow you to adjust

FREEZER TEMPERATURE CONTROLS

the temperature level in the freezer compartment.

ds		

FREEZESHIELD OPTION

Reduces temperature fluctuations from the automatic defrost cycle with the push of a button.

FRESHFLOW[™] AIR FILTER

The FreshFlow[™] air filter is up to 15 times more effective than baking soda in removing common food odors. This carbon-based filter should be replaced every 6 months for optimal freshness.

FRESHFLOW[™] PRODUCE PRESERVER

Keep fruits and veggies in the ideal environment to help produce stay fresher longer."

FROST-FREE DEFROST

FULL-WIDTH PANTRY DRAWER

FULL-WIDTH TEMPERATURE-CONTROLLED DRAWER

Store wide items like party platters and sheet cakes or preserve large amounts of meat and cheese at just the right temperature.

GALLON DOOR BINS

Easily accommodate beverage jugs and other large containers in the door to free up shelf space.

н ____

G

HIDDEN HINGES

Get a seamless look with door hinges that stay out of sight.

HUMIDITY-CONTROLLED CRISPER

Store fruits and vegetables in their ideal environment

HUMIDITY-CONTROLLED DOUBLE CRISPER

Get the room you need to store fruits and vegetables in their ideal environment.

IN-DOOR-ICE® STORAGE

With an ice bin that's been moved to the door, get an extra full shelf in the refrigerator compartment of select french door bottom-freezer refrigerators, and two extra shelves in the freezer compartment of select side-by-side refrigerators.

INFINITY SLIDE SHELF

Make room for large, high-traffic items with an adjustable shelf that slides back and stops at any point to give you the space you need, even if it's just an inch, so you can fit and find it all.

INTERIOR WATER DISPENSER WITH EVERYDROP® FILTRATION

Easily access fresh filtered water with the interior dispenser.

L _

LED DISPENSER NIGHT-LIGHT

Easily find water and ice at night when you turn on the dispenser night-light.

LED INTERIOR LIGHTING

Keep food looking as good as it tastes. Light is cast inside the refrigerator so food looks like it's supposed to.

Μ

MEASURED FILL

Select the exact amount of filtered water you need. The dispenser will fill your container in ounces, cups or liters, and automatically shut off when it's done.

METAL RACK FRONTS

In select undercounter wine centers, get a premium look and feel with quality that lasts through years of use.

Ρ

PANORAMIC LED LIGHTING

Quickly find food with lighting that reduces shadows and keeps everything in sight to help you find what you're looking for.

PIZZA POCKET

Easily stores frozen pizzas upright without the hassle of trying to fit them on flat freezer shelves.

PLATTER POCKET

Wide, flat items like brownie pans, lasagna and pizza boxes stay tucked out of the way in this space designed to keep them safe from stacking.

Q

QUAD CRISPER

Have plenty of space for all your fresh produce with this crisper option, available on all-refrigerator models.

R

REFRIGERATED EXTERIOR DRAWER

Keep items you use most within easy reach. An exterior drawer gives you additional refrigeration space and lets you adjust temperature controls and dividers based on what you're storing.

REVERSIBLE SIDE-SWING FREEZER DOOR

Instead of a freezer drawer, select bottom-freezer models feature a reversible side-swing door, which allows for additional storage bins in the door.

S _

SIDEKICKS® UPRIGHT MODELS

Place the refrigerator and freezer models side by side and get up to a combined 36 cu. ft. of storage for all your favorite foods.

SINGLE-TEMPERATURE CONTROLLED ZONE

Store food and beverages the way you like them with customized temperature selection in select undercounter refrigerators and wine centers.

SMALL ITEMS BIN

Keep sight of the little things, like butter and string cheese, in the small items bin.

SPILLPROOF GLASS SHELVES

Simplify cleanup with shelves that help contain spills and prevent liquids from leaking below.

T.

TEMPERATURE ALARM

Notifies you when the freezer's temperature rises to help you monitor the ideal environment for your frozen foods.

TEMPERATURE SENSOR ALERT

Keep items at their ideal temperature with an alert that lets you know if the temperature is rising or cold air is escaping through an open door.

TRIPLE CRISPER

Get more storage flexibility with two large, auto-humidity controlled crispers and a smaller center crisper.

TRIPLE-TIER FREEZER STORAGE

Quickly find frozen food in the triple-tier freezer. Three levels of organization help you avoid stacking or burying so you can see and get to frozen foods faster.

TWO-TIER FREEZER STORAGE

Easily organize frozen favorites with two tiers of storage.

TUCK SHELF

This adjustable shelf has two positions to temporarily create more space for tall items. The front half slides under the back half.


MODEL(S) SHOWN GCI3061XB, WOSA2EC0HN, WVW57UC0FS

GETTING MEALS TO THE TABLE QUICKLY

That's caring—and why our cooking features cut out routine steps so you're ready for the unpredictable.

121	RANGES & SPECIFICATIONS
143	WALL OVENS & SPECIFICATIONS
155	COOKTOPS & SPECIFICATIONS
167	MICROWAVES & SPECIFICATIONS
177	HOODS, VENTS & SPECIFICATION
189	DIMENSIONS
193	ACCESSORIES
195	GLOSSARY





KEEP UP WITH COOKING FROM ANYWHERE

Send cooking instructions for frozen food to the oven from your smartphone^{*} using Scan-to-Cook technology^{**} and get instant access to the settings you use most with a touchscreen that learns and adapts based on your family's routines.



CONTROL YOUR RANGE WITH SIMPLE VOICE COMMANDS^{††}

Voice control with a compatible voice-enabled device** lets you control your kitchen no matter what you've got on your hands using the Google Assistant or an Alexa-enabled device.



NOTE: Not all features available on all models. Screen images simulated.

*Not all frozen foods included. Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. **U.S. only. †Select recipes only. Compatible smart appliance required. Appliance must be set to remote enable. Features subject to change. Details and privacy info at whirlpool.com/connect and yummly.com. ++Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect.

MAKES MEAL PREP EASIER

Yummly[®] Guided Cooking^{**} helps you answer "what's for dinner?" before it's even asked, with recipes, tutorials and prompts in the app that send cooking instructions straight to your smart appliance at the right times.⁺





SKIP PREHEATING

Cook frozen favorites like pizza in fewer steps thanks to Frozen Bake[™] technology, which uses preprogrammed settings that automatically adjust cooking times for you.



White Ice (H)



Black Ice (E)



Fingerprint-Resistant Stainless Steel (Z)



Fingerprint-Resistant Black Stainless Steel (V)



AVAILABLE COLORS

Fingerprint-Resistant Sunset Bronze (N)





WEC310S0F 4.8 cu. ft. Range

Frozen Bake[™] technology

 Guided cooktop controls

- W B
- Upswept SpillGuard[™] cooktop
 - Temperature sensor









WEC310SAG

4.8 cu. ft. Range

 Frozen Bake[™] technology



• Upswept SpillGuard™ cooktop • Temperature sensor











WEE510S0F

4.8 cu. ft. Range

Frozen Bake[™]

- technology Guided cooktop
- controls
- Temperature sensor
- W B S
- - + Easy-wipe ceramic glass cooktop
 - + Storage drawer










WEE510SAG

4.8 cu. ft. Range

- Frozen Bake[™] technology
 - FlexHeat[™] dual
- Guided cooktop controls
- Temperature sensor







- Guided cooktop controls

- + (2) 9"/6" 3,000W
- FlexHeat[™] dual radiant elements







н

S



WEE745H0F

6.4 cu. ft. Range

- Frozen Bake[™] technology
- Temperature sensor
- Easy-wipe ceramic glass cooktop
- + True convection cooking
- + 12"/9"/6" 3,000W FlexHeat[™] triple radiant element
- + 6" 100W Warm Zone element

WEE750H0H

6.4 cu. ft. Smart Range

- Frozen Bake[™] technology
- True convection cooking
- 12"/9"/6" 3,000W FlexHeat[™] triple radiant element
- + Smart appliance with the Whirlpool® app

W

B

- + Scan-to-Cook technology*
- + Color touchscreen + Voice control with a
- compatible voiceenabled device*
- + Yummly[®] Guided Cooking



Ζ



W Yumly

WEEA25H0H

6.4 cu. ft. Smart Range

- Frozen Bake[™] technology
- True convection cooking
- 12"/9"/6" 3,000W FlexHeat[™] triple radiant element
- Smart appliance with the Whirlpool[®] app
- Scan-to-Cook technology
- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Yummly® Guided Cooking









W Yummly.







	WEG515S0F 5.0 cu. ft. Range
	 Frozen Bake[™] technology (0) 15 000 BTH
6	 (2) 15,000 BTU SpeedHeat[™] burners 5,000 BTU

AccuSimmer[®] burner



• Edge-to-edge cast-iron grates









					~	_
W	'E(3/I	45	н	U	F
	_				Ξ.	

5.8 cu. ft. Range

- Frozen Bake[™] + True convection technology cooking • 5,000 BTU
- + 17,000 BTU AccuSimmer[®] burner SpeedHeat[™] burner
 - + 8,000 BTU center oval burner











WEG750H0H

+ EZ-2-Lift[™] hinged


cast-iron grates

5.8 cu. ft. Smart Range

 Frozen Bake[™] technology • EZ-2-Lift[™] hinged cast-iron grates

True convection cooking

- 17,000 BTU SpeedHeat[™] burner









- Frozen Bake[™]
 - - Voice control with a compatible voiceenabled device*
 - Yummly[®] Guided Cooking*
 - Griddle (included)
 - + Indicates a step-up feature. *U.S. only.










+ Indicates a step-up feature.














- W B Z V
 - SMART •
 - works with the Google Assistant






SMART

•

enabled device* Cooking + Griddle (included)





- 17.000 BTU
- the Whirlpool[®] app

cast-iron grates True convection cooking

SpeedHeat[™] burner Smart appliance with

















+ Voice control with a compatible voice-+ Yummly[®] Guided






















- - technology*











WFC310S0E 4.8 cu. ft. Range

Sabbath mode

- + (2) 8" 2,600W coil elements + (2) 6" 1,500W
- coil elements
- + Temperature sensor

W

B

S



Sabbath mode

- + 9"/6" 3,000W FlexHeat[™] dual radiant element
- + Easy-wipe ceramic glass cooktop

WFE505W0H

5.3 cu. ft. Range

- 9"/6" 3,000W FlexHeat[™] dual radiant element
- Easy-wipe ceramic glass cooktop
- + Frozen Bake[™] technology
- + 6" 100W Warm Zone element
- + Keep Warm setting

W B

S

Z

- + Temperature sensor
- + Steam Clean option







5.3 cu. ft. Range	w
 9"/6" 3,000W FlexHeat[™] dual radiant element Easy-wipe ceramic glass cooktop Frozen Bake[™] technology Keep Warm setting 	 Temperature sensor Adjustable self- cleaning technology



S









A	СС	E O	nc	NE
VV	гс	JZ	υJ	UF

WFE510S0H

5.3 cu. ft. Range

• 9"/6" 3,000W FlexHeat[™] dual radiant element

• Easy-wipe ceramic glass cooktop

Frozen Bake[™] technology

- Keep Warm setting
- Temperature sensor Adjustable selfcleaning technology + Fan convection
- cooking









WFE525S0H
5.3 cu. ft. Range

- glass cooktop
- Frozen Bake[™] technology
- Keep Warm setting Temperature sensor
- Adjustable self-





- + 6" 100W Warm Zone element







WFE550S0H

5.3 cu. ft. Range

- Easy-wipe ceramic glass cooktop
- Frozen Bake[™]
- technology Keep Warm setting
- Temperature sensor • 9"/6" 3,000W

FlexHeat[™] dual

radiant element

• 6" 100W Warm Zone element Adjustable selfcleaning technology

W

B

Z

V

- + Fan convection cooking
 - + 12"/9" 3,000W FlexHeat[™] dual radiant element

Ζ

WFE775H0H

6.4 cu. ft. Range

- Frozen Bake[™] technology
- Keep Warm setting
- 6" 100W Warm Zone element
- Fan convection cooking
- 12"/9" 3,000W FlexHeat[™] dual radiant element
- + Max capacity rack

W

В

+ 6" 300W/1.300W radiant element

WFE975H0H

6.4 cu. ft. Smart Range

- Frozen Bake[™] technology
- Keep Warm setting
- 6" 100W Warm Zone element
- + Smart appliance with the Whirlpool® app
- + Scan-to-Cook technology*
- + Voice control with a compatible voiceenabled device*
- + True convection cooking + 12"/9"/6" 3,000W
- FlexHeat[™] triple radiant element
- + Rapid Preheat











WFG320M0B
5.1 cu. ft. Range
Broiler drawer
 (2) 15,000 BTU SpeedHeat[™] burners
 5,000 BTU AccuSimmer[®] burner
 Full-width cast-iron grates









WFG505M0B

5.1 cu. ft. Range

- Broiler drawer
- oval burner • (2) 15,000 BTU
- SpeedHeat[™] burners + Griddle (included)

+ 8,000 BTU center

- 5,000 BTU AccuSimmer[®] burner
- Full-width cast-iron grates











WFG510S0H

5.0 cu. ft. Range

• (2) 15,000 BTU



- technology + Keep Warm setting
 - + Temperature sensor

+ Frozen Bake[™]

+ Adjustable selfcleaning technology

W B S









WFG520S0F

5.0 cu. ft. Range

- (2) 15,000 BTU SpeedHeat[™] burners
- 5,000 BTU AccuSimmer[®] burner
- Frozen Bake[™]
- Temperature sensor + Fan convection
- cooking
 - + Edge-to-edge
- technology
- Keep Warm setting







- cast-iron grates





+ Indicates a step-up feature. *U.S. only.





WFG525S0H 5.0 cu. ft. Range W B - T. S Ζ

- (2) 15,000 BTU SpeedHeat[™] burners • 5,000 BTU
- AccuSimmer[®] burner Frozen Bake[™]
- technology
- Keep Warm setting
- Temperature sensor
- + Adjustable selfcleaning technology
- + 8,000 BTU center oval burner

WFG550S0H



5.0 cu. ft. Range

- (2) 15,000 BTU SpeedHeat[™] burners • 5,000 BTU
- AccuSimmer[®] burner Frozen Bake[™]
- technology
- Keep Warm setting
- Temperature sensor
- · Adjustable selfcleaning technology
- 8,000 BTU center oval burner
- + Fan convection cooking

WFG775H0H

5.8 cu. ft. Range

- 5,000 BTU AccuSimmer® burner Frozen Bake[™]
- technology Keep Warm setting
- Temperature sensor
- 8,000 BTU center
- oval burner

- W B 7
- Fan convection cooking
- + EZ-2-Lift[™] hinged cast-iron grates
- + 18,000 BTU SpeedHeat[™] burner
- + Griddle (included)

WFG975H0H

5.8 cu. ft. Smart Range

- Frozen Bake[™] technology
- EZ-2-Lift[™] hinged cast-iron grates
- Griddle (included)
- + Smart appliance with the Whirlpool® app
- + Scan-to-Cook technology*
- + Voice control with a compatible voiceenabled device*
- + True convection cooking
- + Rapid Preheat











6.7 total cu. ft. Electric I	Range
 Frozen Bake[™] technology (upper oven) True convection cooking with Convection Conversion (lower oven) 	 Easy-wipe cerami glass cooktop 12"/9"/6" 3,000W FlexHeat[™] triple radiant element 6" 100W Warm Zone element



S H E










WGG745S0F	
6.0 total cu. ft. Gas Range	

- EZ-2-Lift[™] hinged
- Convection Conversion (lower oven)













S

WFE500M4H

3.0 cu. ft. Electric Range

 Small space solution ADA compliant

Hot oven

indicator light

- Hot surface indicator light
 - Broiler
 - Upswept SpillGuard[™] cooktop

WFG500M4H

3.0 cu. ft. Gas Range

S

- Small space solution
- ADA compliant
- Dishwasher-safe cast-iron grates
- Broiler drawer
- AccuSimmer[®] burner • 15,000 BTU highpowered burner

old type indicates a step-up featur							
MODEL	30-Inch WEC310S0F	30-Inch WEC310SAG	30-Inch WEE510S0F	30-Inch WEE510SAG	30-Inch WEE745H0F	30-Inch WEE750H0H	30-Inch WEEA25H0H
Capacity (cu. ft.)	4.8	4.8	4.8	4.8	6.4	6.4	6.4
Recommended microwave hood combination	WMH31017H	WMH31017H	WMH31017H	WMH31017H	WMH54521H	WMH78019H WMHA9019H	WMHA9019H
Smart appliance with the $Whirlpool^{\circledast}$ app						•	•
SMART APPLIANCE FEATURES							
Enhanced troubleshooting & guided service						•	٠
Multi-Step Cooking						•	•
Party mode						•	•
Scan-to-Cook technology						•	•
Voice control with a compatible voice-enabled device						•	•
Yummly [®] Guided Cooking [*]						•	•
DESIGN FEATURES							
Color touchscreen						•	•
Element type	Coil	Coil	Radiant	Radiant	Radiant	Radiant	Radiant
FIT system	•	•	•		•	•	•
OVEN FEATURES							
Adjustable racks	2	2	2	2	3	3	3
Broil element	3,400W	3,400W	3,400W	3,400W	4,000W	3,600W	3,600W
Cleaning system	Adjustable self	Adjustable self	Adjustable self	Adjustable self	AquaLift® self-cleaning	AquaLift® self-cleaning	AquaLift® self-cleaning
Control Lock	•	•	•	•	technology •	technology	e technology
Frozen Bake [™] technology	•	•	•	•	•	•	•
Keep Warm setting	•	•	•	•	•	•	•
Max capacity rack					•	•	•
Rack positions	5	5	5	5	7	7	7
Rapid Preheat	5	5	5	5	•	•	•
Sabbath mode	•	•	•	•	•	•	•
Temperature sensor	•	•	•	•	•	•	•
True convection cooking	•	•	•	•	with Convection	with Convection	with Convection
, v					Conversion	Conversion	Conversion
COOKTOP FEATURES Cooktop type	Upswept SpillGuard™	Upswept SpillGuard™	Easy-wipe ceramic glass	Easy-wipe ceramic glass	Easy-wipe ceramic glass	Easy-wipe ceramic glass	Easy-wipe ceramic glass
Guided cooktop controls	•	•	•	•			
Left front element	8" 2,600W	8" 2,600W	9"/6" 3,000W FlexHeat™ dual	9"/6" 3,000W FlexHeat™ dual	12"/9"/6" 3,000W FlexHeat™ triple	12"/9"/6" 3,000W FlexHeat™ triple	12"/9"/6" 3,000W FlexHeat™ triple
Left rear element	6" 1,500W	6" 1,500W	6" 1,200W	6" 1,200W	6" 300W/1,300W	6" 300W/1,300W	6" 300W/1,300W
Right front element	6" 1,500W	6" 1,500W	9"/6" 3,000W FlexHeat™ dual	9"/6" 3,000W FlexHeat [™] dual	9"/6" 3,000W FlexHeat™ dual	9"/6" 3,000W FlexHeat [™] dual	9"/6" 3,000W FlexHeat™ dual
Right rear element	8" 2,600W	8" 2,600W	6" 1,200W	6" 1,200W	6" 1,200W	6" 1,200W	6" 1,200W
Center element					6" 100W Warm Zone	6" 100W Warm Zone	6" 100W Warm Zone
SPECIAL FEATURES/CERTIFICATIONS							
ADA compliant	•	•	•	•	•	•	•
Star-K certified	•	•	•	•	•		
Storage drawer	•		•		•	•	•
COLORS							
Available colors	W/B/S	W/B/S	W/B/S/V	W/B/S	S/H/E	W/B/Z/V	Z/N
DIMENSIONS							
Max height (A)	37"	35"	37"	35"	36"	36"	36"
Width (B)	29%"	29%"	297/8"	29%"	297/8"	29%"	297%"
Depth including handles (C)	2915/16"	291/2"	2815/16"	291/4"	287/8"	28%"	28%"
Depth with door open (D)	47%"	47%"	47%"	47%"	48¾"	481/8"	48%"

MODEL		30-Inch WEG515S0F	30-Inch WEG745H0F	30-Inch WEG750H0H	30-Inch WEGA25H0H
	Capacity (cu. ft.)	5.0	5.8	5.8	5.8
Recommended m	icrowave hood combination	WMH31017H	WMH54521H	WMH78019H WMHA9019H	WMHA9019H
Smart applia	nce with the Whirlpool® app			•	•
SMART APPLIANCE F					
	leshooting & guided service				•
	Multi-Step Cooking			•	•
	Party mode			•	•
	Scan-to-Cook technology			•	•
Voi	ce control with a compatible			•	•
	voice-enabled device*				
	Yummly [®] Guided Cooking*			•	•
DESIGN FEATURES	Color touchearcon				•
	Color touchscreen	•	•	•	•
OVEN FEATURES	FIT system	•	•	•	•
OVEN FEATURES	Adjustable realize	2	2	2	0
	Adjustable racks Broil element	2	3	3	3 11,000 BTU
		1,300W	13,000 BTU	11,000 BTU	
	Cleaning system	Adjustable self	AquaLift [®] self-cleaning technology	AquaLift [®] self-cleaning technology	AquaLift [®] self-cleaning tech
	Control Lock	•	•	•	•
	Frozen Bake [™] technology	•	•	•	•
	Keep Warm setting	•	•	•	•
	Max capacity rack		•	•	•
	Rack positions	5	7	7	7
	Rapid Preheat		•	•	•
	Sabbath mode	•	•	•	•
	Temperature sensor	•	•	•	•
	True convection cooking		with Convection Conversion	with Convection Conversion	with Convection Conversi
COOKTOP FEATURES		-			
	Cast-iron grates	Edge-to-edge	EZ-2-Lift [™] hinged	EZ-2-Lift [™] hinged	EZ-2-Lift [™] hinged
	Griddle (included)			•	•
	Guided cooktop controls	•			
	Left front burner	15,000 BTU SpeedHeat [™]	17,000 BTU SpeedHeat™	17,000 BTU SpeedHeat™	17,000 BTU SpeedHeat
	Left rear burner	9,500 BTU	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer
	Right front burner	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™	13,000 BTU FlexHeat™	13,000 BTU FlexHeat [™]
	Right rear burner	5,000 BTU AccuSimmer®	9,200 BTU	9,500 BTU	9,500 BTU
	Center oval burner		8,000 BTU	10,000 BTU	10,000 BTU
	pswept SpillGuard [™] cooktop	•	•	•	•
SPECIAL FEATURES/					
	ADA compliant	•	•	٠	•
	Star-K certified	•	•		
	Storage drawer	•	•	•	•
COLORS					
	Available colors	W/B/S/V	S/H/E	W/B/Z/V	Z / N
DIMENSIONS					
	Max height (A)	37"	36"	36"	36"
	Width (B)	297⁄%"	297⁄%"	29%"	297⁄8"
	Depth including handles (C)	2815/16"	287⁄%"	285%"	285⁄8"
	Depth with door open (D)	47 ³ /s"	47 ¹⁵ /16"	48%"	48%"

FRONT CONTROL GAS RANGE SPECIFICATIONS / 134

dolu type indicates a step-up leature					
MODEL	30-Inch WFC150M0E	30-Inch WFC310S0E	30-Inch WFE320M0E	30-Inch WFE505W0H	30-Inch WFE510S0H
Capacity (cu. ft.)	4.8	4.8	4.8	5.3	5.3
Recommended microwave hood combination	WMH31017H	WMH31017H	WMH31017H	WMH31017H	WMH31017H
DESIGN FEATURES					
Element type	Coil	Coil	Radiant	Radiant	Radiant
OVEN FEATURES					
Adjustable racks	2	2	2	2	2
Broil element	3,400W	3,400W	3,400W	3,400W	3,400W
Cleaning system	Standard	Self-cleaning	Standard	Steam Clean option	Adjustable self-cleaning technology
Control Lock	•	•	•	•	•
Frozen Bake [™] technology				•	•
Keep Warm setting		•		•	•
Rack positions	5	5	5	5	5
Sabbath mode	•	•	•	•	•
Temperature sensor		•		•	•
COOKTOP FEATURES					
Easy-wipe ceramic glass cooktop			•	•	•
Left front element	8" 2,100W	8" 2,600W	9"/6" 3,000W FlexHeat™ dual	9"/6" 3,000W FlexHeat™ dual	9"/6" 3,000W FlexHeat™ dual
Left rear element	6" 1,250W	6" 1,500W	6" 1,200W	6" 1,200W	6" 1,200W
Right front element	6" 1,250W	6" 1,500W	9" 2,500W	9" 2,500W	9" 2,500W
Right rear element	8" 2,100W	8" 2,600W	6" 1,200W	6" 1,200W	6" 1,200W
Center element				6" 100W Warm Zone	
Upswept SpillGuard [™] cooktop				•	•
SPECIAL FEATURES/CERTIFICATIONS					
Star-K certified	•	•	•	•	•
Storage drawer	•	•	•	•	•
COLORS					
Available colors	W / B	W/B/S	W / B / S	W / B / S / Z	W/B/S
DIMENSIONS					
Max height (A)	47 ⁷ ⁄%"	47 ⁷ /s"	47 ⁷ /s"	47 ⁷ /8"	47%"
Width (B)	297⁄%"	297⁄8"	297⁄8"	291⁄8"	297⁄8"
Depth including handles (C)	27¾"	27¾"	27¾"	27¾"	27¾"
Depth with door open (D)	46¾"	46 ³ ⁄4"	46¾"	46 ¹¹ /16"	46 ¹¹ /16"

DDEL	30-Inch WFE520S0F	30-Inch WFE525S0H	30-Inch WFE550S0H	30-Inch WFE775H0H	30-Inch WFE975H0H
Capacity (cu. ft.)	5.3	5.3	5.3	6.4	6.4
					WMH78019H
Recommended microwave hood combination	WMH31017H	WMH32519H	WMH53521H	WMH75021H	WMHA9019H
Smart appliance with the Whirlpool® app					•
ART APPLIANCE FEATURES					
Enhanced troubleshooting & guided service					•
Multi-Step Cooking					•
Party mode					•
Scan-to-Cook technology					•
Voice control with a compatible voice-enabled device*					•
Yummly® Guided Cooking*					•
SIGN FEATURES					
Element type	Radiant	Radiant	Radiant	Radiant	Radiant
EN FEATURES					
Adjustable racks	2	2	2	3	3
Broil element	3,400W	3,400W	3,400W	3,600W	3,600W
Cleaning system	Adjustable self-cleaning	Adjustable self-cleaning technology	Adjustable self-cleaning technology	AquaLift [®] self-cleaning	AquaLift [®] self-cleanin technology
Control Lock	technology	e	e	technology	•
Frozen Bake [™] technology	•	•	•	•	•
Keep Warm setting	•	•	•	•	•
Max capacity rack				•	•
Rack positions	5	5	5	7	7
Rapid Preheat	0	Ū	0		•
Sabbath mode	•	•	•		•
Temperature sensor	•	•	•	•	•
Convection cooking	Fan		Fan	Fan	True
OKTOP FEATURES				. ur	nuo
Easy-wipe ceramic glass cooktop	•	•	•	•	•
	9"/6" 3,000W	9"/6" 3,000W	12"/9" 3,000W	12"/9" 3,000W	12"/9"/6" 3,000W
Left front element	FlexHeat [™] dual	FlexHeat [™] dual	FlexHeat [™] dual	FlexHeat [™] dual	FlexHeat [™] triple
Left rear element	6" 1,200W	6" 1,200W	6" 1,200W	6" 300W/1,300W	6" 300W/1,300W
Right front element	9" 2,500W	9"/6" 3,000W FlexHeat™ dual	9"/6" 3,000W FlexHeat [™] dual	9"/6" 3,000W FlexHeat [™] dual	9"/6" 3,000W FlexHeat [™] dual
Right rear element	6" 1,200W	6" 1,200W	6" 1,200W	6" 1,200W	6" 1,200W
Center element		6" 100W Warm Zone	6" 100W Warm Zone	6" 100W Warm Zone	6" 100W Warm Zone
Upswept SpillGuard [™] cooktop		٠	٠		
ECIAL FEATURES/CERTIFICATIONS					
Star-K certified	•	•	•	٠	٠
Storage drawer	•	•	•	•	٠
LORS					
Available colors	S	W/B/T/S/Z/V	W/B/Z/V	W/B/Z/V	Z/V
MENSIONS					
Max height (A)	471/8"	47 ⁷ /8"	47 ⁷ /8"	46½"	461/2"
Width (B)	291/8"	297/8"	297/8"	297/8"	297/8"
Depth including handles (C)	27¾"	27¾"	27¾"	27%"	27%"
	465%"	4611/16"	4611/16"	47%"	477/8"

nd type indicates a step-up feature				
IODEL	30-Inch WFG320M0B	30-Inch WFG505M0B	30-Inch WFG510S0H	30-Inch WFG520S0F
Capacity (cu. ft.)	5.1	5.1	5.0	5.0
Recommended microwave hood combination	WMH31017H	WMH32519H	WMH31017H	WMH31017H
VEN FEATURES				
Adjustable racks	2	2	2	2
Broil element	16,500 BTU	16,500 BTU	10,000 BTU	10,000 BTU
Cleaning system	Manual	Manual	Adjustable self-cleaning technology	Self
Control Lock	٠	•	•	•
Frozen Bake [™] technology			•	•
Keep Warm setting			•	•
Rack positions	5	5	5	5
Sabbath mode			•	•
Temperature sensor			•	•
Convection cooking				Fan
OOKTOP FEATURES				
Cast-iron grates	Full-width	Full-width	•	Edge-to-edge
Griddle (included)		•		
Left front burner	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat [™]	15,000 BTU SpeedHeat™
Left rear burner	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU
Right front burner	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™
Right rear burner	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®
Center oval burner		8,000 BTU		
Upswept SpillGuard [™] cooktop	٠	•	•	
PECIAL FEATURES/CERTIFICATIONS				
Broiler drawer	•	•		
Star-K certified			•	•
Storage drawer			•	•
OLORS				
Available colors	W/B/S	W / B / S	W/B/S	S
IMENSIONS				
Max height (A)	46¼"	461/4"	47 ⁷ ∕s"	47 ⁷ /8"
Width (B)	297⁄8"	297⁄%"	291/8"	297⁄8"
Depth including handles (C)	27¼"	271⁄4"	27¾"	277⁄8"
Depth with door open (D)	45¼"	45¼"	4611/16"	46%16"

	30-Inch	30-Inch	30-Inch	30-Inch
DEL	WFG525S0H	WFG550S0H	WFG775H0H	WFG975H0H
Capacity (cu. ft.)	5.0	5.0	5.8	5.8
Recommended microwave hood combination	WMH32519H	WMH53521H	WMH75021H	WMH78019H WMHA9019H
Smart appliance with the Whirlpool® app				•
ART APPLIANCE FEATURES				
Enhanced troubleshooting & guided service				•
Multi-Step Cooking				•
Party mode				•
Scan-to-Cook technology				•
Voice control with a compatible voice-enabled device				•
Yummly® Guided Cooking*				•
IN FEATURES				
Adjustable racks	2	2	3	3
Broil element	10,000 BTU	10,000 BTU	11,000 BTU	11,000 BTU
Cleaning system	Adjustable self-cleaning technology	Adjustable self-cleaning technology	AquaLift® self-cleaning technology	AquaLift [®] self-cleaning technolo
Control Lock	•	•	•	•
Frozen Bake [™] technology	•	•	•	•
Keep Warm setting	•	•	•	•
Max capacity rack			•	•
Rack positions	5	5	7	7
Rapid Preheat				•
Sabbath mode	•	•		•
Temperature sensor	•	•	•	•
Convection cooking		Fan	Fan	True with Convection Conversion
OKTOP FEATURES				
Cast-iron grates	Edge-to-edge	Edge-to-edge	EZ-2-Lift™ hinged	EZ-2-Lift [™] hinged
Griddle (included)			•	•
Left front burner	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™	18,000 BTU SpeedHeat™	18,000 BTU SpeedHeat™
Left rear burner	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU
Right front burner	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat™	15,000 BTU SpeedHeat [™]
Right rear burner	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®
Center burner	8,000 BTU	8,000 BTU	8,000 BTU	8,000 BTU
Upswept SpillGuard [™] cooktop	•	•		
CIAL FEATURES/CERTIFICATIONS				
Star-K certified	•	•		•
Storage drawer	•	•	•	•
ORS				
Available colors	W/B/T/S/Z/V	W/B/Z/V	W/B/Z/V	Z/V
IENSIONS				
Max height (A)	47%"	477/8"	461/2"	46½"
Width (B)	29%"	297⁄8"	297/8"	297/8"
Depth including handles (C)	27 ³ /4"	27 ³ /4"	27¾"	27¾"
			/ -	

Dimensions are shown for planning purposes only. For complete information, see Installation Instructions packed with product. *U.S. only.


FREESTANDING GAS RANGE SPECIFICATIONS / 138

MODEL	30-Inch WGE745C0F	
Oven capacity (cu. ft.)	2.5 upper 4.2 lower	
Total capacity (cu. ft.)	6.7	
Fuel type	Electric	
Recommended microwave hood combination	WMH31017H WMH53521H	
DESIGN FEATURES		
Electronic oven controls	•	
Element type	Radiant	
UPPER & LOWER OVEN FEATURES		
Broil element	3,600W	
Cleaning system	Adjustable self	
Control Lock	•	
Keep Warm setting	•	
Temperature sensor	•	
UPPER OVEN FEATURES		
Adjustable rack	1	
Frozen Bake [™] technology	•	
Rack positions	2	
LOWER OVEN FEATURES		
Adjustable racks	2	
Rack positions	5	
Rapid Preheat	•	
Sabbath mode	•	
Steam Clean option	•	
True convection cooking	with Convection Conversion	
COOKTOP FEATURES		
Easy-wipe ceramic glass cooktop	•	
Left front element	12"/9"/6" 3,000W FlexHeat [™] triple	
Left rear element	6" 300W/1,300W	
Right front element	9"/6" 3,000W FlexHeat™ dual	
Right rear element	6" 1,200W	
Center element	6" 100W Warm Zone	
SPECIAL FEATURES/CERTIFICATIONS		
Star-K certified	•	
COLORS		
Available colors	\$/H/E	
DIMENSIONS		
Max height (A)	47////	
Width (B)	29 ¹⁵ //s"	
Depth including handles (C)	28½"	
Depth with door open (D)	46"	

MODEL	30-Inch WGG745S0F
Oven capacity (cu. ft.)	2.1 upper 3.9 lower
Total capacity (cu. ft.)	6.0
Fuel type	Gas
Recommended microwave hood combination	WMH31017H WMH53521H
DESIGN FEATURES	THIRDOLE IT
Electronic oven controls	•
UPPER & LOWER OVEN FEATURES	
Broil element	10,000 BTU
Cleaning system	Adjustable self
Control Lock	•
Keep Warm setting	•
Temperature sensor	•
UPPER OVEN FEATURES	
Adjustable rack	1
Frozen Bake [™] technology	•
Rack positions	2
LOWER OVEN FEATURES	
Adjustable racks	2
Rack positions	5
Rapid Preheat	•
Sabbath mode	•
True convection cooking	with Convection Conversion
COOKTOP FEATURES	
EZ-2-Lift [™] hinged cast-iron grates	•
Left front burner	16,000 BTU SpeedHeat™
Left rear burner	5,000 BTU AccuSimmer®
Right front burner	10,000 BTU
Right rear burner	5,000 BTU AccuSimmer®
Center oval burner	7,350 BTU
SPECIAL FEATURES/CERTIFICATIONS	
Star-K certified	•
COLORS	
Available color	\$/H/E
DIMENSIONS	
Max height (A)	47½"
Width (B)	29 ¹ 5//s ⁱⁱ
Depth including handles (C)	28½"
Depth with door open (D)	46"

	24-Inch
MODEL	24-inch WFE500M4H
Capacity (cu. ft.)	3.0
Recommended microwave hood combination	UMH50008H
DESIGN FEATURES	
Element type	Radiant
Small space solution	•
OVEN FEATURES	
Adjustable racks	2
Broil element	2,800W
Cleaning system	Manual
Rack positions	4
Sabbath mode	•
COOKTOP FEATURES	
Hot oven indicator light	•
Hot surface indicator light	•
Left front element	8" 2,000W
Left rear element	6" 1,200W
Right front element	6" 1,200W
Right rear element	8" 2,000W
Upswept SpillGuard [™] cooktop	•
SPECIAL FEATURES/CERTIFICATIONS	
ADA compliant	•
Storage drawer	•
COLORS	
Available color	S
DIMENSIONS	
Max height (A)	36¾"
Width (B)	24"
Depth including handles (C)	28"
Depth with door open (D)	42½"

MODEL	24-Inch WF6500M4H
Capacity (cu. ft.)	3.0
Recommended microwave hood combination	UMH50008H
DESIGN FEATURES	
Small space solution	•
OVEN FEATURES	
Adjustable racks	2
Broil element	10,000 BTU
Cleaning system	Manual
Rack positions	4
Sabbath mode	•
COOKTOP FEATURES	
Dishwasher-safe cast-iron grates	•
Left front burner	6,000 BTU AccuSimmer®
Left rear burner	15,000 BTU high-powered
Right front burner	12,000 BTU
Right rear burner	9,100 BTU
SPECIAL FEATURES/CERTIFICATIONS	
ADA compliant	•
Broiler drawer	•
COLORS	
Available color	S
DIMENSIONS	
Max height (A)	36¾"
Width (B)	24"
Depth including handles (C)	28"
Depth with door open (D)	42'/2"





A SMARTER WAY TO COOK

Easily read your wall oven display with a proximity sensor that adjusts display text size based on your distance, send cooking instructions to the oven from your smartphone' using Scan-to-Cook technology" and get instant access to the settings you use most with a touchscreen.



CONTROL YOUR OVEN WITH SIMPLE VOICE COMMANDS*

Voice control with a compatible voice-enabled device** lets you control your kitchen no matter what you've got on your hands using the Google Assistant or an Alexa-enabled device.



NOTE: Not all features available on all models. Screen images simulated. *Not all frozen foods included. Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. whirlpool.com/connect and yummly.com. ++Compared to a traditional thermal-bake cycle on the same model.





MAKES MEAL PREP EASIER

Yummly® Guided Cooking** helps you answer "what's for dinner?" before it's even asked, with recipes, tutorials and prompts in the app that send cooking instructions straight to your smart appliance at the right times.[†]





COOK FOODS FASTER⁺⁺

True convection cooking uses a third cooking element and a fan to distribute hot air evenly over, under and around food so dinner is ready when they are. Plus, Convection Conversion automatically converts traditional recipes for convection cooking, adjusting times and temperatures.



Stainless Steel (S)



Fingerprint-Resistant Fingerprint-Resistant Fingerprint-Resistant Stainless Steel (Z)



Black Stainless Steel (V)



AVAILABLE COLORS

Sunset Bronze (N)





	NOS51EC7H		
4	.3 cu. ft. Smart Wall Oven	W	
•	Smart appliance with the Whirlpool® app Color touchscreen Voice control with a compatible voice- enabled device	Frozen Bake [™] technology Multi-Step Cooking	













WO	CE4	EC	
	551		UN

5.0 cu. ft. Smart Wall Oven

- Smart appliance with Frozen Bake[™] technology the Whirlpool® app Multi-Step Cooking
- Color touchscreen • Voice control with a compatible voiceenabled device*











WOS72EC7H

4.3 cu. ft. Smart Wall Oven

- Smart appliance with technology* the Whirlpool® app
- + Yummly[®] Guided Color touchscreen • Voice control with a
- Cooking compatible voice-+ True convection cooking with enabled device*

Convection

Conversion

+ Self-close door

- Frozen Bake[™]
- technology Multi-Step Cooking
- B S V SMART + Scan-to-Cook
 - Ā works with the Google Assistant WORKS WITH alexa

W Yumiy





S

V

SMART

•

works with the Google Assistant

o works with

W Yumly.

WOS72EC0H

5.0 cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology

 Yummly[®] Guided Cooking

W

B

- True convection cooking with Convection Conversion
- Self-close door



 Smart appliance with the Whirlpool® app

5.0 cu. ft. Smart Wall Oven

- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology*
- Yummly[®] Guided Cooking*
- True convection cooking with Convection Conversion
- Self-close door + Digital meat
- thermometer + Proximity sensor

WOSA2EC0H

5.0 cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology*

- Yummly[®] Guided Cooking*
- True convection cooking with Convection Conversion
- Self-close door
- Digital meat thermometer
- Proximity sensor







Ζ





works with the Google Assistant

O alexa

W Yumly.









8.6 total cu. ft. Smart Wall	Oven	W	В	S
 Smart appliance with the Whirlpool® app Color touchscreen Voice control with a compatible voice- enabled device[*] 	 Frozen Bake[™] technology Multi-Step Control 	oking		S with the Assiste











WOD51EC0H

10.0 total cu. ft. Smart Wall Oven

- Smart appliance with Frozen Bake[™] the Whirlpool[®] app technology
- Color touchscreen Voice control with a compatible voiceenabled device*



W

В

S

•









WOD77EC7H

8.6 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen + Yummly[®] Guided Voice control with a
- Cooking compatible voice-+ True convection enabled device* cooking with Convection

Conversion

- Frozen Bake[™] technology
- + Self-close doors Multi-Step Cooking











S

WOD77EC0H

10.0 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology*
- Yummly[®] Guided Cooking

W

В

- True convection cooking with Convection Conversion
- Self-close doors



W Yurmly.

V

WOD97EC0H

10.0 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology

- Yummly[®] Guided Cooking
- True convection cooking with Convection Conversion
- Self-close doors + Digital meat
- thermometer
- + Proximity sensor

WODA7EC0H

10.0 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology

- Yummly[®] Guided Cooking^{*}
- True convection cooking with Convection Conversion
- Self-close doors
- Digital meat thermometer
- Proximity sensor









•

works with the Google Assistant

orks with alexa W Yumly





V	VOC54EC7H				
5.	7 total cu. ft. Smart Wall	Oven	w	В	S
•	Smart appliance with the Whirlpool® app	Multi-Step CMicrowave v	0	SA	AART
•	Color touchscreen	drop-down (door		
•	Voice control with a compatible voice- enabled device				s with the le Assistant
•	Frozen Bake [™] technology			0	works with alexa









WOC54EC0H

6.4 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool[®] app
- Microwave with Color touchscreen drop-down door

Cooking

cooking with

Conversion (oven)

Convection

- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology











WOC75EC7H

5.7 total cu. ft. Smart Wall Oven

- Smart appliance with Microwave with the Whirlpool[®] app drop-down door
- Color touchscreen + Scan-to-Cook
- technology* Voice control with a compatible voice-+ Yummly® Guided
- enabled device* Frozen Bake[™]
- + True convection technology
- Multi-Step Cooking











S

•

works with the Google Assistant

o works with alexa

W Yumly.

WOC75EC0H

6.4 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool[®] app
- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology*
- Yummly[®] Guided Cooking
- Microwave with drop-down door • True convection cooking with Convection Conversion (oven)

WOC97EC0H

6.4 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen
- Voice control with a compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology*
- Yummly[®] Guided Cooking
- Microwave with drop-down door
- True convection cooking with Convection Conversion (oven)
- + Digital meat thermometer
- + Proximity sensor

WOCA7EC0H

6.4 total cu. ft. Smart Wall Oven

- Smart appliance with the Whirlpool® app
- Color touchscreen • Voice control with a
- compatible voiceenabled device*
- Frozen Bake[™] technology
- Multi-Step Cooking
- Scan-to-Cook technology*

- Yummly[®] Guided Cooking
- Microwave with drop-down door
- True convection cooking with Convection Conversion (oven)
- Digital meat thermometer
- Proximity sensor









SMART

•

В

ld type indicates a step-up feature						
IODEL	27-Inch WOS51EC7H	30-Inch WOS51EC0H	27-Inch W0S72EC7H	30-Inch WOS72EC0H	30-Inch WOS97EC0H	30-Inch WOSA2EC0H
Capacity (cu. ft.)	4.3	5.0	4.3	5.0	5.0	5.0
Approved for under-the-counter installation	•	•	•	•	•	•
Smart appliance with the Whirlpool® app	•	•	•	•	•	•
MART APPLIANCE FEATURES						
Enhanced troubleshooting & guided service	•	•	•	•	•	•
Multi-Step Cooking	•	•	•	•	•	•
Party mode	•	•	•	•	•	•
Scan-to-Cook technology"			•	•	•	•
Voice control with a compatible	•	•	•	•	•	•
voice-enabled device** Yummly® Guided Cooking**				•		•
				•	•	·
ESIGN FEATURES						
Color touchscreen	•	•	•	•	•	•
FIT system	•	•	•	•	•	•
Flush installation					•	•
Proximity sensor					•	•
Self-close door			•	•	•	•
VEN FEATURES						
Adjustable racks/rack positions	2/6	2/6	3/6	3/6	3/6	3/6
Cleaning system	Self	Self	Self	Self	Self	Self
Closed door broiling	•	•	•	٠	•	•
Control Lock	•	•	•	•	•	•
Digital meat thermometer					•	•
Frozen Bake [™] technology	•	•	•	•	•	•
Keep Warm setting	•	•	•	•	•	•
Panoramic halogen lighting					•	•
Rapid Preheat	•	•	•	•	•	•
Sabbath mode	•	•	•	•	•	•
Smooth glide roll-out racks					•	•
Temperature sensor	•	•	•	•	•	•
True convection cooking			with Convection	with Convection	with Convection	with Convection
PECIAL FEATURES/CERTIFICATIONS			Conversion	Conversion	Conversion	Conversion
ADA compliant	•	•	•	•	•	•
Star-K certified	•	•	•	•	•	•
OLORS	-	•	•	•	•	•
	W/P/C	W/P/0	P/C/V	W/P/C/V	7	7 / N
Available colors	W / B / S	W / B / S	B/S/V	W/B/S/V	Z	Z / N
IMENSIONS	002.00	0524	0000	002/11	2021	
Max height (A)	28¾"	28¾"	28¾"	28¾"	28¾"	28¾"
Width (B)	27"	30"	27"	30"	30"	30"
Depth including handles (C)	26¾"	267⁄16"	267/16"	267⁄16"	26 ⁷ /16"	267/16"
Depth with door open (D)	46¾"	46¾"	46¾"	46¾"	46¾"	46¾"

EL			WOD77EC7H	WOD77EC0H	WOD97EC0H	WODA7EC0H
Oven capacity (cu. ft.)	WOD51EC7H 4.3 upper	WOD51ECOH 5.0 upper	4.3 upper	5.0 upper	5.0 upper	5.0 upper
	4.3 lower	5.0 lower	4.3 lower	5.0 lower	5.0 lower	5.0 lower
Total capacity (cu. ft.)	8.6	10.0	8.6	10.0	10.0	10.0
Smart appliance with the Whirlpool® app	•	•	•	•	•	•
RT APPLIANCE FEATURES						•
Enhanced troubleshooting & guided service	•	•	•	•	•	•
Multi-Step Cooking	•	•	•	•	•	•
Party mode Scan-to-Cook technology*	•	•	•	•	•	•
Voice control with a compatible			•	•	•	•
voice control with a compatible voice-enabled device*	•	•	•	•	•	•
Yummly® Guided Cooking*			•	•	•	•
GN FEATURES						
Color touchscreen	•	•	•	•	•	•
FIT system	•	•	•	•	•	•
Flush installation	•	٠	•	٠	•	•
Proximity sensor					•	•
Self-close doors			•	•	•	•
N FEATURES						
Adjustable racks/rack positions	2/3 upper 2/3 lower	2/3 upper 2/3 lower	3/3 upper 2/3 lower	3/3 upper 2/3 lower	3/3 upper 3/3 lower	3/3 upper 3/3 lower
Cleaning system	Self	Self	Self	Self	Self	Self
Closed door broiling	•	•	•	•	•	•
Control Lock	•	•	•	•	•	•
Digital meat thermometer					•	•
Frozen Bake™ technology	•	•	•	•	•	•
Keep Warm setting	•	•	•	•	•	•
Panoramic halogen lighting					•	•
Rapid Preheat	•	•	•	•	•	•
Sabbath mode	•	•	•	•	•	•
Smooth glide roll-out racks					•	•
Temperature sensor	•	•	•	•	•	•
True convection cooking			with Convection Conversion	with Convection Conversion	with Convection Conversion	with Convection Conversion
CIAL FEATURES/CERTIFICATIONS						
Star-K certified	•	•	•	•	•	•
DRS						
Available colors	W/B/S	W/B/S	B/S/V	W/B/S/V	Z	Z / N
ENSIONS						
Max height (A)	51½"	51½"	51½"	51½"	51¼"	51¼"
Width (B)	27"	30"	27"	30"	30"	30"
Depth including handles (C)	267/16"	26 ⁷ /16"	26¾"	267⁄16"	26 ⁷ / ₁₆ "	267/16"

Dimensions are shown for planning purposes only. For complete information, see Installation Instructions packed with product. *Approved electric and gas cooktops compatible with single wall oven under-the-counter installation: RCS2012R, WCC31430A, WCE55US4H, WCE55US0H, WCE77US0H, WCE97US0H, WCE97US0H, WCE97US0H, WCG97US0H, WCG97US0H,

DOUBLE WALL OVEN SPECIFICATIONS

1	5	2
	-	_

MODEWOCHECKY <th>d type indicates a step-up feature</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	d type indicates a step-up feature						
Capabriline, and Sinter14 age interieven Sinter14 age interieven Sinter14 age interieven Sinter14 age interieven SinterSinter<	DDEL						30-Inch WOCA7EC0H
MANN APPLINACE FEBRURESEntancia Cuabalanization & Guissian Canada•• <t< td=""><td></td><td>1.4 upper (microwave)</td><td>1.4 upper (microwave)</td><td>1.4 upper (microwave)</td><td>1.4 upper (microwave)</td><td>1.4 upper (microwave)</td><td>1.4 upper (microwav 5.0 lower</td></t<>		1.4 upper (microwave)	1.4 upper (microwav 5.0 lower				
Enhanced traphelseboring bioled sortice<	Smart appliance with the Whirlpool® app	•	•	•	•	•	•
Mull-Ship Cooking Name Bar mode Scar-bo Cook hochwaday Scar-bo Cook hochwaday Nove-structure with a congression sole-waddo Confor 	IART APPLIANCE FEATURES						
Party mode Science-bookd barbondogy·····Science-bookd barbondogy···	Enhanced troubleshooting & guided service	•	•	•	•	•	•
Scan-b-Cock technology•• <th< td=""><td>Multi-Step Cooking</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></th<>	Multi-Step Cooking	•	•	•	•	•	•
Net control with compatible with Control with Control <td>Party mode</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Party mode	•	•	•	•	•	•
Nameny Builder Cooking •	Scan-to-Cook technology*			•	•	•	•
Yammily Baldad Cooking • • • • Clife Touchereen ·		•	•	•	•	•	•
SEXEN FLATURESColur touchorono•• </td <td></td> <td></td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>				•	•	•	•
Oklaf toucharsen······Rush installation···							
Fluch instaliation••• </td <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		•	•	•	•	•	•
Produitily sensor • • • • Self-dase doors • • • • COnvection porer (wetts) 1,600 1,600 1,600 1,600 Gongeoins porer (wetts) 900 <td< td=""><td></td><td></td><td></td><td></td><td></td><td>•</td><td>•</td></td<>						•	•
Self-dose dors • • • • Convection power (witts) 1,600						•	•
KINDAWLE OVEN FEATURES 1,600 1,800 1,600				•	•	•	•
Convection power (watts) 1,600 1,6							
Girll power (wattis)1,6001,6001,600Microwave accessories**				1,600	1,600	1,600	1,600
Microwave accessories••				.,	.,		
Microwave power (watts)900900900900900900Microwave with drop-down door•• <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Microwave with drop-down door••<		900	900	900	900		
Steam cooking·····Tue convection microwave cooking··<							
The convection microwave cooking • <				•			•
VPEN FEATURES Adjustable racks/rack positions 2/6 2/6 3/6				•	•	•	•
Adjustable racks/rack positions2/62/63/63/63/63/6Cleaning systemSelfSelfSelfSelfSelfSelfSelfClosed dor briding•• <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
Cleaning systemSelfSelfSelfSelfSelfSelfSelfClosed door broiling••<		2/6	2/6	3/6	3/6	3/6	3/6
Closed dor broiling•••••Control Lock•••<							
Control Lock·····Digital meat thermometer··<							
Frozen Bake" technology •	Control Lock	•	•	•	•	•	•
Keep Warn setting••••Panoramic halogen lighting··	Digital meat thermometer					•	•
Keep Warn setting••••Panoramic halogen lighting··	Frozen Bake™ technology	•	•	•	•	•	•
Rapid Preheat••••Sabbath mode••••••Sabbath mode••• <t< td=""><td>Keep Warm setting</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	Keep Warm setting	•	•	•	•	•	•
Rapid Preheat••••Sabbath mode••••••Sabbath mode••• <t< td=""><td></td><td></td><td></td><td></td><td></td><td>•</td><td>•</td></t<>						•	•
Smooth glide roll-out racks••••Temperature sensor•• <t< td=""><td>Rapid Preheat</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	Rapid Preheat	•	•	•	•	•	•
Temperature sensor•••••True convection cookingwith Convection Conversionwith Convection Conversionwith Convection Conversionwith Convection ConversionPECIAL FEATURES/CERTIFICATIONSStar-K certified•••		•	•	•	•	•	•
True convection cooking with Convection Conversion with Convection Conversion with Convection Conversion with Convection Conversion PECIAL FEATURES/CERTIFICATIONS • • • • • Star-K certified • • • • • OLORS V/ B / S W / B / S S / V B / S / V Z Z / N IMENSIONS IMax height (A) 42%* 42%* 42%* 42%* 42%*	Smooth glide roll-out racks					•	•
Inde conversion Conversion Conversion Conversion Conversion PECAL FEATURES/CERTIFICATIONS Star-K certified • • • • • OLORS Available colors W / B / S % / W / B / S S / V B / S / V Z Z / N IMENSIONS Max height (A) 42% e" 42% e" 42% e" 42% e" 42% e"	Temperature sensor	•	•	•	•	•	•
Conversion Conversion Conversion Conversion Conversion Conversion PECIAL FEATURES/CERTIFICATIONS Star-K certified • • • • • • OLORS Available colors W / B / S W / B / S S / V B / S / V Z Z / N IMENSIONS							with Convection
Star-K certified •	-			Conversion	CONVERSION	Conversion	Conversion
OLORS Available colors W / B / S W / B / S S / V B / S / V Z Z / N IMENSIONS Max height (A) 42% e ⁿ					•		
Available colors W / B / S W / B / S S / V B / S / V Z Z / N IMENSIONS Max height (A) 42% 6"		-	•	-	•	-	•
IMENSIONS Max height (A) $42^{\circ}/_{16}$ "		W/R/S	W/P/S	\$ /\/	B / S / V	7	7 / N
Max height (A) 42% " 42% " 42% " 42% " 42% " 42% " 42% " 42% "		W / D / S	W / D / S	3/1	DIGIV	۷	2 / N
		10 97.11	10 9/	109/	10 97.11	42 17.0	401/11
WUUUD 21 OU 21 OU 21 OU 30° 30°							
							26½"
Depth with door open (D) 46% "	Death with dean and (D)						

NOTES	/	154





QUICK ACCESS TO SPILLS

Our industry-first EZ-2-Lift[™] hinged cast-iron grates make cleaning simple with a hinged design that lets you wipe up the cooktop without removing the grates. And for a more thorough clean, the grates are also dishwasher safe.



MAKES COOKTOP CLEANING EASY

Cut down on messes with the easy-wipe ceramic glass cooktop available on select electric models.

FLEXIBLE, CONSISTENT COOKING

On select electric models, the FlexHeat[™] dual and triple radiant elements provide multiple elements in one to fit small and large cookware. The FlexHeat[™] burners on select gas models give you evenly distributed heat at both high and low temperatures with two rows of flames.

CLEAN UP FASTER

The raised edges of the upswept SpillGuard[™] cooktop, available on select gas models, help contain spills.

AVAILABLE COLORS

	'e
	2
	è
	E
White	
(W)	



Black (B)



Stainless Steel (S)



RCS2012R

21" Cooktop

 Chrome drip bowls Porcelain-coated steel cooktop





WCC31430A

30" Cooktop

+ Stainless steel Chrome drip bowls cooktop



S





WCE55US4H

24" Cooktop

- Small space solution
- radiant element + Easy-wipe ceramic glass cooktop

FlexHeat[™] dual

+ 10"/6" 2,500W/1,200W







WCE55US0H

30" Cooktop

- 10"/6" 2,500W/1,800W FlexHeat[™] dual radiant element



• Easy-wipe ceramic glass cooktop + Stainless steel finish knobs^{*}





**Elements cannot be turned off remotely from the app. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect.

+ Indicates a step-up feature.

GCI3061X

30" Cooktop

- Easy-wipe ceramic glass cooktop
- + Tap Touch controls
- + Induction cooking technology
- + Boost function

ELECTRIC COOKTOPS / 158

+ Timer



• Easy-wipe ceramic glass cooktop

WCE77US0H

30" Cooktop

+ (2) 10"/6" 3,000W/1,900W FlexHeat[™] dual radiant elements + 6" 100W Warm Zone center element

WCE97US0H

30" Cooktop

- Easy-wipe ceramic glass cooktop
- 10"/6" 3,000W/1,900W FlexHeat[™] dual radiant element
- 6" 100W Warm Zone center element

- + Tap Touch controls
- + Remote connectivity**
- + Timer

S



WCE55US6H

36" Cooktop

- Easy-wipe ceramic glass cooktop
- 10"/6" 3,000W/1,900W FlexHeat[™] dual radiant element
- 6" 100W Warm Zone
- center element





WCE77US6H

36" Cooktop

- Easy-wipe ceramic glass cooktop • 6" 100W Warm Zone
- center element
- 10"/6" 3,000W/1,900W FlexHeat[™] dual radiant element
- + 12"/9" 3,000W/1,900W FlexHeat[™] dual radiant element

+ 12"/9"/6"

+ Timer

3,000W/2,200W/

1,100W FlexHeat™

triple radiant element



R





WCE97US6H

36" Cooktop

- Easy-wipe ceramic
- glass cooktop • 6" 100W Warm
- Zone element • 10"/6" 3,000W/1,900W
- + Tap Touch controls + Remote connectivity* FlexHeat[™] dual
- radiant element

B S







S



WCG52424A 24" Cooktop

- Small space solution
- Sealed burners • 3,600 BTU
- AccuSimmer[®] burner • 11,000 BTU highpowered burner
- Dishwasher-safe cast-iron grates
- Upswept SpillGuard™ cooktop



30" Cooktop

W3CG3014X

- Sealed burners
- + 5,000 BTU AccuSimmer[®] burner

W

B

S



30" Cooktop

- Sealed burners
- 5,000 BTU AccuSimmer[®] burner



S

- + EZ-2-Lift[™] hinged
- cast-iron grates
- + Upswept SpillGuard™ cooktop + 15,000 BTU
- SpeedHeat[™] burner

WCG77US0H

30" Cooktop

- Sealed burners
- 5,000 BTU AccuSimmer[®] burner
- EZ-2-Lift[™] hinged cast-iron grates
- Upswept SpillGuard[™] cooktop
- 15,000 BTU SpeedHeat[™] burner
- + Fifth burner



- Sealed burners
- 5,000 BTU AccuSimmer[®] burner
 - Fifth burner + Griddle (included)
- + 17,000 BTU FlexHeat[™] burner

cooktop

Upswept SpillGuard[™]

S

S

0.0

WCG55US6H

36" Cooktop



- Sealed burners
- Fifth burner • 5,000 BTU
 - 15,000 BTU SpeedHeat[™] burner

+ 18,000 BTU FlexHeat[™] burner

- AccuSimmer[®] burner EZ-2-Lift[™] hinged
- cast-iron grates Upswept SpillGuard[™] cooktop

WCG97US6H

- 36" Cooktop
- Sealed burners • 5,000 BTU

AccuSimmer[®] burner EZ-2-Lift[™] hinged

- cast-iron grates Upswept SpillGuard[™]
- cooktop
- + Griddle (included)

NOTES	/	162

a type indicates a step-up reator	-						
ODEL	21-Inch RCS2012R	30-Inch WCC31430A	24-Inch WCE55US4H	30-Inch WCE55US0H	30-Inch GCI3061X	30-Inch WCE77US0H	30-Inch WCE97US0H
Approved for installation above a single wall oven*	•	•	٠	•		•	•
Esign Features							
Element type	Coil	Coil	Radiant	Radiant	Induction	Radiant	Radiant
Small space solution			٠				
DOKTOP FEATURES							
Boost function					•		
Chrome drip bowls	•	٠					
Controls	Knobs	Knobs	Knobs	Stainless steel finish knobs**	Tap Touch	Stainless steel finish knobs ^{**}	Tap Touch
Control Lock mode							•
Cooktop	Porcelain-coated steel	Stainless steel	Easy-wipe ceramic glass	Easy-wipe ceramic glass	Easy-wipe ceramic glass	Easy-wipe ceramic glass	Easy-wipe ceramic glass
Hot surface indicator light			•	•	•	•	•
Induction cooking technology					•		
Infinite heat controls	•	٠	٠	٠		•	
Left front element	6" 1,250W/900W	6" 1,500W	6" 1,200W	6" 1,200W	6" 1,400W	10"/6" 3,000W/1,900W FlexHeat™ dual	10"/6" 3,000W/1,900 FlexHeat [™] dua
Left rear element		8" 2,350W	8" 1,800W	8" 1,800W	10" 3,200W/2,300W Boost	6" 1,200W	8" 1,800W
Right front element	8" 2,100W	8" 2,350W	10"/6" 2,500W/1,200W FlexHeat™ dual	10"/6" 2,500W/1,800W FlexHeat™ dual	6" 1,400W	10"/6" 3,000W/1,900W FlexHeat™ dual	6" 1,400W
Right rear element		6" 1,500W	6" 1,200W	6" 1,200W	8" 2,300W	6" 1,200W	8" 2,300W
Center element						6" 100W Warm Zone	6" 100W Warm Zone
"On" indicator light	•	•	•	٠	•	•	•
Remote connectivity [†]							•
Simmer function					•		
Timer					•		•
Volts/circuit amps or VAC required	240/20	240/40	240/ <mark>30 or 40</mark>	240/30 or 40	240/40	240/40	240/ <mark>30 or 40</mark>
DLORS							
Available colors	S	W / B	В	W / B / S	В	W / B / S	B / S
MENSIONS							
Max height (A)	21/8"	3¼"	5"	5¼"	2¾"	5¼"	5¼"
Width (B)	21"	30"	215⁄16"	3013/16"	30¾"	30 ¹³ ⁄16"	30 ¹³ ⁄16"
Depth (C)	16½"	21"	21¾"	21¾"	215/16"	21¾"	22 ¹³ /16"

DEL	36-Inch WCE55US6H	36-Inch WCE77US6H	36-Inch WCE97US6H
Approved for installation above a single wall oven	•	•	•
SIGN FEATURE			
Element type	Radiant	Radiant	Radiant
OKTOP FEATURES			
Controls	Knobs	Stainless steel finish knobs**	Tap Touch
Control Lock mode			•
Cooktop	Easy-wipe ceramic glass	Easy-wipe ceramic glass	Easy-wipe ceramic glass
Hot surface indicator light	•	•	•
Infinite heat controls	•	٠	
Left front element	6" 1,200W	6" 1,200W	10"/6" 3,000W/1,900W FlexHeat™ dual
Left rear element	10" 2,500W	10"/6" 3,000W/1,900W FlexHeat [™] dual	6" 1,200W
Right front element	10"/6" 3,000W/1,900W FlexHeat™ dual	6" 1,200W	8" 1,800W
Right rear element	6" 1,200W	12"/9" 3,000W/1,900W FlexHeat™ dual	6" 100W Warm Zone
Center element	6" 100W Warm Zone	6" 100W Warm Zone	12"/9"/6" 3,000W/2,200W/1,100W FlexHeat™ triple
"On" indicator light	•	•	•
Remote connectivity [†]			•
Timer			•
Volts/circuit amps or VAC required	240/30 or 40	240/40	240/ <mark>30 or 40</mark>
DLORS			
Available colors	В	B/S	B/S
MENSIONS			
Max height (A)	5¼"	5¼"	5¼"
Width (B)	36 ⁵ /16 ¹¹	365/16"	36 ⁵ / ₁₆ "
Depth (C)	21¾"	22 ¹³ /16 ^{''}	22 ¹³ //6"

old type indicates a step-up leatur	le						
IODEL	24-Inch WCG52424A	30-Inch W3CG3014X	30-Inch WCG55US0H	30-Inch WCG77US0H	30-Inch WCG97US0H	36-Inch WCG55US6H	36-Inch WCG97US6H
Approved for installation above a single wall oven	•	•	•	•	•	•	•
ESIGN FEATURE							
Small space solution	•						
COOKTOP FEATURES							
Controls	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs
Cooktop	Upswept SpillGuard™	Porcelain coated steel	Upswept SpillGuard™	Upswept SpillGuard™	Upswept SpillGuard™	Upswept SpillGuard™	Upswept SpillGuard
Dishwasher-safe grates	Cast-iron	Enamel steel	EZ-2-Lift [™] hinged cast-iron	EZ-2-Lift [™] hinged cast-iron	EZ-2-Lift [™] hinged cast-iron	EZ-2-Lift [™] hinged cast-iron	EZ-2-Lift [™] hinged cast-iron
Fifth burner				•	•	•	•
Griddle (included)					•		•
Infinite heat controls	•	•	•	•	•	•	•
Left front burner	11,000 BTU high-powered	10,500 BTU	5,000 BTU AccuSimmer®	9,100 BTU AccuSimmer®	10,000 BTU	9,100 BTU	9,100 BTU
Left rear burner	5,600 BTU	9,100 BTU	15,000 BTU SpeedHeat™	9,100 BTU	10,000 BTU	9,100 BTU	9,100 BTU
Right front burner	3,600 BTU AccuSimmer®	5,000 BTU AccuSimmer®	9,100 BTU	10,000 BTU	10,000 BTU	12,000 BTU	12,000 BTU
Right rear burner	5,600 BTU	9,100 BTU	12,000 BTU	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®	5,000 BTU AccuSimmer®
Center burner				15,000 BTU SpeedHeat™	17,000 BTU FlexHeat™	15,000 BTU SpeedHeat™	18,000 BTU FlexHeat™
LP conversion kit (included)	•	•	•	•	•	•	•
Sealed burners	•	•	•	•	•	•	•
Volts/amps required	120/15	120/15	120/15	120/15	120/15	120/15	120/15
COLORS							
Available colors	S	W / B / S	W / B / S	S	S	W / B / S	S
DIMENSIONS							
Max height (A)	1%"	31⁄8"	41⁄8"	4½"	41⁄8"	4½"	4½"
Width (B)	23¼"	317⁄16"	30"	30"	30"	36"	36"
Depth (C)	201⁄%"	21¼"	21"	21"	21"	21"	21"

NOTES	/	166





MANAGE MEALS BY TOUCH & APP*

The touchscreen provides instant access to the settings you use most, while a proximity sensor adjusts the microwave display text size based on your distance for easy reading. And with Scan-to-Cook technology,** you can send cooking instructions to the microwave from your smartphone.[†]



SAVE COOKTOP SPACE

Clear up your cooktop by using steam cooking to prepare foods like rice, vegetables and fish right in the microwave.^{††}



NOTE: Not all features available on all models. *Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. **U.S. only. †Not all frozen foods included. Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. ††Steam accessory sold separately.



KEEPS SPILLS FROM STICKING

Help prevent spills from sticking around thanks to the CleanRelease® non-stick interior, which lets you clean up with the simple wipe of a damp paper towel.

TAKES OUT THE GUESSWORK

Sensor cooking tracks the cooking progress of your food and automatically adjusts cook times for you.



Universal Silver (D)



Stainless Steel (S)



Fingerprint-Resistant Stainless Steel (Z)



Fingerprint-Resistant Black Stainless Steel (V)



AVAILABLE COLORS

Fingerprint Resistant Sunset Bronze (N)



WMH31017H 1.7 cu. ft. Microwave

Dishwasher-safe

- turntable plate • 2-speed, 300 CFM motor class
- Microwave presets



 Add 30 Seconds option











WMH32519H

1.9 cu. ft. Microwave

- Dishwasher-safe turntable plate Microwave presets
- Add 30 Seconds
- option Electronic touch controls
- W BTZ + CleanRelease®
- non-stick interior + Sensor cooking
- + Steam cooking + 3-speed, 300 CFM motor class*





WMH53521H 2.1 cu. ft. Microwave

- Dishwasher-safe turntable plate
- Microwave presets Add 30 Seconds
- option Electronic touch
- controls
- CleanRelease® non-stick interior



- Steam cooking
- Sensor cooking + 4-speed, 400 CFM
- motor class*
- + 90° hinge door
- + Auto Adapt fan











WMH54521H 2.1 cu. ft. Microwave

- Dishwasher-safe turntable plate
- Microwave presets
- Add 30 Seconds
- option
- Electronic touch
- controls





- non-stick interior
- Steam cooking
- Sensor cooking
- 4-speed, 400 CFM motor class*
- Auto Adapt fan





+ Indicates a step-up feature. *Performance varies based on installation. Resources available at hvi.org.





WMH75021H

2.1 cu. ft. Microwave

- Add 30 Seconds option
- CleanRelease® non-stick interior
- Steam cooking
- Sensor cooking
- 4-speed, 400 CFM motor class*
- Auto Adapt fan
- + Tap Touch controls
- + AccuPop[™] cycle
- + 1-piece door



WMH78019H

1.9 cu. ft. Smart Microwave

- Steam cooking
- Sensor cooking
- 4-speed, 400 CFM motor class*
- Auto Adapt Fan
- AccuPop[™] cycle
- 1-piece door
- + Smart appliance with the Whirlpool® app

W

R

Z

- + Scan-to-Cook technology**
- + Voice control with a compatible voiceenabled device**
- + Tap Touch controls with backlit menu
- + True convection cooking



works with the Google Assistant



V

N

SMART

•

works with the Google Assistant

alexa

S

Ζ



WMHA9019H

1.9 cu. ft. Smart Microwave

- Steam cooking
- Sensor cooking
- 4-speed, 400 CFM motor class
- Auto Adapt Fan
- Tap Touch controls
- AccuPop[™] cycle
- 1-piece door
- Smart appliance with the Whirlpool® app
- Scan-to-Cook technology**
- Voice control with a compatible voiceenabled device**
- True convection cooking
- + Color touchscreen
- + Proximity sensor



UMH50008H

0.7 cu. ft. Microwave

• Small space solution

· Panel-ready design

• 3-speed, 300 CFM

motor class*

• Vent visor

- Add 30 Seconds option
- · Stainless steel interior
- Dishwasher-safe turntable plate

WML55011H 1.1 cu. ft. Low Profile Microwave	e W	B	s
turntable plate + 40 • Add 30 Seconds hig option ve	Low profile design 400 CFM motor class high performance venting Tap-to-open door	SS	





WML75011H 1.1 cu. ft. Low Profile Microwave		B		
Dishwasher-safe + Cle	eanRe	elease®		

- Dishwasher-safe turntable plate Add 30 Seconds option
- non-stick interior + Sensor cooking
- + LED cooktop lighting
- Low profile design
- 400 CFM motor class
- Tap-to-open door







WMC10007A

0.7 cu. ft. Microwave

- Dishwasher-safe glass turntable plate
- 700W cooking power
- Microwave presets
- Electronic touch controls
- Control Lock mode

WMC20005Y

0.5 cu. ft. Microwave

- Dishwasher-safe glass turntable plate
- Microwave presets
- Tap Touch controls
- Control Lock mode



- + 750W cooking power
- + Add 30 Seconds option



WMC30516H

1.6 cu. ft. Microwave

- Microwave presets
- Control Lock mode
- Add 30 Seconds option



- + Sensor cooking
- + Dishwasher-safe recessed glass turntable plate
- + 1,200W cooking power
- + Electronic touch controls



WMC50522H 2.2 cu. ft. Microwave

- Microwave presets
- Control Lock mode
- Add 30 Seconds option
- Sensor cooking
- Dishwasher-safe recessed glass turntable plate

W В

• 1,200W cooking power

S

Z

V

 Electronic touch controls



W

В

u type mulcates a step-up leature			
DDEL	WMH31017H	WMH32519H	WMH53521H
Capacity (cu. ft.)	1.7	1.9	2.1
Recommended range	WFE510S0H WFG510S0H	WFE525S0H WFG525S0H	WEE745H0F WEG745H0F
SIGN FEATURES			
Timer display color	Blue	Blue	Blue
CROWAVE OVEN FEATURES			
10 variable power levels	•	•	•
90° hinge door			•
Add 30 Seconds option	•	•	•
Adjustable cooktop lighting	•	•	٠
CleanRelease® non-stick interior		•	٠
Control Lock	•	•	٠
Cooking rack		•	٠
Dishwasher-safe turntable plate	•	•	٠
Electronic touch controls	•	•	٠
Kosher Consumer Friendly mode			•
Power (watts)	1,000	1,000	1,000
Sensor cooking		•	٠
Steam cooking		•	•
Turntable On/Off option		•	•
NTILATION SYSTEM FEATURES			
Auto Adapt fan			•
Convertible ventilation system	2-speed, 300 CFM motor class	3-speed, 300 CFM motor class*	4-speed, 400 CFM motor class*
Hidden vent	•	•	•
CLES			
Auto Cook, Defrost, Reheat		•	•
Melt/Soften	•	•	•
Microwave presets	•	•	•
Popcorn	•	•	•
Warm Hold		•	•
ILORS			
Available colors	W/B/S/Z	W/B/T/Z/V	W / B / Z / V
MENSIONS			
			471/0
Max height (A)	171⁄8"	171⁄8"	171⁄8"
Max height (A) Width (B)	17½" 29¹% ₁₆ "	171⁄8" 29'5⁄16"	29 ¹⁵ /16 ¹¹

EL	WMH54521H	WMH75021H	WMH78019H	WMHA9019H
Capacity (cu. ft.)	2.1	2.1	1.9	1.9
Recommended range	WEE745H0F WEG745H0F	WFE775H0H WFG775H0H	WFE975H0H WFG975H0H	WEEA25H0H WEGA25H0H
Smart appliance with the Whirlpool® app			•	•
RT APPLIANCE FEATURES				
Guided service			•	•
Maintenance alerts			•	٠
Multi-Step Cooking			•	٠
Proximity sensor				•
Scan-to-Cook technology			•	٠
Voice control with a compatible voice-enabled device*			•	٠
gn features				
1-piece door		•	•	•
Color touchscreen				•
Timer display color	White	Blue	White	White
OWAVE OVEN FEATURES				
10 variable power levels	•	٠	٠	•
Add 30 Seconds option	٠	٠	٠	٠
Adjustable cooktop lighting	•	•	•	•
CleanRelease® non-stick interior	٠	٠	٠	٠
Controls	Electronic touch	Tap Touch	Tap Touch with backlit menu	Tap Touch
Control Lock	٠	•	٠	٠
Cooking rack	٠	•		
Cooking and convection racks			•	٠
Dishwasher-safe turntable plate	٠	•	٠	٠
Kosher Consumer Friendly mode	٠		•	•
Power (watts)	1,000	1,100	1,100	1,100
Sensor cooking	٠	•	٠	٠
Steam cooking	٠	•	٠	٠
SteamClean option		•	٠	
True convection cooking			•	•
Turntable On/Off option	•	•	•	•
Universal microwave steamer (included)			8205262RB	8205262RB
ILATION SYSTEM FEATURES				
Auto Adapt fan	•	•	٠	•
Convertible ventilation system	4-speed, 400 CFM motor class [™]	4-speed, 400 CFM motor class"	4-speed, 400 CFM motor class [™]	4-speed, 400 CFM motor clas
Hidden vent	٠	٠	٠	٠
ES				
Auto Cook, Defrost, Reheat	•	•	٠	•
Kids Menu		•	•	
Melt/Soften	•	•	•	•
Microwave presets	•	•	•	•
Popcorn	•	AccuPop™	AccuPop™	AccuPop™
Warm Hold	•	•	•	•
DRS				
Available colors	S	Z/V	W / B / Z / V	Z/V/N
INSIONS				
Max height (A)	171⁄8"	171⁄8"	171⁄8"	17½"
				2915/16"

MICROWAVE HOOD COMBINATION SPECIFICATIONS

174	
-----	--

CYCLES

COLORS

Auto Cook, Defrost, Reheat

Microwave presets

MODEL	UMH50008H	WML55011H	WML75011H
Capacity (cu. ft.)	0.7	1.1	1.1
Recommended range	WFE500M4H WFG500M4H	WFE775H0H WFG775H0H	WEEA25H0H WEGA25H0H
ESIGN FEATURES			
Low profile design		•	•
Panel-ready design	٠		
Small space solution	٠		
Tap-to-open door		•	٠
Timer display color	White	White	White
AICROWAVE OVEN FEATURES			
90° hinge door		•	•
Add 30 Seconds option	•	•	٠
CleanRelease® non-stick interior			•
Control Lock	٠	•	٠
Controls	Push-button	Concealed touch	Concealed touch
Cooktop lighting	Halogen	Halogen	LED
Defrost option	٠		
Dishwasher-safe turntable plate	٠	•	٠
Power (watts)	750	1,000	1,000
Power levels	4	10	10
Sensor cooking			•
Stainless steel interior	•		
Steam cooking			•
Turntable On/Off option		•	٠
ENTILATION SYSTEM FEATURES			
Convertible ventilation system	3-speed, 300 CFM motor class*	3-speed, 400 CFM motor class [*]	4-speed, 400 CFM motor class*
Vent visor	٠		

	MICROWAVE OVEN FEATURES
•	10 variable power levels
	Add 30 Seconds option
Electronic touch	Controls
٠	Control Lock
٠	Dishwasher-safe glass turntable plate
700	Power (watts)
	Sensor cooking
	CYCLES
	Auto Cook, Defrost, Reheat
٠	Microwave presets
•	Popcorn
	COLORS
W / B	Available colors
	DIMENSIONS
10½"	Max height (A)
18"	Width (B)
13¾ ₁₆ "	Depth including handle (C)

Microwave built-in trim kit (optional)

Gold type indicates a step-up feature

Capacity (cu. ft.)

Door release

Timer display color

0.7

Push-button

Green

MODEL

DESIGN FEATURES

• Popcorn preset • W/B/S W/B/Z/V/N Available colors S DIMENSIONS Max height (A) 261/8" 105/16" 105/16" 29%" Width (B) 231/2" 29%" 18" 18" Depth including handle (C) 141/8"

•

Dimensions are shown for planning purposes only. For complete information, see Installation Instructions packed with product. *Performance varies based on installation. Resources available at hvi.org.

• •

WMC20005Y	WMC30516H	WMC50522H
0.5	1.6	2.2
Pocket handle	Push-button	Push-button
	•	•
Blue	White	White
•	٠	•
•	٠	•
Tap Touch	Electronic touch	Electronic touch
•	٠	•
٠	Recessed	Recessed
750	1,200	1,200
	•	•
	•	•
٠	٠	•
•	•	•

W / B / D	W / B / Z / V	W/B/S/Z/V/N
141⁄%"	13"	121/16"
15%"	21¾"	24"
13¾"	17¼"	195%"





AUTOMATIC LIGHTING

When your kitchen lights dim, glass edge LED lighting senses the change in lighting and automatically turns on to act as a night-light.



MORE INSTALLATION OPTIONS

Convertible ventilation allows you to either vent vapors and odors outside or filter them and recirculate the air, depending on your kitchen's setup.





HELPS REMOVE SMOKE & ODORS

Perimetric Venting technology concentrates hood suction to targeted zones on your cooktop, helping to keep your kitchen air clean.





MAKES CLEANUP EASY

Dishwasher-safe grease filters trap unwanted grease and odors and wash easily for re-use.

AVAILABLE COLORS





Fingerprint-Resistant Sunset Bronze (N)

Stainless Steel (S)

.....

Fingerprint-Resistant Black Stainless Steel (V)



- FIT system
 Dishwasher-safe, full Recirculation (non-vented/duct-free)
- width grease filters3-speed, 265 CFM
- motor class
- LED task lighting





WVU37UC0F WVU37UC6F

30"/36" Hood

- FIT system
 Dishwasher-safe, fullwidth grease filters
 - Recirculation
 (non-vented/duct-free)
- 3-speed, 265 CFM
 - 5 CFM
- 3-speed, 265 CFM motor class
- LED task lighting







WVU57UC0F WVU57UC6F

30"/36" Hood

- FIT system
- Dishwasher-safe, fullwidth grease filters
- , full- + Tap Touch controls
 - + 3-speed, 350 CFM motor class

+ Boost function

- LED task lighting mo
- Recirculation
 (non-vented/duct-free)







WVW51UC0F WVW51UC6F

30"/36" Hood

- Glass wall-mounted canopy hood
- LED task lighting
- Dishwasher-safe
 grease filter
- 3-speed, 400 CFM motor class
- Convertible ventilation (recirculating or vented)

WVW51UC0H WVW51UC6H

30"/36" Hood

- Glass wall-mounted canopy hood
- LED task lighting
- Dishwasher-safe grease filter
- 3-speed, 400 CFM motor class
- Convertible ventilation (recirculating or vented)

WVW53UC0F WVW53UC6F

30"/36" Hood

- LED task lighting
- Dishwasher-safe grease filter
- 3-speed, 400 CFM motor class^{*}

 Convertible ventilation (recirculating or vented)







S



WVW53UC0H WVW53UC6H 30"/36" Hood		V
 LED task lighting Dishwasher-safe grease filter 3-speed, 400 CFM motor class⁻ 	 Convertible ventilation (recirculating or vented) 	





WVW57UC0F WVW57UC6F

30"/36" Hood

- LED task lighting Dishwasher-safe
- grease filter • 3-speed, 400 CFM motor class*
- (recirculating or vented) + 44 dBA (0.7 sones)
- at low speed**







S

WVI75UC6D

36" Hood

- Glass island canopy hood
- LED task lighting
- Dishwasher-safe
 grease filter
- 3-speed, 400 CFM motor class
- Convertible ventilation (recirculating or vented)
- Glass edge LED lighting
- Perimetric Venting technology
- Noise reduction technology





UXD8630DY UXD8636DY

30"/36" Hood

- Pop-up style
- 3-speed slide controls
- Dishwasher-safe grease filters





UXL5430BS

30" Hood Liner

- Custom style
- 3-speed push-button controls
- Dishwasher-safe grease filters
- On/Off 50-watt halogen lighting





UXL6036YS

36" Hood Liner

- Custom style
- Dishwasher-safe grease filters

S

S







UXL6048YS

48" Hood Liner

- Custom style
- Dishwasher-safe grease filters
- 3-speed slide controls

+ 3-speed slide controls

+ High/Low/Off 50-watt halogen lighting

+ Auto-On Heat sensor

- High/Low/Off 50-watt halogen lighting
- Auto-On Heat sensor

S

S

UXB0600DYS

Internal Blower

- 3-speed, 600 CFM internal blower
- Installed in hood unit

UXB1200DYS

Internal Blower

- Installed in hood unit
- + 3-speed, 1,200 CFM internal blower

UXI1200DYS

In-Line Blower

- 3-speed, 1,200 CFM internal blower
- For use with custom hood liner

ioiu type inuicates a step-up leature			
MODEL	24-Inch WVU37UC4F	30-Inch WVU37UC0F 36-Inch WVU37UC6F	30-Inch WVU57UC0F 36-Inch WVU57UC6F
FIT system	•	•	•
HOOD FEATURES			
3-speed, 265 CFM motor class	•	•	
3-speed, 350 CFM motor class			•
Boost function			•
Controls	Push-button	Push-button	Tap Touch
Dishwasher-safe, full-width grease filters	•	•	٠
LED task lighting	•	•	٠
Recirculation (non-vented/duct-free)	•	•	٠
Sones (up to)**	5.2 (0.5 at working speed)	5.2 (0.5 at working speed)	6 (1.0 at low speed)
VENTING & DUCT TYPE			
31/4" x 10" rectangular duct (included)	٠	•	•
7" round duct (included)	•	•	٠
Hidden vent	•	•	٠
Exterior and interior venting	Horizontal & vertical	Horizontal & vertical	Horizontal & vertical
Vent type	Convertible	Convertible	Convertible
COLORS			
Available colors	S	W / B / S	S
DIMENSIONS			
Max height (A)	6%"	4 ¹⁵ ⁄/6" 6¾"	6¾"
Width (B)	23 ¹⁵ ⁄16"	29 ¹⁵ ⁄16" 36"	29 ¹⁵ / ₁₆ " 35 ¹⁵ / ₁₆ "
Depth (C)	19 ¹ 1⁄16"	185⁄8" 19 ¹¹ ⁄16"	1911/16"

IODEL	WVW51UC0F 36-Inch WVW51UC6F	WVW51UC0H 36-Inch	WVW53UC0F	WVW53UC0H	WVW57UC0F	WVWA5UC0H	
			36-Inch	36-Inch	36-Inch	36-Inch	36-Inch
	WWWJTUCU	WVW51UC6H	WVW53UC6F	WVW53UC6H	WVW57UC6F	WVWA5UC6H	WVI75UC6D
Island canopy							Glass
Wall-mounted canopy	Glass	Glass	•	•	•	Glass	
00D FEATURES							
3-speed push-button controls	•	•	•	•	•	•	•
3-speed, 400 CFM motor class*	•	٠	•	•	•	•	•
Centrifugal fan	•	•	•	•	•	•	•
Convertible ventilation (recirculating or vented)	٠	٠	٠	٠	٠	٠	•
Dishwasher-safe grease filter	•	•	•	•	•	•	•
Glass edge LED lighting						•	•
In-line smart blower						•	•
LED task lighting	•	•	•	•	•	•	•
Noise reduction technology						•	•
Sones/dBA** (up to)	5.5/66	5.5/66	5.6/69	5.6/69	5.2/65	5/64	5/64
Low speed/dBA** (up to)	0.7/44	0.7/44	0.7/44	0.7/44	0.7/44	1.0/49	1.0/49
ENTING & DUCT TYPE							
6" round duct	•	٠	•	•	•	•	•
Chimney extension kit	EXTKIT10ES	EXTKIT10HV	EXTKIT18FS	EXTKIT18HV	EXTKIT25FS	EXTKIT10HN	EXTKIT26FS
Exterior and interior vertical venting	•	•	•	•	•	•	•
Perimetric Venting technology						•	•
Recirculation kit/charcoal filter (optional)	•	•	•	•	•	•	•
Vent type	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible
OLORS							
Available colors	S	V	S	V	S	Ν	S
IMENSIONS					001/ 1		
IMENSIONS Max height (A)	28%"	28%"	281/8"	331/4"	283/16"	281/8"	331/4"
	28%" 30" 36"	28%" 30" 36"	287/8" 30" 36"	33¼" 30" 36"	28%16" 30" 36"	28%" 30" 36"	331/4"


CANOPY HOOD SPECIFICATIONS / 186

MODEL	30-Inch UXD8630DY	36-Inch UXD8636DY
Style	Pop-up	Pop-up
HOOD FEATURES		
3-speed slide controls	•	•
Damper	•	•
Damper/vent connector (included)	31/4" x 10" rectangular	31/4" x 10" rectangular
Dishwasher-safe grease filters	•	•
Dual centrifugal fan	•	•
Maximum exhaust (CFM)*	600	600
Sones (up to)*	7.9	7.9
VENTING & DUCT TYPE		
31/4" x 10" rectangular duct (included)	•	•
6" round duct (included)	•	•
Exterior venting	Vertical	Vertical
Vented only	•	•
COLORS		
Available color	S	S
DIMENSIONS		
Max height above countertop (A)	13½"	13½"
Max height below countertop (B)	281/2"	281/2"
Width (C)	30"	36"
Chimney depth above countertop (D)	2½"	2½"
Chimney depth below countertop (E)	121⁄8"	121⁄%"


DDEL	30-Inch UXL5430BS	36-Inch UXL6036YS	48-Inch UXL6048YS	
Style	Custom	Custom	Custom	
NER FEATURES				
3-speed push-button controls	•			
3-speed slide controls		•	•	
50-watt halogen lighting	On/Off (2 bulbs included)	High/Low/Off (4 bulbs included)	High/Low/Off (4 bulbs included)	
Auto-On Heat sensor		•	•	
Dishwasher-safe grease filters	٠	•	٠	
ENTING & DUCT TYPE				
6" round duct	٠			
10" round duct		•	•	
Vent type	Convertible			
Vented only		•	٠	
Vertical venting	٠	•	٠	
CCESSORIES (Part No.)				
Blower motor systems	Included 400 CFM	Internal 600 CFM – UXB0600DYS Internal 1200 CFM – UXB1200DYS In-Line 1200 CFM – UXI1200DYS	Internal 600 CFM – UXB0600DYS Internal 1200 CFM – UXB1200DYS In-Line 1200 CFM – UXI1200DYS	
Face panel rear extension (30" x 18")	W10490327			
Recirculation/Charcoal filter kit	W10490330			
DLORS				
Available color	S	S	S	
MENSIONS				
Max height (C)	135%"	11½"	11½"	
Width (B)	30"	35%"	47%"	
Depth (A)	117⁄8"	22"	22"	


HOOD LINER SPECIFICATIONS / 188







FRONT CONTROL RANGE MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH INCLUDING HANDLES (C)	DEPTH WITH DOOR OPEN (D)
WEC310S0F	37"	297⁄8"	2915/16"	47¾"
WEC310SAG	35"	297⁄8"	29½"	47¾"
WEE510S0F	37"	297⁄8"	2815/16"	47¾"
WEE510SAG	35"	297⁄8"	29¼"	47¾"
WEE745H0F	36"	297⁄8"	287⁄8"	48¾"
WEE750H0H	36"	297⁄8"	285%"	487⁄8"
WEEA25H0H	36"	297⁄8"	285%"	487⁄8"
WEG515S0F	37"	297⁄8"	2815/16"	47¾"
WEG745H0F	36"	297⁄8"	287%"	47 ¹⁵ ⁄16"
WEG750H0H	36"	297⁄8"	285%"	487⁄8"
WEGA25H0H	36"	29%"	285%"	48%"











	⊢ C
⊨ B	D

FREESTANDING RANGE Model	MAX HEIGHT (A)	WIDTH (B)	DEPTH INCLUDING HANDLES (C)	DEPTH WITH DOOR OPEN (D)
WFC150M0E	47 ⁷ /8"	297⁄8"	27¾"	46¾"
WFC310S0E	47%"	297/8"	27¾"	46¾"
WFE320M0E	47%"	297/8"	27¾"	46¾"
WFE505W0H	47%"	297⁄8"	27¾"	46 ¹¹ / ₁₆ "
WFE510S0H	47%"	297⁄8"	27¾"	46 ¹¹ / ₁₆ "
WFE520S0F	47%"	297⁄8"	27¾"	46%"
WFE525S0H	47%"	297⁄8"	27¾"	46 ¹¹ / ₁₆ "
WFE550S0H	47%"	297⁄8"	27¾"	4611/16"
WFE775H0H	46½"	297⁄8"	27%"	477⁄8"
WFE975H0H	461/2"	297⁄8"	27%"	477⁄8"
WFG320M0B	46¼"	297⁄8"	27¼"	45¼"
WFG505M0B	46¼"	297⁄8"	27¼"	45¼"
WFG510S0H	47%"	297⁄8"	27¾"	4611/16"
WFG520S0F	47%"	297⁄8"	27%"	46%16"
WFG525S0H	47%"	297⁄8"	27¾"	4611/16"
WFG550S0H	47%"	297⁄8"	27¾"	465%"
WFG775H0H	461/2"	297⁄8"	27%"	48"
WFG975H0H	461/2"	297⁄8"	27%"	48"
WFE500M4H	36¾"	24"	28"	42½"
WFG500M4H	36¾"	24"	28"	421/2"

	⊢ c
⊨ B	D



FREESTANDING Double oven Range Model	MAX HEIGHT (A)	WIDTH (B)	DEPTH Including Handles (C)	DEPTH WITH DOORS OPEN (D)
WGE745C0F	471/8"	2915/16"	28½"	46"
WGG745S0F	471/8"	29 ¹⁵ /16"	281⁄2"	46"





SINGLE WALL OVEN MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH INCLUDING HANDLES (C)	DEPTH WITH DOOR OPEN (D)
W0S51EC7H	28¾"	27"	26¾"	46¾"
W0S51EC0H	28¾"	30"	267⁄16"	46¾"
W0S72EC7H	28¾"	27"	267⁄16"	46¾"
W0S72EC0H	28¾"	30"	267⁄16"	46¾"
W0S97EC0H	28¾"	30"	267⁄16"	46¾"
W0SA2EC0H	28¾"	30"	267/16"	46¾"

COOKING DIMENSIONS / 190


DOUBLE WALL OVEN MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH INCLUDING HANDLES (C)	DEPTH WITH DOORS OPEN (D)
W0D51EC7H	51½"	27"	267/16"	42¾"
W0D51EC0H	51½"	30"	267/16"	42¾"
W0D77EC7H	51½"	27"	26¾"	42¾"
WOD77EC0H	51½"	30"	267/16"	42¾"
WOD97EC0H	51¼"	30"	267/16"	42¾"
WODA7EC0H	51¼"	30"	267/16"	42¾"


COMBINATION WALL OVEN MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH INCLUDING HANDLES (C)	DEPTH WITH DOOR OPEN (D)
W0C54EC7H	421/16"	27"	26¾"	46¾"
W0C54EC0H	429/16"	30"	26½"	46¾"
W0C75EC7H	429/16"	27"	26¾"	46¾"
W0C75EC0H	421/16"	30"	26½"	46¾"
W0C97EC0H	421/2"	30"	261⁄2"	46¾"
W0CA7EC0H	421/2"	30"	26½"	46¾"

ELECTRIC COOKTOP Model	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)
RCS2012R	27⁄8"	21"	16½"
WCC31430A	31⁄4"	30"	21"
WCE55US4H	5"	215/16"	21¾"
WCE55US0H	51⁄4"	30 ¹³ ⁄16"	21¾"
GCI3061X	2¾"	30%"	215⁄16"
WCE77US0H	51⁄4"	30 ¹³ ⁄16"	21¾"
WCE97US0H	51⁄4"	30 ¹³ ⁄16"	22 ¹³ /16 ¹¹
WCE55US6H	51⁄4"	365/16"	21¾"
WCE77US6H	51⁄4"	365/16"	22 ¹³ /16 ¹¹
WCE97US6H	51/4"	365/16"	22 ¹³ ⁄16 ¹¹

Ç
Ā

GAS COOKTOP MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)
WCG52424A	1%"	23¼"	201⁄%"
W3CG3014X	31%"	317⁄16"	21¼"
WCG55US0H	4½"	30"	21"
WCG77US0H	4½"	30"	21"
WCG97US0H	4½"	30"	21"
WCG55US6H	4½"	36"	21"
WCG97US6H	41⁄8"	36"	21"








MICROWAVE HOOD COMBINATION MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH INCLUDING HANDLE (C)
WMH31017H	17%"	2915/16"	15%16"
WMH32519H	17½"	29 ¹⁵ / ₁₆ "	15%16"
WMH53521H	17½"	29 ¹⁵ / ₁₆ "	16"
WMH54521H	17½"	29 ¹⁵ / ₁₆ "	16"
WMH75021H	17½"	29 ¹⁵ / ₁₆ "	16"
WMH78019H	17½"	29 ¹⁵ / ₁₆ "	16"
WMHA9019H	17½"	29 ¹⁵ / ₁₆ "	16"
UMH50008H	267/8"	23½"	141⁄8"
WML55011H	105/16"	29%"	18"
WML75011H	105/16"	29%"	18"


DEPTH INCLUDING HANDLE (C) 131/16" 13¾" 17¼"

19%"










	MICROWAVE MODEL	MAX HEIGHT (A)	(B)	
	WMC10007A	10½"	18"	
	WMC20005Y	141⁄8"	15%"	
	WMC30516H	13"	21¾"	
- B	WMC50522H	129/16"	24"	



	UNDER CABINET HOOD MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)
└── c ─┤	WVU37UC4F	6¾"	23 ¹⁵ / ₁₆ "	1911/16"
	WVU37UC0F	4 ¹⁵ ⁄16"	29 ¹⁵ ⁄16"	185⁄8"
	WVU37UC6F	6¾"	36"	1911/16"
	WVU57UC0F	6¾"	29 ¹⁵ ⁄16"	1911/16"
	WVU57UC6F	6¾"	3515/16"	19"1/16"

COOKING DIMENSIONS / 192

_	

CANOPY HOOD MODEL	MAX HEIGHT (A)	WIDTH (B)	CHIMNEY DEPTH (C)
WVW51UC0F	28%"	30"	20"
WVW51UC6F	281/8"	36"	20"
WVW51UC0H	281/8"	30"	20"
WVW51UC6H	281/8"	36"	253⁄16"
WVW53UC0F	287⁄8"	30"	20"
WVW53UC6F	287⁄8"	36"	20"
WVW53UC0H	331⁄4"	30"	253⁄16"
WVW53UC6H	331⁄4"	36"	25¾16"
WVW57UC0F	28¾6"	30"	1911/16"
WVW57UC6F	28¾6"	36"	1911/16"
WVWA5UC0H	281/8"	30"	20"
WVWA5UC6H	281/8"	36"	20"
WVI75UC6D	331/4"	36"	25¾6"

DOWNDRAFT HOOD MODEL	MAX HEIGHT ABOVE COUNTERTOP (A)	MAX HEIGHT BELOW COUNTERTOP (B)	WIDTH (C)	CHIMNEY DEPTH ABOVE COUNTERTOP (D)	CHIMNEY DEPTH BELOW COUNTERTOP (E)
UXD8630DY	13½"	28½"	30"	21/8"	121⁄%"
UXD8636DY	13½"	28½"	36"	21/8"	121⁄8"

IOOD INER MODEL	DEPTH (A)	WIDTH (B)	MAX HEIGHT (C)
UXL5430BS	111%"	30"	135%"
UXL6036YS	22"	35%"	11½"
UXL6048YS	22"	47%"	11½"



IN-LINE	MAX HEIGHT	WIDTH	DEPTH
BLOWER MODEL	(A)	(B)	(C)
UXI1200DYS	1215/16"	261/8"	14 ¹¹ / ₁₆ "



CLE	ANING & MAINTENANCE		PART NO.
1	affresh [®] Cooktop Cleaner	Helps cut through tough, baked on residue. Safe for all glass, ceramic and porcelain cooktops.	W10355051
2	affresh [®] Cooktop Cleaning Kit	Includes a scraper and scrub pad that remove build-up and cooked on spills without scratching or harming your cooktop surfaces and non-abrasive cleaner that is safe for all glass and ceramic cooktops.	W11042470
3	affresh® Cooktop Cleaning Wipes	Specially formulated featuring a dual-sided wipe with scrubber side to remove everyday residues and smooth side to leave your ceramic cooktop with a streak-free shine.	W10539770
4	affresh® Stainless Steel Cleaning Mousse	Specially formulated to eliminate overspray, dripping and waste for a direct, even coverage that gently cleans fingerprints, smudges, and other residues from your stainless steel appliances.	W11042466
5	affresh® Stainless Steel Cleaning Spray	Designed to gently clean fingerprints, smudges and other residues on all stainless steel surfaces.	W11042467
6	affresh® Stainless Steel Cleaning Wipes	Gently clean fingerprints, smudges and residue for a streak-free, polished shine.	W10539769
7	Oven Cleaning Kit	Offers everything you need to clean both gas and electric ovens featuring AquaLift® self-cleaning technology. Includes (1) scraper, (1) scrubbing sponge and (1) expanding sponge.	W10423113RP
8	Touch-Up Paint White	Touch up appliance exteriors with this 0.6 fl. oz. bottle of touch-up paint. Includes applicator brush.	72017
9	Touch-Up Paint Black	Touch up appliance exteriors with this 0.6 fl. oz. bottle of touch-up paint. Includes applicator brush.	72032
10	Touch-Up Paint Biscuit	Touch up appliance exteriors with this 0.6 fl. oz. bottle of touch-up paint. Includes applicator brush.	4392899
11	Touch-Up Paint Universal Silver	Touch up appliance exteriors with this 0.6 fl. oz. bottle of touch-up paint. Includes applicator brush.	8212473
C0(OKWARE		
12	13" Brick Baking Stone	Use for breads, bagels, rolls, cookies, pastries and more. Can be used in both regular and convection ovens.	4378577
13	Grillplate	Highly efficient multilayered material with a non-stick stainless steel surface. Safe for cooking on conventional ranges, as well as steamers.	W11035422
14	Gourmet Griddle	Commercial-grade, cast-aluminum surface safe for use on gas and electric cooktops and ranges to expand cooking surface.	4396096RB
15	Microwave Crisper Pan	Pan-fry, brown and crisp foods in the microwave.	W10187336A
16	Universal Microwave Steamer	Use these dishwasher-safe hard plastic components to steam fish, vegetables or rice. BPA free.	8205262RB
FRE	ESTANDING RANGE ACCESSORIES		
17	Front Control Range Trim Kit White	Cover the sides of the range for a more finished look.	W10675027
18	Front Control Range Trim Kit Black	Cover the sides of the range for a more finished look.	W10675026
19	Front Control Range Trim Kit Stainless Steel	Cover the sides of the range for a more finished look.	W10675028
20	Replacement Drip Bowl Chrome	Includes (1) 8" drip bowl.	W10196405RW
21	Replacement Drip Bowl Set Black	Includes (2) 8" and (2) 6" drip bowls.	W10288051
22	Replacement Drip Bowl Set Chrome	Includes (2) 8" and (2) 6" drip bowls.	W10278125
WA	LL OVEN ACCESSORIES		
23	Heavy Duty Sliding Rack	27" Wall Ovens. Offers enough strength to support two 16-lb turkeys.	W10282974A
24	Heavy Duty Sliding Rack	30" Wall Ovens. Offers enough strength to support two 16-lb turkeys.	W10282973A
25	Heavy Duty Sliding Rack with Handle	27" Wall Ovens. Offers enough strength to support two 16-lb turkeys.	W10282972A
26	Premium Broil Pan & Roasting Rack	Easy-to-clean 3-piece set with broiler grid helps prevent splatter and smoke.	W10123240
27	Side Trim Cover Kit	Single Wall Ovens	W10536160
28	Side Trim Cover Kit	Double Wall Ovens	W10536161
29	Side Trim Cover Kit	Combination Wall Ovens	W10536162

VAL	L OVEN ACCESSORIES		PART NO.
30	Vent Trim Kit	27" Single and Double Wall Ovens Stainless Steel	W10752686
31	Vent Trim Kit	30" Single and Double Wall Ovens White	W10752680
32	Vent Trim Kit	30" Single and Double Wall Ovens Black	W10752681
33	Vent Trim Kit	30" Single and Double Wall Ovens Stainless Steel	W10752683
34	Vent Trim Kit	27" Combination Wall Ovens White	W10752694
35	Vent Trim Kit	27" Combination Wall Ovens Black	W10752695
36	Vent Trim Kit	27" Combination Wall Ovens Stainless Steel	W10752696
37	Vent Trim Kit	30" Combination Wall Ovens White	W10752687
38	Vent Trim Kit	30" Combination Wall Ovens Black	W10752688
39	Vent Trim Kit	30" Combination Wall Ovens Stainless Steel	W10752693
AICF	ROWAVE ACCESSORIES		
40	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC30516H White	MK2167AW/MK2160AW
41	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC30516H Black	MK2167AB/MK2160AB
42	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC30516H Fingerprint-Resistant Stainless Steel	MK2167AZ/MK2160AZ
43	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC30516H Fingerprint-Resistant Black Stainless Steel	MK2167AV/MK2160AV
44	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC50522H White	MK2227AW/MK2220AV
45	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC50522H Black	MK2227AB/MK2220AB
46	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC50522H Stainless Steel	MK2227AS/MK2220AS
47	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC50522H Fingerprint-Resistant Stainless Steel	MK2227AZ/MK2220AZ
48	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC50522H Fingerprint-Resistant Black Stainless Steel	MK2227AV/MK2220AV
49	Trim Kit Countertop Microwave to Built-In (27"/30")	For model WMC50522H Fingerprint-Resistant Sunset Bronze	MK2227AN/MK2220AN
100	D & VENT ACCESSORIES		
50	7" Round Damper		W10355451
51	Hood Power Cord		W10613691
52	Over-the-Range Microwave Charcoal Filter	5" L x 5%" W x %" D	8206230A
53	Over-the-Range Microwave Grease Filter	Measure current filter to ensure correct replacement. 13½" L x 6" W x $^{1\!\!/}_{\!\!8}$ " D	W10208631A
54	Over-the-Range Microwave Grease Filter	Measure current filter to ensure correct replacement. 121/4" L x 6" W x 1/4" D	W10535950

Α

ACCUPOP[™] CYCLE

Helps prevent your popcorn from burning by using a sound sensor to track the time between pops.

ACCUSIMMER® BURNER/ELEMENT

Easily maintain low, even heat when cooking sauces and soups with reduced power for better control at lower temperatures.

ADA COMPLIANT

Appliances with this designation meet the Standards for Accessible Design specified by the Americans with Disabilities Act to provide equal access to all.

ADJUSTABLE SELF-CLEANING TECHNOLOGY

Clean without harsh chemicals or special cleaners by running this high-temperature setting that automatically cleans the oven according to a preprogrammed cycle.

AQUALIFT® SELF-CLEANING TECHNOLOGY

A special coating and water releases baked on foods from the bottom of the oven without cleaners. When the cleaning cycle is complete, soils and excess water can be easily removed with a dry towel.

С

CENTER OVAL BURNER

Easily fit large griddles and other longer cookware on this fifth burner so they heat evenly on the range top.

CLEANRELEASE® NON-STICK INTERIOR

Help prevent spills from sticking with the CleanRelease® non-stick interior, which lets you clean up with the simple wipe of a damp paper towel.

CONTROL LOCK MODE

Disables the control panel to avoid unintended use.

CONVECTION CONVERSION

Easily get the right convection cooking temperatures. Your oven automatically converts traditional recipes for convection cooking, adjusting cooking times and temperatures for you.

CONVERTIBLE VENTILATION

Vent vapors and odors outside or filter them and recirculate the air, depending on your kitchen's setup.

D _

DIGITAL MEAT THERMOMETER

Always know when food is done with a digital thermometer that automatically monitors the internal temperature of your dishes and turns off the oven when food is fully cooked.

DISHWASHER-SAFE CAST-IRON GRATES

Wash these grates right in the dishwasher when they get messy, thanks to a dishwasher-safe finish that makes them easy to clean.

E

EASY-WIPE CERAMIC GLASS COOKTOP

Wiping up spills is simple with the easy-to-clean cooktop.

ELECTRONIC TOUCH CONTROLS

Navigate through cooking modes and options with controls that are as easy to use as they are to clean.

ENHANCED TROUBLESHOOTING

Get immediate support for quick solutions by using your smartphone or tablet to access troubleshooting videos.

EZ-2-LIFT[™] HINGED CAST-IRON GRATES

Get quick access to spills on the cooktop with our industry-first EZ-2-Lift[™] hinged cast-iron grates. The hinged design lets you wipe up underneath without removing them. For a more thorough clean, the grates are also dishwasher safe.

F.

FAN CONVECTION COOKING

Cook meals consistently with a fan in the back of the oven that distributes hot air more efficiently. This helps eliminate cold spots so you can bake on any rack.

FIT SYSTEM

Appliances with the FIT system will fit seamlessly in your kitchen without the hassle of remodeling.

FLEXHEAT[™] BURNER

Two rows of flames give you the evenly distributed high heat you need for rapid boiling and searing or the lower temperatures necessary for more delicate dishes.

FLEXHEAT[™] ELEMENT

Get two or three elements in one with a 6" inner ring that's great for smaller pots and pans, and expandable outer rings that make room for larger cookware.

FLUSH INSTALLATION

Get a truly seamless look with a wall oven that fits flush with your existing kitchen cabinets.

FROZEN BAKE[™] TECHNOLOGY

Skip preheating and cook frozen favorites like pizza in fewer steps with preprogrammed settings that automatically adjust cooking times for you.

G

GLASS EDGE LED LIGHTING

Senses when your kitchen lights dim and automatically turns on to act as a night-light.

GUIDED COOKTOP CONTROLS

Control the heat without the guesswork. The knobless design uses up/down arrows to select the temperature you need, while heat level indicators show when you are simmering and melting.

GUIDED SERVICE

Keep track of scheduled appointments and make sure issues are known using the Whirlpool® app to send data from the appliance directly to Whirlpool brand customer service.

н

HOT OVEN INDICATOR LIGHT

See when the oven's hot, even after it's been turned off, with a light that lets you know.

HOT SURFACE INDICATOR LIGHT

See when the cooktop's still hot to the touch, even after it's been turned off, with a light that lets you know.

Κ

KEEP WARM SETTING

Keep dishes ready to serve while you work on the rest of the meal. This setting delivers low heat to the oven to keep prepared dishes from getting cold.

Faster and more efficient induction technology transfers energy

KOSHER CONSUMER FRIENDLY MODE

INDUCTION COOKING TECHNOLOGY

directly into any magnetic base cookware.

Keep kosher on the Sabbath with this mode that leaves the microwave true convection setting on at a constant temperature until it's manually turned off.

L

LOW PROFILE DESIGN

Maximize space by moving your microwave off the countertop with a low profile design that fits in the same space as your undercabinet hood.

Μ

MAX CAPACITY RACK

Make plenty of room for large items with a max capacity rack.

MICROWAVE PRESETS

Get just the right amount of heat and time, whether you're cooking or defrosting, with specific preset option.

MULTI-STEP COOKING

Make multi-step meals more simple. Use your smartphone or tablet to send multiple cooking instructions to the oven or microwave all at once.* The temperature or cook power automatically adjusts based on the recipe you enter for great results without having to monitor your meal.

Ν

NOISE REDUCTION TECHNOLOGY

Sound insulation and a special chimney design allow for quiet ventilation.

Ρ

PANEL-READY DESIGN

Match the look of your microwave to your kitchen. Choose a stainless steel panel kit (not included) that coordinates with the rest of your appliances or add a custom front panel for a seamless fit with your cabinetry.

PARTY MODE

Start preparing for guests from your smartphone or tablet with Party mode that automatically turns on the Keep Warm setting so dishes stay ready to serve.*

PERIMETRIC VENTING TECHNOLOGY

Helps remove smoke and odors by concentrating hood suction to targeted zones on your cooktop.

PROXIMITY SENSOR

Easily read your display no matter where you are in the kitchen with a sensor that immediately wakes up the appliance when you're close and adjusts the display text size based on your distance.

R

RAPID PREHEAT

Save time with 20% faster preheating." A rear fan combined with the use of all of the elements helps to heat the oven quickly.

REMOTE CONNECTIVITY

Know if you've left a burner on with remote connectivity that lets you monitor your cooktop from your smartphone or tablet.[†]

S

SABBATH MODE

Enable this mode to set the oven to remain on the "Bake" setting at a constant temperature until it's manually turned off. When it's turned on, displays, tones and all other cooking and cleaning cycles are disabled.

SCAN-TO-CONNECT TECHNOLOGY

You don't need to be a tech expert to connect your new appliance. Simply open the Whirlpool® app, add your appliance and follow the guided experience to get up and running quickly.

SCAN-TO-COOK TECHNOLOGY

Get the right settings every time. Scan a frozen food barcode with your smartphone or tablet and send recommended or customized cooking instructions straight to your oven or microwave for dinner done the way your family wants it.^{††}

SEALED BURNERS

Cut down on cleanup with burners that are sealed to prevent food from falling into them.

SELF-CLOSE DOOR

Keep doors from shutting too quickly with the smooth, quiet mechanism of self-close doors.

SENSOR COOKING

Take out the guesswork with sensors that track the cooking progress of your food and automatically adjust cooking times.

SMART APPLIANCE

Care smarter with connected features that let you send cooking instructions to the appliance from your smartphone, control your kitchen with voice commands using a voice-enabled device or easily keep up with service and maintenance.

SPEEDHEAT[™] BURNER

Get dinner to the table fast with this burner that generates the high heat needed to sear and boil quickly.

STAR-K CERTIFIED

Star-K certified appliances can be used on the Sabbath, as well as holidays of the kosher-observant Jewish consumer.

STEAM CLEAN OPTION

Wipe up light messes quickly with this option that saturates baked on messes on the bottom of the oven with water and lower heat for easy cleaning.

STEAM COOKING

Clear up cooktop space by steaming foods like rice, vegetables and fish right in the microwave. Steam accessory available separately.

STORAGE DRAWER

Provides additional storage for commonly used cooking utensils, pots, pans and cookie sheets.

т

TAP TOUCH CONTROLS

Clean these controls as easily as you use them.

TEMPERATURE SENSOR

Get evenly baked food with a sensor that monitors oven temperature and adjusts the cooking elements.

TOUCHSCREEN

Get instant access to the settings you use most with a touchscreen that learns, adapts and suggests customized presets based on your family's routines.

TRUE CONVECTION COOKING

Cook foods faster[‡] with the addition of a third element plus a fan that distributes hot air evenly over, under and around food so dinner is ready when they are.

TRUE CONVECTION MICROWAVE COOKING

Conveniently cook foods with the same home-cooked results, right in the microwave.

U

UPSWEPT SPILLGUARD[™] COOKTOP

Raised edges help contain messes to make cleanup faster.

*Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. **Single-rack baking with Rapid Preheat option versus three-rack without option. †Elements cannot be turned off remotely from the app. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. ++Not all frozen foods included. Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at visit whirlpool.com/connect.

whirlpool.com/connect and yummly.com.

V

VOICE CONTROL WITH A COMPATIBLE VOICE-ENABLED DEVICE^{‡‡}

Control your kitchen no matter what you've got on your hands with simple voice commands using the Google Assistant or an Alexa-enabled device.

W

WARM ZONE ELEMENT

Keep food warm while you're finishing the rest of the meal using this low-powered center element.

Υ

YUMMLY® GUIDED COOKING#

Yummly[®] Guided Cooking makes meal prep easier by helping you answer the question "what's for dinner?" before it's even asked. Recipes with the Connected Fork icon in the Yummly® app include step-by-step tutorials that provide the extra assistance you need on busy days. Prompts in the app even send cooking instructions straight to your Whirlpool[®] smart kitchen appliance at the right times, so dinner's ready when your family's hungry.[¥]



MAKING ROOM

That's caring and why we designed our dishwashers with 35% more rack space^{*} to fit those large, messy loads.


201	DISHWASHERS & SPECIFICATIONS
213	TRASH COMPACTORS, FOOD DISPOSERS & SPECIFICATIONS
217	DIMENSIONS
218	ACCESSORIES
219	GLOSSARY





WASH DISHES THE SMART WAY

With the Whirlpool[®] app, you can control your smart dishwasher even when away from home. Start or pause cycles, create customized cycles to wash and dry the way you want, and download specialty cycles from your smartphone or tablet.*



SCOUR AWAY BAKED-ON FOODS

With twice the jets for more coverage,[†] the TotalCoverage spray arm uses a smarter sequence of spray patterns from multiple nozzles, hitting your dishes with increased water pressure.



NOTE: Not all features available on all models. Screen images simulated. *Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. **Compared to Whirlpool® dishwashers without a third level rack. †Compared to Whirlpool® dishwashers without TotalCoverage spray arm.

35% MORE RACK SPACE**

Load more dishes in one go with the third level rack. You'll find the extra room you need for hard-to-fit and oddly shaped items like spatulas and chef's knives.



THE RIGHT WASH & DRY EVERY TIME

Eliminate the guesswork with the ideal settings for each load with the Sensor cycle. Two separate sensors measure temperature, soil level and load size once during the prewash and again during the wash cycle to automatically pick the right wash and dry settings.



(S)



Stainless Steel (M)



Fingerprint-Resistant Stainless Steel (Z)




Fingerprint-Resistant Black Stainless Steel (V)



AVAILABLE COLORS

Fingerprin Resistant Sunset Bronze (N)







WDF330PAH

Front Control Dishwasher

+ 55 dB • 1-Hour Wash cycle Heated Dry option

	W	В	T	
3A [*]			la	urgi

+ Soil sensor + Delay Wash option









WDF331PAH

Front Control Dishwasher

- 55 dBA^{*}
- 1-Hour Wash cycle
- Heated Dry option
- Delay Wash option













WDF520PAD

Front Control Dishwasher

- 55 dBA^{*}
- 1-Hour Wash cycle
- + Sani Rinse option Heated Dry option
- Soil sensor
- Delay Wash option







*Per IEC standards.

+ Factory-installed

power cord

basket

- Soil sensor

+ Indicates a step-up feature.





+ 53 dBA*

+ Sensor cycle



- 1-Hour Wash cycle
- Heated Dry option
- Soil sensor
- Delay Wash option
- In-door silverware basket
- Sani Rinse option

W R



WDF550SAH

Front Control Dishwasher

- Heated Dry option
- Soil sensor
- Delay Wash option
- Sensor cycle
- + 52 dBA*
- + ADA compliant
- + Stainless steel tub
- + Glass cycle
- + Tap Touch controls



- WDF560SAF **Front Control Dishwasher**
- 1-Hour Wash cycle
- Heated Dry option
- Soil sensor
- Sensor cycle
- Delay Wash option
- Stainless steel tub
- + 50 dBA^{*}
- + Sani Rinse option

W

R





ODEL	WDF130PAH	WDF330PAH	WDF331PAH	WDF520PAD	WDF540PAD	WDF550SAH	WDF560SA
Sound level (dBA)	63	55	55	55	53	52	50
ADA compliant						•	
Cycle memory	•	•	•	•	•	•	•
Cycle status indicator							•
Electronic controls	•	•	•	•	•	Tap Touch	•
ENERGY STAR [®] certified		•	•	٠	•	•	•
Factory-installed power cord			•				
Place setting capacity	12	13	13	14	15	12	12
Soil sensor		•	•	•	•	•	•
SIGN FEATURE							
Tub material	Slate plastic	Stainless steel	Stainless ste				
'CLES							
Total number of cycles	3	3	3	4	5	6	5
1-Hour Wash/Quick Wash	•	•	٠	•	•	•	•
Glass						•	
Heavy	•	•	٠	•	•	•	•
Light						•	•
Normal	•	•	•	•	•	•	•
Sensor					•	•	•
Soak & Clean				•	•		
PTIONS							
Total number of options	2	3	3	5	5	3	6
Control Lock				•	•	•	•
Delay Wash (hours)		4	4	4	4	4, 8, 12	1–24
Heated Dry	•	•	•	•	•	•	•
High Temperature Wash	•	•	•	•	•		•
Light Dry							•
Sani Rinse				•	•		•
ACK FEATURES							
Cup shelves		•	•	•	•	•	
Rack coating	Vinyl	Vinyl	Vinyl	Vinyl	Nylon	Nylon	Nylon
Silverware basket	In-rack	In-rack	In-rack	In-door	In-door	In-rack	In-rack
DLORS							
Available colors	W/B/S	W/B/T/S	W/B/S	W/B/M	W/B/T/M	W/B/S	W/B/T/N
MENSIONS							/ .
Max height (A)	34½"	34½"	34½"	34 ½"	34½"	34½"	34½"
Width (B)	23%"	23%"	23%"	237/8"	237/8"	23%16"	237/8"
Depth (C)	23 /8	23 /8	241/2"	241/2"	23 /8	23718	23 /8
Deput (C)	LT /2	LT /2	L7 /2	LT /2	L+ /2	24	24 /2

NOTES	/	206



W

R





WDT730PAH

Top Control Dishwasher

- Whirlpool handle
- 51 dBA^{*} Sensor cycle
- 1-Hour Wash cycle
- + Stainless steel interior door & slate plastic tub + Fan Dry option + Adjustable upper rack

Z









WDT750SAH

Top Control Dishwasher

- Whirlpool handle
- Sensor cycle
- 1-Hour Wash cycle
- + Tap Touch controls • Adjustable upper rack

+ 47 dBA*

+ In-door silverware

+ TotalCoverage

spray arm

W

- basket
- + Stainless steel tub



B Z










WDTA50SAH

Top Control Dishwasher

handle

- Whirlpool pocket
 - In-door silverware basket
- 47 dBA*
- Sensor cycle
- 1-Hour Wash cycle
- Adjustable upper rack
- TotalCoverage spray arm

- W B Z V
- Tap Touch controls



+ Indicates a step-up feature. *Per IEC standards.





WDT970SAH

Top Control Dishwasher

- Whirlpool handle • 47 dBA^{*}
- Sensor cycle
- 1-Hour Wash cycle
- TotalCoverage spray arm
- Tap Touch controls
- In-door silverware basket

W

B

- Stainless steel tub
- + Third level rack



Smart Top Control Dishwasher

- Whirlpool handle
- 47 dBA^{*}
- TotalCoverage spray arm
- Third level rack
- + Smart appliance
- + Download & Go[™] option
- + Voice control with a compatible voiceenabled device**
- + Plastic Items cycle + Canning & Brewing
- Items cycle



V

7



WDTA75SAH

Smart Top Control Dishwasher

- Whirlpool contemporary handle • 47 dBA*
- TotalCoverage spray arm
- Third level rack
- Smart appliance
- Download & Go[™] option
- Voice control with a compatible voiceenabled device**
- Plastic Items cycle
- Canning & Brewing Items cycle



Ν

Ζ



old type indicates a step-up feature							
MODEL	WDT710PAH	WDT730PAH	WDT750SAH	WDTA50SAH	WDT970SAH	WDT975SAH	WDTA75SAH
Sound level (dBA [*])	51	51	47	47	47	47	47
Cycle memory & cycle status indicator	•	•	•	•	•	•	•
Electronic controls	•	•	Tap Touch	Tap Touch	Tap Touch	Tap Touch	Tap Touch
ENERGY STAR® certified	•	•	•	•	•	•	•
Place setting capacity	13	15	15	15	15	15	15
Smart appliance: Voice control with a compatible voice-enabled device," Download & Go [™] option, maintenance alerts, guided service, enhanced troubleshooting & Scan-to-Connect technology						•	•
Soil sensor	•	•	•	•	•	•	•
TotalCoverage spray arm			•	•	•	•	•
DESIGN FEATURES							
Fully integrated console	•	•	•	•	•	•	•
Tub material	Slate plastic	Hybrid slate plastic & stainless steel interior door	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
YCLES							
Total number of cycles	5	5	5	5	5	7	7
1-Hour Wash	•	•	•	•	•	•	•
Canning & Brewing Items						•	•
Heavy	•	•	•	•	•	•	•
Normal	•	•	•	•	•	•	•
Plastic Items						•	•
Sensor	•	•	•	•	•	•	•
Soak & Clean	•	•	•	•	•	•	•
PTIONS							
Total number of options	5	6	6	6	6	6	6
Control Lock	•	•	•	•	•	•	•
Delay Wash (hours)	1-24	1–24	2, 4, 8	2, 4, 8	1-24	1–24	1–24
Extended Dry			•	•	•	•	•
Fan Dry		•					
Heated Dry	•	•	•	•	•	•	•
High Temperature Wash	•	•	•	•	•	•	•
Sani Rinse	•	•	•	•	•	•	•
ACK FEATURES							
Adjustable upper rack		•	•	•			
Cup shelves	•	•	•	•	•	•	•
Lower rack folding tines	-	•		-	-		-
	Nulon		Nidan	Nulon	Nulon	Nulon	Nulan
Rack coating	Nylon	Nylon	Nylon	Nylon	Nylon	Nylon	Nylon
Silverware basket	In-door	In-rack	In-door	In-door	In-door	In-door	In-door
Third level rack				<u> </u>	•	•	•
Upper rack folding tines			2	2	2	2	2
COLORS		10. Con 100		W/F (= 0.11)			
Available colors	W/B/Z	W/B/Z/V	W/B/Z/V	W/B/Z/V/N	W/B/Z/V	Z/V	Z / N
IMENSIONS							
Max height (A)	34 1⁄2"	34½"	34½"	34½"	34½"	34½"	34 1⁄2"
Width (B)	23 1/2"	237⁄8"	23 1/8"	23 1/8"	23 %"	231/8"	23 1/8"
Depth (C)	241/2"	241⁄2"	24½"	241⁄2"	24½"	241⁄2"	241⁄2"
Depth with door open (D)	49½"	491⁄2"	491/2"	491⁄2"	491⁄2"	491⁄2"	491⁄2"

NOTES	/	210

(The second seco	WDF518SAH		MODEL	WDF518SAH	WDP370PA
	Compact Dishwasher	W B M	Sound level (dBA')	52	55
A PLANTER PROPERTY			ADA compliant	•	٠
Low Marine	• 52 dBA		Cycle memory	•	٠
	52 dBA1-Hour Wash cycle	energy	Electronic controls	•	•
	Heated Dry option	LEARN MORE AT energystargov	ENERGY STAR® certified	•	•
	Delay Wash option		Place setting capacity	8	12
	ADA compliant		Soil sensor		٩
			DESIGN FEATURES		
1 0	20 Miles		Туре	Compact	Portable
			Tub material	Stainless steel	White plastic
			CYCLES		
			Total number of cycles	5	3
-	WDP370PAH		1-Hour Wash/Quick Wash	•	•
			Heavy	•	٠
11 17 1	Portable Dishwasher	W B	Light	•	
macio			Normal	•	•
AUTO LA	• 55 dBA	a vent	Rinse Only	•	
	1-Hour Wash cycle	LEARN MORE AT	OPTIONS		
THE REAL PROPERTY OF	Heated Dry optionDelay Wash option	energystangov	Total number of options	4	4
· 等於時間 经用户	ADA compliant		Control Lock	•	٠
- /	- And -		Delay Wash (hours)	1–24	4
1-21			Heated Dry	•	٠
			High Temperature Wash	•	•
			RACK FEATURES		
			Cup shelves	•	
			Rack coating	Nylon	Vinyl
			Silverware basket	In-rack	In-rack

Width (B)	17½"
Depth (C)	22"
Depth with door open (D)	441⁄2"

Available colors

Max height (A)

DIMENSIONS

•	
Nylon	Vinyl
In-rack	In-rack
W / B / M	W / B
35"	37"
17½"	241⁄%"
22"	261/2"
44½ ["]	49 ½"



GX900QPP

1.4 cu. ft. Undercounter Trash Compactor

- 4:1 compaction ratio
- Automatic anti-jam
- Bag retainer buttons

• Easy Rollers[™] installation wheels

S

Q

R

- Side release bin
- Touch-Toe[™] drawer opener
- Trash basket

ODEL	GX900QPP	GC900QPP	TU950QPX
4:1 compaction ratio	•	٠	•
Capacity (cu. ft.)	1.4	1.4	1.4
Motor	1⁄3-HP	⅓- H P	¹⁄₃-HP
ESIGN FEATURES			
Integrated controls			•
Touch pad controls	•	•	
OMPACTOR FEATURES			
Automatic anti-jam	•	٠	•
Bag retainer buttons	•	•	٠
Convertible freestanding-to-built-in		•	
Easy Rollers [™] installation wheels	•	•	•
Front levelers/rear rollers	•	•	
"Hidden" removable key control knob	•	•	•
Side release bin	•	٠	•
Tilt switch	•	•	•
Touch-Toe [™] drawer opener	•	•	•
Trash basket	•	•	
OLORS			
Available colors	S	Q / B	S
IMENSIONS			
Max height (A)	337%"	34³⁄/6"	337⁄//"
Width (B)	15"	15"	15"
Depth (C)	24¾"	24¾"	24%"



GC900QPP



- Touch pad controls
- 1/3-HP motor
- 4:1 compaction ratio
- Automatic anti-jam
- Bag retainer buttons
- Easy Rollers[™] installation wheels
- Side release bin

- Touch-Toe[™] drawer opener
- Trash basket
- + Convertible freestanding-to-built-in



TU950QPX

1.4 cu. ft. Undercounter Trash Compactor

- 1/3-HP motor
- 4:1 compaction ratio
- Automatic anti-jam
- Bag retainer buttons

- Easy Rollers[™] installation wheels
- Side release bin
- Touch-Toe[™] drawer opener
- + Integrated controls

TRASH COMPACTOR SPECIFICATIONS

21	4
21	



GC1000XE/PE*

1/3-HP In-Sink Disposer

- 1/3-HP motor
- 1,725 RPM
- ABS grind chamber
- Continuous-feed operation
- Galvanized steel grinding
 wheel & shredder ring

- Locked-in mounting
- Overload protector with manual reset
- Stainless steel sink flange with
- 1-piece plastic stopper
- Stainless steel swivel impellers

And the second sec

1/2-HP In-Sink Disposer

GC2000XE/PE*

- 1,725 RPM
- ABS grind chamber
- Continuous-feed operation
- Galvanized steel grinding
 wheel & shredder ring
- Locked-in mounting

- Overload protector with manual reset
- Stainless steel sink flange with 1-piece plastic stopper
- Stainless steel swivel impellers
- + 1/2-HP motor

indicates a step-up feature					
	GC1000XE	GC1000PE	GC2000XE	GC2000PE	GC5000XE
Continuous-feed operation	•	٠	٠	•	٠
Corrosion protection shield					•
Dishwasher connection	•	•	٠	٠	٠
Drain chamber	ABS	ABS	ABS	ABS	ABS
Drain connection	1½"	1½"	1½"	1½"	1½"
Grinding chamber capacity	26 oz				
Grinding chamber material	ABS	ABS	ABS	ABS	ABS
Grinding wheel	Galvanized steel	Galvanized steel	Galvanized steel	Galvanized steel	Stainless steel
Jam release	Wrench	Wrench	Wrench	Wrench	Wrench
Locked-in mounting	•	٠	٠	٠	٠
Manual reset	•	٠	٠	٠	٠
Max spin speed (RPM)	1,725	1,725	1,725	1,725	1,725
Motor	1⁄3-HP	1⁄3-HP	½ -HP	½-HP	³ ⁄4-HP
Motor type	Induction	Induction	Induction	Induction	Induction
Overload protector	•	٠	٠	٠	٠
Power cord (included)		31/21		3½'	
Shredder ring	Galvanized steel	Galvanized steel	Galvanized steel	Galvanized steel	Stainless steel
Sink flange	Stainless steel				
Sound insulation					•
Starting method	Centrifugal switch				
Stopper	Plastic w/seal	Plastic w/seal	Plastic w/seal	Plastic w/seal	1 piece stainless steel
Swivel impellers	360° stainless steel				



GC5000XE

3/4-HP In-Sink Disposer

- 1,725 RPM
- ABS grind chamber
- Continuous-feed operation
- Locked-in mounting
- Overload protector with manual reset
- Stainless steel swivel impellers


- + 3/4-HP motor
- + Corrosion protection shield
- + High polish stainless steel sink flange with 1-piece stainless steel stopper
- + Sound insulation
- + Stainless steel grinding wheel & shredder ring

Gold type indicates a step-up feature


MODEL


FOOD DISPOSER SPECIFICATIONS

2	1	6




DISHWASHERS	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WDF130PAH	34½"	23%"	24½"	49½"
WDF330PAH	34½"	23 %"	24½"	491⁄2"
WDF331PAH	34½"	23 %"	24½"	491⁄2"
WDF520PAD	34½"	23 %"	241⁄2"	491/2"
WDF540PAD	34½"	23 %"	241⁄2"	49½"
WDF550SAH	34½"	23 1/16"	24"	441/2"
WDF560SAF	34½"	23 %"	241⁄2"	49½"
WDF518SAH	35"	17½"	22"	44½"
WDP370PAH	37"	241⁄8"	261/2"	491/2"
WDT710PAH	34½"	23 %"	241⁄2"	491/2"
WDT730PAH	34½"	23 %"	241⁄2"	491/2"
WDT750SAH	34½"	23 %"	241⁄2"	491/2"
WDTA50SAH	34½"	23 %"	24½"	491⁄2"
WDT970SAH	34½"	23 %"	24½"	491⁄2"
WDT975SAH	34½"	23 %"	24½"	491⁄2"
WDTA75SAH	34½"	23 7⁄8"	241/2"	491⁄2"





TRASH COMPACTORS	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)
GX900QPP	337⁄8"	15"	24%"
GC900QPP	34¾16"	15"	24%"
TU950QPX	337⁄8"	15"	24%"



⊢___ **B** —___|

FOOD DISPOSERS	MAX HEIGHT (A)	DIAMETER (B)
GC1000XE	11%"	6 ⁵ ⁄16"
GC1000PE	11 %"	65⁄16"
GC2000XE	11 %"	6 ⁵ ⁄16"
GC2000PE	11 %"	65⁄16"
GC5000XE	125⁄8"	65%"

affresh	
Contraction of the second	9
S	

CLE	ANING & MAINTENANCE		PART NO.
1	affresh® Dishwasher Cleaner	Specially formulated to help remove limescale and mineral build-up that can be unsightly and could affect your dishwasher's performance. Cleans inside your machine while your detergent safely cleans your dishes. ⁺ Contains 6 tablets.	W10282479
2	affresh® Disposal Cleaner	Specially formulated to clean and remove odor causing residues from your disposal with a powerful foaming action. Contains 3 tablets.	W10509526
3	affresh® Stainless Steel Cleaning Mousse	Specially formulated to eliminate overspray, dripping, and waste for a direct, even coverage that gently cleans fingerprints, smudges, and other residues from your stainless steel appliances. 10oz.	W11042466
4	affresh® Stainless Steel Cleaning Spray	Specially formulated to stay where it's sprayed, for minimal run-off and easy cleaning. 12oz.	W11042467
5	affresh® Stainless Steel Cleaning Wipes	Gently clean fingerprints, smudges and other residues on all stainless steel surfaces including refrigerators, range hoods, ovens, dishwashers, and microwaves for a streak-free shine. Dual-sided design provides durability—2X thicker than the leading stainless steel wipe—and built in Micro-Grab Fibers" help trap residue to keep your machine looking like new. Contains 28 wipes.	W10539769
6	Dishwasher Rack Repair Kit (Blue)	Includes everything you need to repair your dishwasher rack tines. It contains 150 tine tips, a 4-oz bottle of vinyl touch-up paint/adhesive with a brush and instruction sheet.	4396839RC
7	Dishwasher Rack Repair Kit (Gray)	Includes everything you need to repair your dishwasher rack tines. It contains 150 tine tips, a 4-oz bottle of vinyl touch-up paint/adhesive with a brush and instruction sheet.	4396840RC
8	Dishwasher Rack Repair Kit (White)	Includes everything you need to repair your dishwasher rack tines. It contains 150 tine tips, a 4-oz bottle of vinyl touch-up paint/adhesive with a brush and instruction sheet.	4396838RC
DIS	IWASHER RACK ACCESSORIES		
9	Small Items Bag	Holds extra-small utensils, contact cases and other small items that would normally slip through the dishwasher rack.	8519716
10	Small Items Basket	Fits all Whirlpool® dishwashers. It holds baby items, jar lids and other small utensils that would normally slip through the dishwasher rack.	3370993RB
HOS	ES & FITTINGS		
11	6' Braided Hose (without Teflon® tape)	Includes: $\%"$ brass elbow, $\%"$ brass compression fitting and $\%"$ brass swivel gooseneck fitting.	W10278635RP
12	6' Braided Hose (with Teflon® tape)	Includes: $\%"$ brass elbow, $\%"$ brass compression fitting and $\%"$ brass swivel gooseneck fitting.	W10278636RC
13	12' Drain Hose (Tall Tub)	No-kink design is made for hot water.	3385556
14	12' Drain Hose	No-kink design is made for hot water.	8531858
15	6' Drain Hose	No-kink design is made for hot water.	8269144A
16	4' Red EPDM Hose (retail polybag)	Includes: $\%"$ brass elbow, $\%"$ brass compression fitting and $\%"$ brass swivel gooseneck fitting.	W10278625RP
17	5' Red EPDM Hose (retail polybag)	Includes: $\%"$ brass elbow, $\%"$ brass compression fitting and $\%"$ brass swivel gooseneck fitting.	W10278626RP
18	6' Red EPDM Hose (retail polybag)	Includes: $\%"$ brass elbow, $\%"$ brass compression fitting and $\%"$ brass swivel gooseneck fitting.	W10278627RP
19	6' Red EPDM Hose (retail clamshell)	Includes: $\%"$ brass elbow, $\%"$ brass compression fitting and $\%"$ brass swivel gooseneck fitting.	W10278627RC
20	Swivel Gooseneck Fitting	Space-saving 90° design makes this $\%$ " x $\%$ " elbow hose fitting perfect for easy dishwasher installation. A $\%$ " brass compression fitting is included. Required on dishwashers produced after 2009.	W10685193
POV	/ER CORDS		
21	5', 3-Prong Dishwasher Power Cord Kit	Take home everything you need to bring power to your dishwasher with the UL-listed power cord, strain relief, wire nuts and installation instructions.	4317824
22	6', 3-Prong Dishwasher Power Supply Kit	This 6', 90° UL-listed power cord kit fits dishwashers from most major brands and includes a power cord, metal strain relief bracket, wire nuts and instructions.	W10278923RP
MOL	INTING KITS		
23	Undercounter Mounting Kit	Works with all standard size dishwashers. Can be used with solid surfaces, including granite.	W10426979

DISHWASHER ACCESSORIES / 218



1-HOUR WASH CYCLE

Thoroughly cleans your dishes in nearly half the time.* This hour-long cycle helps you take care of dirty dishes when you are in a rush.

Α

ADA COMPLIANT

This dishwasher meets the Standards for Accessible Design specified by the Americans with Disabilities Act to provide equal access to all.

ADJUSTABLE UPPER RACK

Manually raise or lower the upper rack two inches to better fit tall items.

AUTOMATIC ANTI-JAM

If the door of a Whirlpool® trash compactor is opened during operation, the compression ram will automatically reverse to prevent jamming.

С

CANNING & BREWING ITEMS CYCLE

Download this specialty cycle^{**} to clean heavily soiled items like those used for canning or brewing using higher water temperatures.

CEE TIER STANDARDS

Based on the Consortium for Energy Efficiency (CEE) qualifying product lists. Visit cee1.org for more information.

CUP SHELVES

Stack two levels of coffee mugs or small cups and secure delicate glassware when used as a stemware holder in the upper rack.

CYCLE MEMORY

Whirlpool® dishwashers remember the last cycle you picked and automatically choose it for you the next time.

CYCLE STATUS INDICATOR

The fully lit display will glow for wash, drain, drying, sanitized and clean. It will also display the remaining time for the cycle in hours and minutes.

D

DELAY WASH OPTION

Wash dishes according to your schedule. This option lets you delay washing for up to 24 hours until off-peak hours when utility rates may be lower.

DOWNLOAD & GO[™] OPTION

Get customized care for every mess. Combine select cycles and options to create unique settings you can send to your dishwasher from your smartphone.*

E

EASY ROLLERS[™] INSTALLATION WHEELS

Easily position your Whirlpool® compactor where you need it with the Easy Rollers[™] installation wheels.

ENERGY STAR® CERTIFIED

Exceeds government standards to help conserve natural resources and save money on utility bills.

ENHANCED TROUBLESHOOTING

Get immediate support for quick solutions by using a smartphone or tablet to access troubleshooting videos.

F _

FAN DRY OPTION

Get cabinet-dry dishes straight from the dishwasher with a fan that pushes out moist air and helps pull in fresh, dry air

FOLDING TINES

Secure dishes during the wash cycle or fold down to create space for larger items.

G

GLASS CYCLE

Glassware comes out clean, clear and ready to use with this cycle designed to prevent watermarks.

GUIDED SERVICE

Keep track of scheduled appointments and make sure issues are known using the Whirlpool® app to send data from the appliance directly to Whirlpool brand customer service.[†]

н

HEATED DRY OPTION

Dries dishes with heat. For best drying results, use this option with rinse aid.

HEAVY CYCLE

Adds more time to the cycle to clean heavily soiled items.

HIGH TEMPERATURE WASH OPTION

Choose this option when additional cleaning of items like baby bottles, glassware or dishes is required.

IN-DOOR SILVERWARE BASKET

Designed to clean better and fit in four places for maximum flexibility, the in-door silverware basket rests on two locations in the bottom rack, the front of the lower rack or in the door for 100% usable rack space.

IN-RACK SILVERWARE BASKET

Silverware gets its own place in the dishwasher with the in-rack silverware basket.

INTEGRATED CONSOLE

This sleek exterior control panel is hidden away.

Μ

MAINTENANCE ALERTS

Get notified when it's time to clean or change the filter with an alert sent straight to your smartphone.

Ν

NORMAL CYCLE

Use for loads with normal amounts of food soil. This cycle is great for everyday loads.

Durable nylon coating helps resist rust and prevent scratching.

NYLON RACKS

Ρ

PLASTIC ITEMS CYCLE

Download this specialty cycle" to get the gentle cleaning and lower temperatures needed for softer plastic items.

0

QUICK WASH CYCLE

Use for prerinsed or lightly soiled loads

R

RINSE ONLY CYCLE

Keeps food from drying on your dishes and reduces odor build up in your dishwasher until you are ready to wash a full load.

S

SANI RINSE OPTION

Sanitizes dishes by eliminating 99.999% of food soil bacteria.

SCAN-TO-CONNECT TECHNOLOGY

You don't need to be a tech expert to connect your new dishwasher. Simply open the Whirlpool® app, add your dishwasher and follow the guided experience to get up and running guickly."

SENSOR CYCLE

Automatically selects the right wash and dry settings for your load by using two separate sensors to measure temperature, soil level and load size once during the prewash and once during the wash cycle. It cleans tough soils using just the right amount of time, energy and water.

SLIDING TINES

Move left or right to fit your dishes. Now you have twice the space between tines to fit larger bowls for optimal cleaning.

SOAK & CLEAN CYCLE

Quietly soaks dishes with an extended prewash, which eliminates the need to presoak dishes before loading in the dishwasher. This cycle is ideal for loads with heavy amounts of dried-on or hard-to-clean baked-on food.

SOIL SENSOR

Determines how dirty dishes are and adjusts the Normal cycle as needed to make sure dishes come out clean.

STAINLESS STEEL INTERIOR

Retains heat from wash and rinse cycles to promote drying. The stainless steel interior also cools faster than the dishes, allowing moisture to condense on the interior walls and drawing additional water off the hotter dishes.

T

THIRD LEVEL RACK

Take advantage of 35% more rack space to load more dishes and get extra room for hard to fit items, like spatulas, large spoons or chef's knives.

TOTALCOVERAGE SPRAY ARM

Cleans with twice the jets" for more coverage. A smarter sequence of spray patterns from multiple nozzles hits dishes throughout the cycle with increased water pressure, so you can be sure they're all clean and ready to go.

TOUCH-TOE[™] DRAWER OPENER

Easily open Whirlpool[®] trash compactors without your hands using the Touch-Toe[™] drawer opener. A light tap of the toe is all that's needed to release the drawer.

TOUCH PAD CONTROLS

Trash compactors feature easy-to-operate touch pad controls on the front of the compactor.

V

VOICE CONTROL WITH A COMPATIBLE VOICE-ENABLED DEVICE[†]

Control your dishwasher no matter what you've got on your hands with simple voice commands using the Google Assistant or an Alexa-enabled device.^{††}